Product data sheet

CONSTRUCTION TYPE	
Built-in appliance	•
Integrated appliance	•
Door hinging	Left and right
Can be installed side by side	•
DESIGN	
SmartLight	•
Lighting	BrilliantLight Pro
Design option	Compatible with furniture fronts
USER CONVENIENCE	
Freshness system	MasterFresh Pro
Longlife AirClean system	•
Water dispenser	•
Number of IceMakers with plumbed water connection	1
Freeze&Cool	•
DuplexCool Pro	•
FullAccess	•
EasyClean	•
MaxLoad hinge	•
IceMaker with fresh-water connection	•
DynaCool	•
NoFrost	•
SoftClose	•
SelfClose	•
Networking with Miele@home	•
CONTROLS	
Precise adjustment	Fridge and freezer temperature
SuperCool&AirClean	•
Quicklce	•
User interface	M Touch Pro
Independent temperature regulation of fridge and freezer compartments	•
SuperFrost	•

3
•
•
•
4
2
•
4
2
2
2
•
•
•
· .
•
•
•
• • Customer Service
• • Customer Service
Customer Service 1 36 (914)
Customer Service 1 36 (914) 36 (914)
Customer Service 1 36 (914) 36 (914) 84 1/8 (2134)
Customer Service 1 36 (914) 36 (914) 84 1/8 (2134) 84 1/8 (2134)
• Customer Service 1 36 (914) 36 (914) 84 1/8 (2134) 84 1/8 (2134) 25 (635)
• Customer Service 1 36 (914) 36 (914) 84 1/8 (2134) 84 1/8 (2134) 25 (635) 35 1/4 (894)
Customer Service 1 36 (914) 36 (914) 84 1/8 (2134) 84 1/8 (2134) 25 (635) 35 1/4 (894) 83 5/8 (2123)
• Customer Service 1 36 (914) 36 (914) 84 1/8 (2134) 84 1/8 (2134) 25 (635) 35 1/4 (894) 83 5/8 (2123) 24 (608)

Current consumption in milliamps (mA)	4000
Voltage in V	110-120
Fuse rating in A	10
Frequency in Hz	60
Length of power cable in m	9 (3.0)
Weight in lbs (kg)	501 (227.0)
ACCESSORIES SUPPLIED	
Longlife AirClean filter	•
Longlife AirClean filter	•
Ice scoop	•
Ice scoop	•
APPLIANCE CATEGORY	
Fridge / freezer	•