EMB12BP EMB II SERIES



12" PASSIVE RANDPASS SURWOOFFR



Size 13.5 h x 13.5 w x 16.75 d (in)

343 h x 343 w x 425.5 d (mm)

Freq Response 20-150Hz ± 3 dB

Impedance 4 ohms

Sensitivity 92dB 2.83V /1m Power reg. 500W - 1000W

Woofer (1) 12" (305mm) Active

(1) 12" (305mm) Passive

Enclosure Aluminum

Finish Studio Black

(1) 12" Internal Active Woofer (1) 12" EMB Passive Radiator

One of many available options in the EMB II Subwoofer series features a very contemporary cabinet design and a design that isn't obtrusive. Built from solid aircraft grade aluminum and expertly finished to your color preference, the craftsmanship of this compact subwoofer exudes luxury and performance. The unique bandpass or "BP" design features a front "Acoustic Energy Director" which allows stealthy in-cabinet installation, venting out the toekick or cabinet side.

Internally, the EMB12BP utilizes our famous "Energy Multiplying Bandpass" technology to obtain high output and low distortion from a very compact enclosure. Inside, the cabinet features a specially designed 10" woofer and a pneumatically phase coupled passive radiator, both with aluminum cones and rubber surrounds. The EMB12BP subwoofer has been tuned to perform all the way down to an impressive 20Hz! Because it is a high power handling passive subwoofer, we recommend pairing it with our M1000 class D amplifier which provides 1000 watts of clean power and features a full DSP digital processor. You can power a total of one EMB12BP subwoofer with a single M1000 amplifier.