

Product data sheet

CONSTRUCTION TYPE

Built-in appliance	•
Integrated appliance	•
Door hinging	Right convertible
Convertible hinging	•
Can be installed side by side	•

DESIGN

Lighting	BrilliantLight
----------	----------------

USER CONVENIENCE

Freshness system	MasterFresh
FullAccess	•
EasyClean	•
MaxLoad hinge	•
DynaCool	•
SoftClose	•
SelfClose	•
Push2open	•
Networking with Miele@home	•

CONTROLS

Eco mode	•
----------	---

User interface	MasterSensor
SuperCool	•
Number of temperature zones	2
Sabbath mode	•

FRIDGE / FRIDGE SECTION

SlidingShelf	•
Door rack for tins	1
Height-adjustable tempered glass shelves	2
Number of vegetable drawers	1
Number of crisper drawers	2
Door rack for bottles	3

EFFICIENCY AND SUSTAINABILITY

Energy Star	•
--------------------	---

SAFETY

Overflow protection	•
Safety lock	•
Acoustic door alarm	•
Acoustic temperature alarm, freezer section	•
Optical door alarm	•
Optical temperature alarm	•

TECHNICAL DATA

Replacing lamps	Customer Service
------------------------	------------------

Number of phases	1
Niche width in inches (mm), min.	30 (762)
Niche width in inches (mm), max.	30 (762)
Niche height in inches (mm), min.	84 1/8 (2134)
Niche height in inches (mm), max.	84 1/8 (2134)
Niche depth in mm	24 7/8 (629)
Appliance width in mm	29 7/8 (756)
Appliance height in mm	83 3/4 (2125)
Appliance depth in mm	24 (608)
Weight in lbs (kg)	343 (155.3)
Door hinge technology	Fixed door
Total usable capacity in l	16.77 (475) ft ³ (l)
Current consumption in milliamps (mA)	4000
Voltage in V	110-120
Fuse rating in A	10
Frequency in Hz	60
Length of power cable in m	11 (3.5)

ACCESSORIES SUPPLIED

Active AirClean filter	•
-------------------------------	---

APPLIANCE CATEGORY

Refrigerator	•
---------------------	---

AVAILABLE DISPLAY LANGUAGES

Available display languages via Language Options

bahasa malaysia

