

## KWTUS 7172 F Built-under wine storage unit with FlexiFrame, ActiveHumidity, and NoteBoard in a compact design.



- Storage of all bottle sizes/shapes thanks to FlexiFrame
- Perfect regulation of humidity with ActiveHumidity
- Writing on the wooden shelves on the NoteBoard
- UV-resistant insulated glass
- Presented in perfect light LED lighting

EAN: 4002516779377 / Material number: 12519520 / Old Material Number: 39717210USA

Old Material Number: 39717210USA	
Appliance category	
Wine storage unit	•
Design	
Built-in	•
Built-in integrated	•
Built-in built-under	•
Door hinge side	right
Convertible hinging	•
Can be installed side-by-side	•
Design	
Casing color	black
Wine compartment lighting	continuously dimmable LED
User convenience	
Networking with Miele@home	•
Active AirClean filter	•
DynaCool	•
ActiveHumidity	•
SoftClose door closing damper	•
Total number of shelves	5
Number of shelves	5
Shelf material	Beechwood
Number of FlexiFrame Wire Racks	4
Number of shelves for crosswise storage	1
NoteBoard	Yes
	-
NoteBoard	-
NoteBoard Low-vibration storage Control	-
NoteBoard Low-vibration storage	Yes
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments	Yes  •  FreshTouch
NoteBoard Low-vibration storage  Control  Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones	Yes  FreshTouch No
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments	Yes  FreshTouch  No  1
NoteBoard Low-vibration storage  Control  Electronic temperature display and control Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)	Yes  FreshTouch No  1 5
NoteBoard  Low-vibration storage  Control  Electronic temperature display and control  Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode	Yes  FreshTouch  No  1 5
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone	Yes  FreshTouch  No  1 5
NoteBoard Low-vibration storage  Control  Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode	Yes  FreshTouch  No  1  5  20
NoteBoard  Low-vibration storage  Control  Electronic temperature display and control  Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode  Fridge/fridge zone  Dry back wall  Safety	Yes  FreshTouch  No  1  5  20
NoteBoard  Low-vibration storage  Control  Electronic temperature display and control  Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode  Fridge/fridge zone  Dry back wall	Yes  FreshTouch  No  1  5  20  StainlessSteel
NoteBoard  Low-vibration storage  Control  Electronic temperature display and control  Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode  Fridge/fridge zone  Dry back wall  Safety  Lock function  Acoustic door alarm	Yes  FreshTouch No  1 5 20  StainlessSteel
NoteBoard  Low-vibration storage  Control  Electronic temperature display and control  Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode  Fridge/fridge zone  Dry back wall  Safety  Lock function  Acoustic door alarm  Acoustic temperature alarm	Yes  FreshTouch No  1  5  20  StainlessSteel
NoteBoard  Low-vibration storage  Control  Electronic temperature display and control  Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode  Fridge/fridge zone  Dry back wall  Safety  Lock function  Acoustic door alarm  Acoustic temperature alarm  Optical door alarm	Yes  FreshTouch  No  1  5  20  StainlessSteel  •
NoteBoard  Low-vibration storage  Control  Electronic temperature display and control  Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode  Fridge/fridge zone  Dry back wall  Safety  Lock function  Acoustic door alarm  Acoustic temperature alarm	Yes  FreshTouch  No  1 5 20  StainlessSteel
NoteBoard  Low-vibration storage  Control  Electronic temperature display and control  Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode  Fridge/fridge zone  Dry back wall  Safety  Lock function  Acoustic door alarm  Acoustic temperature alarm  Optical door alarm  Optical temperature alarm  Technical data	Yes  FreshTouch  No  1 5 20  StainlessSteel
NoteBoard  Low-vibration storage  Control  Electronic temperature display and control  Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode  Fridge/fridge zone  Dry back wall  Safety  Lock function  Acoustic door alarm  Acoustic temperature alarm  Optical door alarm  Optical temperature alarm  Technical data  Niche width in inches (mm), min.	Yes  FreshTouch  No  1 5 20  StainlessSteel    23 5/8 (600)
NoteBoard  Low-vibration storage  Control  Electronic temperature display and control  Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode  Fridge/fridge zone  Dry back wall  Safety  Lock function  Acoustic door alarm  Acoustic temperature alarm  Optical door alarm  Optical temperature alarm  Technical data  Niche width in inches (mm), min.  Niche width in inches (mm), max.	Yes  FreshTouch No  1  5  20  StainlessSteel      23 5/8 (600)  23 7/8 (604)
NoteBoard  Low-vibration storage  Control  Electronic temperature display and control  Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode  Fridge/fridge zone  Dry back wall  Safety  Lock function  Acoustic door alarm  Acoustic temperature alarm  Optical door alarm  Optical temperature alarm  Technical data  Niche width in inches (mm), min.  Niche height in inches (mm), max.  Niche height in inches (mm), min.	Yes  FreshTouch  No  1  5  20  StainlessSteel      23 5/8 (600)  23 7/8 (604)  33 7/8 (860)
NoteBoard  Low-vibration storage  Control  Electronic temperature display and control  Independent temperature control of fridge and freezer compartments  No. of temperature zones  Min. temperature setting range in °F (°C)  Max. temperature setting range in °F (°C)  Sabbath mode  Fridge/fridge zone  Dry back wall  Safety  Lock function  Acoustic door alarm  Acoustic temperature alarm  Optical door alarm  Optical temperature alarm  Technical data  Niche width in inches (mm), min.  Niche width in inches (mm), max.	Yes  FreshTouch  No  1  5  20  StainlessSteel      23 5/8 (600)  23 7/8 (604)



## KWTUS 7172 F Built-under wine storage unit with FlexiFrame, ActiveHumidity, and NoteBoard in a compact design.



EAN: 4002516779377 / Material number: 12519520 / Old Material Number: 39717210USA Appliance width in in.(mm) 23 5/8 (597) Appliance height in in.(mm) 33 7/8 (859) Appliance depth in in.(mm) 22 1/4 (563) Weight in lbs.(kg) 102 (46.0) 4.03 (114) Wine compartment in L Total usable capacity in cu. ft. (I) 4.03 (114) 0.75 | Bordeaux bottle capacity (no. of bottles) 44 bottles Current consumption in milliampere (mA) 1500 Voltage in V 115 Fuse rating in A 10 Number of phases 1 Frequency in Hz 60 Wire length in ft (m) 7 (2.2) Standard accessories


White chalk •

## Míele

## KWTUS 7172 F


Built-under wine storage unit

with FlexiFrame, ActiveHumidity, and NoteBoard in a compact design.




KWTUS7172F, interior dimensions (installation drawings)


[in] [mm]




KWTUS7172F, Built-under, installation (installation drawings)



KWTUS7172F, Built-under, side view (installation drawings)



KWTUS7172F, Built-under, top view (installation drawings)



KWTUS7172F, Built-under, Einbauskizze, Nischenmaß (installation drawings) (US, CA)