



# SOPS76TM-1EL

## 30" Built-In Multifunction Convection Oven



### AVAILABLE FINISHES / COLOUR OPTIONS

	<b>SOPS76TM-1EL</b> Black Glass Finish with Stainless Steel Trim
---	---

### KEY FEATURES

#### Black Glass Finish with Stainless-Steel Trim and Handle

The appliance features a sleek black glass finish with stainless-steel trim, blending seamlessly with modern kitchen decor for a stylish and elegant look.

#### Precise Control

Experience intuitive control with a sleek glass touchscreen interface, offering effortless operation and easy maintenance with its wipe-clean functionality.

#### Timed Cooking

In Timed Cooking mode, the ovens turns on immediately and cooks for the length of time you select. Oven turns off automatically at the end of the cooking time.

#### Convection Bake

Improve cooking efficiency with Convection Bake. The built-in fan ensures even heat distribution for faster cooking without sacrificing quality.

#### Convection Roasting

Effortlessly roast large, tender cuts of meat with even heat distribution. The top heating element, coupled with the convection fan, ensures consistent cooking results for flavourful dishes.

#### Temperature Probe

This oven includes a temperature probe for precise cooking, monitoring food temperature for perfect results with roasts, poultry, and more, every time.

#### Large Capacity

With a generous oven capacity of 4.8 cubic feet, this appliance offers ample space to accommodate multiple dishes simultaneously, allowing for the preparation of large turkeys and roasts with ease.

#### Pyrolytic Clean

Simplify maintenance with pyrolytic cleaning. This self-cleaning feature heats the oven to high temperatures, turning food residue into ash for easy wiping, keeping your oven effortlessly clean.

#### Versatile Installation Options

Flexible configuration options such as a flush inset installation, seamlessly integrating the oven with surrounding cabinetry or a proud mount installation, where the oven frame and door are exposed, refer to specs.

#### Accessories

Broil Grid (1), Broiler Pan (1), Oven Racks (2), Temperature Prove, Bottom Vent Grill (7427640 available option)



### GENERAL PROPERTIES

Type	Electric Wall Oven
Style	Built-In
Colour	Black Glass/Stainless Steel Trim
Handle	Stainless Steel Handle
Control Type	Touch Control
Display Type	Digital Display
Number of Rack Positions	6
Oven Interior	Black Enamel Interior
Oven Door	Double Glazed Down-fold Removable Door

### CAPACITY

Oven Interior Capacity	4.8 Cu. Ft. (135L) Capacity
------------------------	-----------------------------

### FEATURES

Number of Cooking Functions	6
Fan Convection	Yes
Timer	Yes (1-12 hours)
Clock	12/24 hr Clock
Time Cooking	Yes
Delay Start	Yes
Temperature Probe	Yes
Oven Interior Lighting	Halogen Lighting (Top/Rear)
Cleaning Function	Pyrolytic-Clean / Self-Clean
Child Lock / Safety Lock	Yes

### OVEN FUNCTIONS

Convection Roast	Broiler Element
Convection Bake	Sabbath Mode
Bake Element	Pyrolytic-Clean / Self-Clean

### TECHNICAL DETAILS

Oven Temperature Range	150°F-550°F (65°C-288°C)
Temperature Probe Range	100°F-200°F (38°C-93°C)
Electrical Requirements	208-240 V / 60Hz / 20 Amp
Light Bulb	120 V / 40 W G9 Halogen Bulb
Power Cord	*Supplied with a 5ft electrical cable and must be hardwired

### DIMENSIONS

Product Dimensions W / H / D (In/mm)	30" / 29 <sup>5/16</sup> " / 25" (762mm / 744mm / 635mm)
Cut Out Dimensions W / H / D (In/mm)	28 <sup>5/8</sup> " / 29 <sup>7/16</sup> " / 23 <sup>5/8</sup> " (727mm / 748mm / 600mm)
Depth (In/mm)	21 <sup>1/8</sup> " (537mm)

# SOPS76TM-1EL

## Installation Details




### PRODUCT DIMENSIONS - W / H / D (INCH/MM)

30" / 29<sup>5</sup>/<sub>16</sub>" / 25"  
762mm / 744mm / 635mm

### CUT-OUT DIMENSIONS W / H / D (INCH/MM)

min. 28<sup>7</sup>/<sub>16</sub>" - max. 28<sup>5</sup>/<sub>8</sub>" / 29<sup>7</sup>/<sub>16</sub>" / min. 23<sup>7</sup>/<sub>16</sub>" - max. 23<sup>5</sup>/<sub>8</sub>"  
min. 723mm - max. 727mm / 748mm / min. 596mm - max. 600mm




### FLUSH INSTALLATION DIMENSIONS

• **F: 2" (50mm)**

#### IMPORTANT Notice: Installation Requirements

- To achieve a flush installation, it is imperative to allow an additional depth clearance of 2 inches (50mm). This ensures a seamless finish and proper reveal for finishing gables.



### FLUSH INSTALLATION EXAMPLE





#### **WARRANTY INFORMATION**

Porter & Charles Appliances are designed and manufactured to the highest standards.  
Each appliance is covered by a comprehensive 2-year parts and labour warranty.  
Refer to product warranty policy for complete terms and conditions.

#### **FOR PARTS & SERVICE**

Euro-Parts & Service  
39822 Belgrave Road, Belgrave, ON. N0G 1E0 1 866 722 2262  
[www.euro-parts.ca](http://www.euro-parts.ca) • [parts@euro-parts.ca](mailto:parts@euro-parts.ca) • [service@euro-parts.ca](mailto:service@euro-parts.ca)

Porter & Charles appliances are imported and distributed in North America by Euro-Line Appliances Inc. For more information, please visit one of our showrooms or [www.ela.ca](http://www.ela.ca)

#### **EURO-LINE APPLIANCES INC.**

871 Cranberry Court, Oakville, ON  
L6L 6J7 Canada  
905.829.3980  
1-800.421.6332  
[info@ela.ca](mailto:info@ela.ca)

#### **EURO-LINE APPLIANCES INC.**

101-1014 Homer Street, Vancouver, BC  
V6B 2W9, Canada  
604.235.3980  
1-855.ELA.WEST (352.9378)  
[infowest@ela.ca](mailto:infowest@ela.ca)