

Specs & Details

Dimensions: 32.75 H x 27 W x 27 D

APPEARANCE

Color Appearance	Gray
------------------	------

CAPACITY

Unit Capacity	40 Gallons
---------------	------------

FEATURES

Configuration	Lowboy
Control Type	Thermostat
Drain Valve Type	Brass
Family Size	2-4 People
Foam Insulation	Yes
Fuel Type	Electric
GPH Recovery @ 90 Degrees F	25.1
Height Description	Low Boy with Top Port
Installation Location	Indoor
Insulation Thickness	2.75 in
Mobile Home Compatible	No
Operating Modes	Standard Electric
Point of Use	No

Product Type	Electric Thermostat
Rated Capacity	36.0 gal
Rated Storage Capacity	36
Temp & Pressure Relief Valve	Yes
Temperature Setting	90-150° F Range
Temperature Setting Factory Default	120° F
Water Connection Location	Top

POWER / RATINGS

Electrical Circuit Required	208V/240V 60 Hz Dedicated 30 Amp Min.
Electrical Connection	Direct-Wire
Energy Consumption (kWh/year)	3531
First Hour Rate (FHR)	61 Gallons
Heating - Electric - Heater Watts	5500/5500
Integrated Energy Factor	0.92
Operating Water Pressure	20-125 PSI
Voltage (MAX)	240 V
Volts/Hertz	240V; 60Hz

WARRANTY

Labor Warranty	Limited 1-year entire appliance
-----------------------	---------------------------------

Parts Warranty	Limited 8-year tank and parts
Warranty Notes	See written warranty for full details

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	145 lb
Connection Sizes - Hot Water Outlet (MNPT)	3/4"
Connection Sizes - Water Inlet (MNPT)	3/4"
Net Weight	135 lb
Overall Depth	27 in
Overall Height	32.75 in
Overall Width	27 in
Product Diameter	27 in
Product Height (to top of unit)	32.75 in
Product Height (to top of water inlet/outlet connections)	34.25 in