falmec

MASSIMO VENTO 28" **FIVENF28B6SS-R**

INSERT **BUILT-IN HOOD COLLECTION**





AVAILABLE FROM JANUARY 2027

EAN code	*8034122369860*
Model Code	*FIVENF28B6SS-R Insert - 28" (72 cm) - Stainless Steel - 600 CFM*
Collection	*Built-in*

FEATURES AND PROPERTIES

Materials/Finishes	*Brushed stainless steel*
Lighting	*Strip LED 2x2.3 W* *Dynamic LED Light (2700K - 5600K)*
Control	*Electronic control*
Installation type	*Insert*
Ducting type	*External ducting/Recirculating*
Filters	*Professional baffle filters, removable and dishwasher safe* *Charcoal filter (optional)*
Dimensions	*28 in*
Features	*Flush frame* *SRS Speed reduction system*

OPTIONAL ACCESSORIES

Code	*Description*
103050091	103050091 FFCHAR3C0BL - Round charcoal filter Ø 6' - Type 6
KACL.815	KACL.815 Protective cleaning cloths for stainless steel (box 10 pcs)

ELECTRICAL CONNECTION AND CONSUMPTION

Maximum consumption	*340W*

falmec

MASSIMO VENTO 28" **FIVENF28B6SS-R**

ELECTRICAL CONNECTION AND CONSUMPTION

Voltage/Frequency	*110-120V 60Hz*
Connection type	*Hood comes standard with Nema 5-15P power cord*

BLOWER PERFORMANCE


Motor	*600 CFM*

TECNICAL SPECS OF COOKERHOOD WITH 600 CFM MOTOR		*SRS 2**	*SRS 3**	
Motor Speed	***1***	***2***	***3***	***4***
CFM (rated at the motor)	210	295	395	600
Sones (estimated value)	1.5	3	4.25	6
Duct Size	6"	6"	6"	6"


*If activated SRS has 2 settings; 3 speed max & 2 speed max

WEIGHTS AND DIMENSIONS

Gross weight	*0 lbs*
Net weight	*0 lbs*
Packaging dimensions	*L 0 in H 1 in D 0 in*
Notes	*Recommended mounting height from cooking surface to hood bottom: 24" - 35"*




Top view




Front view

falmec

MASSIMO VENTO 28" **FIVENF28B6SS-R**



Side view



Hole sizes