



2881-SECTP in fabric 123-00

FLEXSTEEL®

© Flexsteel Industries, Inc. | Last Updated 02/24

59M 19	58M 57M	23	FEATURES
●	●	●	Flexsteel Spring Unit
			DualFlex
		●	Sinuous Wire
			Back Construction
●	●	●	Attached
			Seat Construction
●	●	●	Attached
			Seat Cushion(s)
●	●	●	High-Density (HC)
			Tailoring
	○		Arm Covers
			Nailhead Trim
	●		Black Nickel (D)


- Standard
- Optional

PRODUCT DIMENSIONS	OVERALL			SEAT			Arm Height	Open Depth	Wall Clearance
	Height	Width	Depth	Height	Width	Depth			
Straight Console -72	42"	8"	38"	24"	8"	25"			4"
Armless Power Recliner -59M	42"	26"	41"	20"	26"	22"		68"	4"
RAF Power Recliner -58M	42"	30"	41"	20"	24"	22"	25"	68"	4"
LAF Power Recliner -57M	42"	30"	41"	20"	24"	22"	25"	68"	4"
Full Wedge -23	42"	64"	44"	20"	42"	26"			
Armless Chair -19	42"	26"	41"	20"	26"	22"			

NOTES

Power allows you to smoothly recline to any position.

A single USB port is included on each power button control on styles with arms.




Interlocking Brackets
Interlocking brackets securely attach one sectional component to another to prevent them from separating even when reclining.

2881 & 2882 Devon Sectional | Components & Configurations


Reclining Sofas & Sectionals

Components


LAF = Left-Arm-Facing
RAF = Right-Arm-Facing




2881/2882-233
Full Wedge




2881/2882-19
Armless Chair




2881/2882-57
LAF Recliner
2881/2882-57M
LAF Power Recliner
2881/2882-57H
LAF Power Recliner
with Power Headrest



2881/2882-58
RAF Recliner
2881/2882-58M
RAF Power Recliner
2881/2882-58H
RAF Power Recliner
with Power Headrest






2881/2882-59
Armless Recliner
2881/2882-59M
Armless Power Recliner
2881/2882-59H
Armless Power Recliner
with Power Headrest



2881/2882-72
Straight Console

Sample Configurations



Scale 1/4"=1'

Dimensions are in inches and are subject to variance.
© Flexsteel Industries, Inc. 12/20 | Rev. 1/21
FLX-CP-FR-CC-2881-2882



FLEXSTEEL®