

# Product data sheet

## CONSTRUCTION TYPE

Range	•
Appliance width in inches	30

## HEATING TYPE

All electric	•
Cooktop	Induction

## DESIGN

Colour	Stainless steel/Clean Steel
Oven display	M Touch

## CONVENIENCE FEATURES – OVEN AND SPEED OVEN

Wireless MultiSens food probe	•
Keeping warm	•
Crisp function	•

## OPERATING MODES

Speed oven MasterChef programs	•
Defrost	•
Auto Roast	•
Maxi Broil	•

<b>Broil</b>	•
<b>Intensive</b>	•
<b>Moisture Plus</b>	•
<b>Slow Roasting</b>	•
<b>Surround</b>	•
<b>Browning</b>	•
<b>Bake</b>	•
<b>Convection Broil</b>	•
<b>Special modes</b>	•
<b>Convection Bake</b>	•
<b>Convection Roast</b>	•

#### COOKTOP FEATURES

<b>Heating type</b>	Induction
<b>Number of induction cooking zones</b>	4
<b>Cooking zones with Booster function</b>	4 cooking zones
<b>Cooking zones with TwinBooster</b>	2 cooking zones
<b>Power level display</b>	1 - 9
<b>Cooking zones with Keeping warm function</b>	4 rings
<b>Variable cooking zones</b>	4 rings
<b>Residual heat indicator</b>	•

#### USER CONVENIENCE

<b>Metal knobs</b>	•
<b>Metal knobs</b>	•

<b>Backlit control knobs</b>	•
<b>Ergonomic swivel handle</b>	•
<b>Motorized lift-up control panel</b>	•
<b>Sabbath Program</b>	•
<b>Language Options</b>	•
<b>MyMiele</b>	•
<b>Clock synchronization</b>	•
<b>Time-of-day display</b>	•
<b>Date display</b>	•
<b>Timer</b>	•
<b>Safety shut-off</b>	•
<b>Programmable cooking duration</b>	•
<b>Actual temperature display</b>	•
<b>Recommended temperatures</b>	•
<b>Audible signal when desired temperature is reached</b>	•
<b>Favourites</b>	•
<b>Individual settings</b>	•
<b>Timed steam bursts</b>	•

#### APPLIANCE DOOR

<b>CleanGlass door</b>	•
<b>Door contact switch</b>	•
<b>SoftClose oven door</b>	•

#### OVEN COMPARTMENT

<b>Oven capacity in l</b>	4.59 (130) ft <sup>3</sup> (l)
<b>Number of oven shelf levels</b>	6

<b>Number of halogen lights</b>	double
---------------------------------	--------

<b>TwinPower Convection Fans</b>	•
----------------------------------	---

#### CLEANING CONVENIENCE

<b>Stainless steel front with partial CleanTouch Steel finish</b>	•
---	---

<b>Self Clean oven</b>	•
------------------------	---

<b>Heated catalyzer</b>	•
-------------------------	---

<b>Cooktop surface</b>	Ceramic surface
	Heated

#### EFFICIENCY AND SUSTAINABILITY

<b>Power-saving lighting circuit</b>	•
--------------------------------------	---

<b>Residual heat utilization</b>	•
----------------------------------	---

<b>Rapid PreHeat</b>	•
----------------------	---

#### SAFETY

<b>Appliance cooling system with touch-cool fronts</b>	•
--	---

<b>Safety shut-off</b>	•
------------------------	---

<b>System lock</b>	•
--------------------	---

<b>Door contact switch</b>	•
----------------------------	---

<b>Door lock during SelfClean</b>	•
-----------------------------------	---

#### TECHNICAL DATA

<b>Fresh-water connection for Moisture Plus</b>	1.5
---	-----

Appliance width in mm	30 (762)
Appliance height in mm (min.)	35 5/8 (902)
Appliance height in mm (max.)	37 1/8 (940)
Dimensions in mm (depth) with bullnose	27 3/8 (693)
Voltage in V	120
Voltage convertible in V	240/208
Fuse rating in A	50
Number of phases	1
Fresh-water connection for Moisture Plus	•

ACCESSORIES SUPPLIED

Anti-splash insert	1
Self Clean ready wire rack	2
Self Clean ready wire rack with rail system	1
Self Clean ready side racks	1
	1

SHOW LESS SPECS