

Product data sheet

CONSTRUCTION TYPE AND DESIGN

Built-in oven	•
ContourLine	•
Appliance colour	CleanTouch Steel

CONVENIENCE FEATURES

TasteControl	•
Rapid PreHeat	•
Food probe	With cable
Keeping warm	•
Crisp function	•

OPERATING MODES

Browning	•
Defrost	•
MasterChef programs	•
Auto Roast	•
Maxi Broil	•
Broil	•
Intensive	•
Moisture Plus	•
Moisture Plus with Convection Bake	•
Moisture Plus with Surround	•

Moisture Plus with Intensive	•
Moisture Plus with Auto Roast	•
Slow Roasting	•
Surround	•
Bake	•
Convection Broil	•
Special modes	•
Broiling operating modes	•

USER CONVENIENCE

DirectWater	•
Display	M Touch S
SoftOpen	•
SoftClose	•
Ergonomic swivel handle	•
Language Options	•
MyMiele	•
Help function	•
Timed bursts of steam	•
Time-of-day display	•
Time synchronization	•
Date display	•
Timer	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•

Audible signal when desired temperature is reached	•
---	---

Recommended temperatures	•
---------------------------------	---

Favourites	•
-------------------	---

Sabbath Program	•
------------------------	---

Networking with Miele@home	•
-----------------------------------	---

Individual settings	•
----------------------------	---

Timers	•
---------------	---

MotionReact DG	•
-----------------------	---

EFFICIENCY AND SUSTAINABILITY

Residual heat utilization	•
----------------------------------	---

CLEANING CONVENIENCE

Stainless steel / Clean Touch Steel surface	•
--	---

SelfClean	•
------------------	---

Catalyzer	•
------------------	---

CleanGlass door	•
------------------------	---

SAFETY

Appliance cooling system with touch-cool fronts	•
--	---

Safety shut-off	•
------------------------	---

System lock	•
--------------------	---

Door lock during SelfClean	•
-----------------------------------	---

Sensor lock	•
--------------------	---

TECHNICAL DATA

Temperatures in °F (°C)	85-575 (30-300)
--------------------------------	-----------------

Oven compartment volume in cubic feet (l)	4.59 (130) ft³ (l)
--	--------------------

Number of shelf levels	6
-------------------------------	---

Numbered shelf levels	•
------------------------------	---

Oven interior lighting	2 halogen spots
-------------------------------	-----------------

TwinPower Convection Fans	•
----------------------------------	---

Niche width min. in inches (mm)	28 5/8 (724)
--	--------------

Niche width max. in inches (mm)	28 5/8 (724)
--	--------------

Niche height min. in inches (mm)	28 3/8 (718)
---	--------------

Niche height max. in inches (mm)	28 3/8 (718)
---	--------------

Niche depth in mm	24 1/8 (610)
--------------------------	--------------

Appliance width in mm	29 7/8 (757)
------------------------------	--------------

Appliance width in mm	29 7/8 (757)
------------------------------	--------------

Appliance width in mm	29 7/8 (757)
------------------------------	--------------

Appliance height in mm	28 5/8 (727)
-------------------------------	--------------

Appliance height in mm	28 5/8 (727)
-------------------------------	--------------

Appliance height in mm	28 5/8 (727)
-------------------------------	--------------

Appliance depth in mm	24 3/4 (626)
------------------------------	--------------

Appliance depth in mm	24 3/4 (626)
------------------------------	--------------

Appliance depth in mm	24 3/4 (626)
------------------------------	--------------

Weight in lbs (kg)	182 (82.5)
---------------------------	------------

Weight in lbs (kg)	182 (82.5)
---------------------------	------------

Weight in lbs (kg)	182 (82.5)
---------------------------	------------

Weight in lbs (kg)	181.88 (82.5)
---------------------------	---------------

Total rated load in kW	6.500
-------------------------------	-------

Voltage in V	120
---------------------	-----

Frequency in Hz	60
Fuse rating in A	30
Number of phases	1
Power cable with plug	•
Length of power cable in m	1.80
Length of water inlet hose in m	4 (1.5)
Length of water inlet hose in m	1.5
Appliance dimensions (W x H x D) in mm	29 7/8 (757) x 28 5/8 (727) x 24 3/4 (626)
Appliance dimensions (W x H x D) in mm	29 7/8 (757) x 28 5/8 (727) x 24 3/4 (626)
Voltage convertible in V	240/208

ACCESSORIES SUPPLIED

Anti-splash insert with PerfectClean	1
Self Clean ready wire rack with rail system	1
Universal tray with PerfectClean	1
Self Clean ready wire rack	2
Removable Self Clean ready side racks (pair)	1

AVAILABLE DISPLAY LANGUAGES

Available display languages via Language Options	bahasa malaysia
---	-----------------