





ENERGY STAR® Qualified

ADA Compliant

For California Residents:

California Prop 65



Produced In Our American Manufacturing Plants

Specs & Details \vee

Dimensions: 39 3/4 H x 28 W x 32 D

ACCESSORIES

LP Conversion Kit	WE25M87 (sold separately)
Optional Dryer Rack Accessory	WE02X29449
Optional Pedestal Accessory	GFP1528PTDS (Sold Separately)
Optional Riser	GFR0728PTDS (Sold Separately)
Optional Side Vent Kit	GFA28DSVN
Optional Stacking Kit	GFA28KITN

APPEARANCE

Color Appearance	Carbon Graphite	
Door Style	Glass See-Thru	Гор

	Reversible Door
Handle	Pocket Handle
Handle Color	Carbon Graphite
Installation	Undercounter, Stacked, Side-by-Side, Built-In, Pedestal True32 Closet Depth Power Cord Not Included
Trim/Accents	Chrome/Dark Knob

CAPACITY

Total Capacity (cubic feet)	7.8 cu ft
-----------------------------	-----------

ECONOMICAL / QUIET

Quiet Package	Quiet-By-Design
Venting Type	Up to 90 feet

FEATURES

Additional Cycles	Sanitize EcoDry
Additional Dryer Features	Front Serviceable Removable Up-Front Lint Filter Damp Alert ecoDry
Additional Optional Cycles	Damp Alert Wrinkle Care
Connected Capabilities	Amazon Alexa IFTTT The Google Assistant Sonos Google Home

Control Type	Rotary-Electronic w/LEDs Power On/Off Start/Pause
	Capacitive Touch
Drum Type	Aluminized Drum
Dryer Control Features	Control Lock LED Display
Dryer Cycles	Mixed Loads Cottons Bulky / Bedding Sanitize Quick Dry Delicates Air Fluff Timed Dry
Dryness Levels	More Dry Dry Less Dry Damp
Dual Thermistors	Yes
Energy Saving Option	Yes - Eco Dry
Exhaust Options	4-Way (Rear; Right; Left & Bottom)
Flexible Installation	Undercounter, Stacked, Side-by-Side, Built-In
Front Serviceable	Yes
Fuel Type	Gas
Heat Selections	4
Leveling System	Adjustable Leveling Legs
Number of Cycles	8
Pedestal	Optional
Product Type	Front Load Matching Stackable Top

Reverse-a-Door	Yes
Style	Front-Loading
Temperature Options	High/Medium/Low/Extra Low
Timed Dry	120 Minutes Presets (10,20,40,60,90) More Time + Less Time -
WiFi Connect	Built-In
Wrinkle Care Cycle	Yes

POWER / RATINGS

Gas (BTU/HR)	22000 Factory-equipped for Natural gas.
Ignition Type	Intermittent Ignition
Volts/Hertz/Amps	120V; 60Hz; 8A

WARRANTY

Labor Warranty	Limited 1-year entire appliance
Parts Warranty	Limited 1-year entire appliance
Warranty Notes	See written warranty for full details

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	159 lb
Depth with Door Open 90°	54 1/2 in
Net Weight	147 lb

Overall Depth	32 in
Overall Height	39 3/4 in
Overall Width	28 in

Built-in Wifi, Powered by SmartHQ™





Connect to WiFi for real-time feedback, optimized performance, alerts and more.

Works With







Recently Viewed

