

# W14120

# AEG

## 24" 10KG Front Load Washing Machine

### FEATURES & BENEFITS

#### Small Outside, Capacity Inside

This washer effortlessly handles up to 10kg of laundry per load without sacrificing space.

#### Digital Display with Electronic Controls

Check your wash cycle and see how much time is left at a glance.

#### Time Save & Delay Start

Time Save achieves the same cleaning performance in a shorter time, while Delay Start can run your machine at your desired time.

#### Smart Care for Your Clothes

Choose from 15 pre-set wash cycles designed to clean with care, no matter the soil level or garment type.

#### Auxiliary Steam Function

Ironing becomes quicker and easier with an enhanced function of steam to provide fresh and hygienic laundry.

#### Interior Water Heater

Brings water temperature up to 71°C for sanitation and powers steam cycles for better fabric care.

#### Half-Load Detection

The selected program will use less water and energy.



### AVAILABLE COLOURS

☐ White

### GENERAL PROPERTIES

Type	Front Load
Capacity	10 KG / 22 lbs
Max Spin Speed	1400 RPM
Inlet Water	Hot & Cold
Drain Type	Pump
Number of Programs	15
Number of Spin selections	5 (No spin, Low, Med, High, Highest)
Location of Controls	Front
Volume Of Inner Tub	72L
Inner Tub Material	Stainless Steel
Adjustable Legs	4
Stackable	Yes
Matching Dryer	DC240

### FEATURES

Display Type	LED / White
Control Type	Digital / Dial Knob
Cycle Status Lights	Yes
Remaining Time Display	Yes
End Of Cycle Signal	Yes
Memory Of Power Interrupt	Yes
Automatic Temperature Control	Yes
Liquid / Detergent Dispenser	Yes
Softener Dispenser	Yes
Noise Reduction	Yes
Use of High-Efficiency Detergent	Yes
Out-Of-Balance Vibration Reduction	Yes (auto)

### ACCESSORIES

Optional Stacking Kit Available	KIT-ST1 (Without Pull-Out Shelf)
Optional Stacking Kit Available	KIT-ST2 (With Pull-Out Shelf)

### PROGRAMS & PERFORMANCE

Program Selection	Normal/Cotton, Quick Wash, Drum Clean, Activewear, Sanitize, Bedding, Perm Press, Handwash/Delicates, Spin & Drain, Heavy Duty, Towels, Mix, Jeans, Wool, Rinse
Button Function	Time Save, Delay, Temp., Spin, Level of Soil, Auxiliary Steam Function, Easy Iron, Extra Rinse, Options, Child Lock
Energy & Water Efficiency Bar	Yes
Delay	Yes
Error Alarm	Yes
Auto-power Off	Yes
Temperature Selection	5
Extra Rinse	Yes
Auto Unbalancing Detection	Yes

### TECHNICAL DETAILS

Electrical Requirements	120 V / 60 Hz / 15 Amp
Safety / Efficiency Certification	UL / Energy Star®
Power Cord	Included
Wash Noise Level (dB)	63 dB
Rinse Noise Level (dB)	77 dB
Motor	Min. 1 bar & Max. 10 bar
Standard Water Pressure	0.05-1 Mpa

### DIMENSIONS & WEIGHT

Product Dimensions (in / mm) (W / H / D)	23 <sup>3/8</sup> " / 33 <sup>1/2</sup> " / 25 <sup>5/8</sup> " (594mm / 850mm / 650mm)
Diameter Of Inner Tub (in / mm)	19 <sup>1/2</sup> " (495mm)
Weight (lbs/kg)	161 lbs / 73 kg


### WARRANTY

Parts & Labor	2 Years
---------------	---------

## Installation Details

### PRODUCT DIMENSIONS


In (W / H / D)	23 <sup>3/8"</sup> / 33 <sup>1/2"</sup> / 25 <sup>5/8"</sup>
mm (W / H / D)	594mm / 850mm / 650mm



### INSTALLING UNDER COUNTER

**Minimum clearances between your washer and adjacent walls or other surfaces are:**


**Either side:** 1" (25mm) / **Rear:** 6" (152mm) / **Top:** 2" (50mm)



## Stacking Kit Without Pull-Out Shelf - Installation Details

### KIT-ST1 - PRODUCT DIMENSIONS

<b>A</b> - Width (In / mm)	23 <sup>7/8"</sup> (606mm)
<b>B</b> - Height (In / mm)	2 <sup>5/8"</sup> (67mm)
<b>C</b> - Depth (In / mm)	23 <sup>13/16"</sup> (605mm)
<b>D</b> - Height - Without Overhang (In / mm)	1 <sup>3/8"</sup> (35mm)




### KIT-ST1 - INSTALLATION DIMENSIONS

<b>A</b> - Min. Depth from wall to front of door (In / mm)	25" (635mm)
<b>A</b> - Min. Depth from wall to front of door open (In / mm)	42" (1070mm)
<b>B</b> - Min. Height (In / mm)	67 <sup>3/4"</sup> (1720mm)
<b>C</b> - Width (In / mm)	23 <sup>7/8"</sup> (606mm)

### \*NOTE

Recommend 2" (50mm) gap either side of the appliances


Recommend minimum 1" (25mm) clearance above the dryer



## Stacking Kit With Pull-Out Shelf - Installation Details

### KIT-ST2 - PRODUCT DIMENSIONS

<b>A - Width (In / mm)</b>	23 <sup>7/8"</sup> (606mm)
<b>B - Height (In / mm)</b>	2 <sup>5/8"</sup> (67mm)
<b>C - Depth - Shelf Closed (In / mm)</b>	23 <sup>13/16"</sup> (605mm)
<b>C - Depth - Shelf Open (In / mm)</b>	36 <sup>5/8"</sup> (930mm)
<b>D - Height - Without Overhang (In / mm)</b>	1 <sup>3/8"</sup> (35mm)




### KIT-ST2 - INSTALLATION DIMENSIONS

<b>A - Min. Depth from wall to front of door (In / mm)</b>	25" (635mm)
<b>A - Min. Depth from wall to front of door open (In / mm)</b>	42" (1070mm)
<b>B - Min. Height (In / mm)</b>	67 <sup>3/4"</sup> (1720mm)
<b>C - Width (In / mm)</b>	23 <sup>7/8"</sup> (606mm)

### \*NOTE

Recommend 2" (50mm) gap either side of the appliances

Recommend minimum 1" (25mm) clearance above the dryer



Other Product Downloads Available at [aeg-appliances.ca](http://aeg-appliances.ca)



#### WARRANTY INFORMATION

AEG Appliances are designed and manufactured to the highest standards. Each appliance is covered by a comprehensive 2-year parts and labour warranty. Refer to product warranty policy for complete terms and conditions.

#### FOR PARTS & SERVICE

##### **Euro-Parts & Service**

39822 Belgrave Road, Belgrave, ON. N0G 1E0 1 866 722 2262  
[www.euro-parts.ca](http://www.euro-parts.ca) • [parts@euro-parts.ca](mailto:parts@euro-parts.ca) • [service@euro-parts.ca](mailto:service@euro-parts.ca)

AEG appliances are imported and distributed in North America by Euro-Line Appliances Inc. For more information, please visit one of our showrooms or [www.ela.ca](http://www.ela.ca) / [www.elawest.ca](http://www.elawest.ca)

#### ***EURO-LINE APPLIANCES INC.***

871 Cranberry Court Oakville, ON L6L  
6J7 Canada  
905.829.3980  
1-800.421.6332  
[info@ela.ca](mailto:info@ela.ca)

#### ***EURO-LINE APPLIANCES INC.***

101-1014 Homer Street Vancouver, BC  
V6B 2W9 Canada  
604.235.3980  
1-855.352.9378  
[infowest@ela.ca](mailto:infowest@ela.ca)