

HPD UNIQUE IDENTIFIER: 28450

CLASSIFICATION: 22 40 00 Plumbing Fixtures

PRODUCT DESCRIPTION: Elkay's Crosstown stainless steel sink collection brings a mix of beauty and functionality to the kitchen. A sleek design, featuring tight corners, cross breaks and a flat bottom, provides ample workspace within the sink and complements every style. This HPD applies to the following products (and their variations): ECTSR33229T, ECTSR13169T, ECTSR15159T, ECTSRAD25226T.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format ☒ Nested Materials Method ☐ Basic Method	Threshold Level ☒ 100 ppm ☐ 1,000 ppm ☐ Per GHS SDS ☐ Other	Residuals/Impurities Considered in 4 of 4 Materials Explanation(s) provided for Residuals/Impurities? ☒ Yes ☐ No	<i>All Substances Above the Threshold Indicated Are:</i> Characterized ☐ Yes Ex/SC ☒ Yes ☐ No <i>% weight and role provided for all substances.</i> Screened ☐ Yes Ex/SC ☒ Yes ☐ No <i>All substances screened using Priority Hazard Lists with results disclosed.</i> Identified ☐ Yes Ex/SC ☐ Yes ☒ No <i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>
Threshold Disclosed Per ☐ Material ☒ Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
BOWL [STAINLESS STEEL NoGS] SOUND DEADENING PADS [BITUMENS, EXTRACTS OF STEAM-REFINED AND AIR-REFINED; STEAM-REFINED, CRACKING-RESIDUE AND AIR-REFINED BITUMENS (SEE BITUMENS, OCCUPATIONAL EXPOSURES) LT-1 | CAN CALCIUM CARBONATE BM-3 MICA-GROUP MINERALS LT-UNK DIISONONYL CYCLOHEXANEDICARBOXYLATE BM-2 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK POLYESTER NoGS] U CHANNELS [FERROMANGANESE LT-UNK ZINC LT-P1 | END | MUL | PHY | AQU] SOUND DEADENING SPRAY [CALCIUM CARBONATE BM-3 WATER BM-4 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHENYLBENZENE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 3

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Material percent ranges are the result of grouping multiple products. Composition is consistent across product group; variation results from bowl size and quantity of sound deadening pads.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.
VOC emissions: VOC data is not applicable for this product category.

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? ☐ Yes ☒ No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2021-12-07 PUBLISHED DATE: 2022-05-05 EXPIRY DATE: 2024-12-07
---	---	---

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

BOWL

%: 85.0000 - 86.3000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: General information regarding the composition of grade 304 stainless steel is listed in the substance notes.

OTHER MATERIAL NOTES: S30400

STAINLESS STEEL

ID: 12597-68-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-12-07 5:51:48

%: 100.0000 - 100.0000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Grade 304 Stainless Steel. The composition of stainless steel includes the following elements [CAS#; %]: Iron [7439-89-6; 45-90%], Nickel [7440-02-0; 0-40%], Chromium [7440-47-3; 10.5-30%], Manganese [7439-98-7; 0-15%], Molybdenum [7439-98-7; 0-5%], Copper [7440-50-8; 0-5%], Silicon [7440-21-3; 0-3%], Aluminum [7429-90-5; 0-1%], Cobalt [7440-48-4; 0-1%], Titanium [7440-32-6; 0-1%], Vanadium [1314-62-1; Trace], Tungsten [7440-33-7; Trace], Tantalum [7440-25-7; Trace], Lead [7439-92-1; Trace].

SOUND DEADENING PADS

%: 10.0000 - 14.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered based on process chemistry via Pharos. Refer to substance notes for details regarding possible residuals and impurities.

OTHER MATERIAL NOTES:

BITUMENS, EXTRACTS OF STEAM-REFINED AND AIR-REFINED; STEAM-REFINED, CRACKING-RESIDUE AND AIR-REFINED BITUMENS (SEE BITUMENS, OCCUPATIONAL EXPOSURES)

ID: 8052-42-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-12-07 5:51:49

%: 40.0000

GS: LT-1

RC: None

NANO: Unknown

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CAN

US CDC - Occupational Carcinogens

Occupational Carcinogen

CAN

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

CAN

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CAN

CA EPA - Prop 65

Carcinogen

CAN

IARC

Group 2b - Possibly carcinogenic to humans

SUBSTANCE NOTES: Per Pharos process chemistry information, no Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 5:51:50**

%: **39.2900** GS: **BM-3** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Per Pharos process chemistry information, no Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.

MICA-GROUP MINERALS

ID: 12001-26-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 5:51:51**

%: **12.0000** GS: **LT-UNK** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Per Pharos process chemistry information, Fluorine [7782-41-4; LT-P1], Iron, elemental [7439-89-6; LT-P1], lithium [7439-93-2; LT-P1], quartz [14808-60-7; BM-1], and sodium [7440-23-5; LT-P1] are pollutants/contaminants that may be present at unknown % weight.

DIISONONYL CYCLOHEXANEDICARBOXYLATE

ID: 166412-78-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 5:51:51**

%: **8.0000** GS: **BM-2** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Per Pharos process chemistry information, Silicon dioxide [7631-86-9; BM-1] is a process aid that may be present at unknown % weight.

2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE

ID: 25133-97-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 5:51:53**

%: **0.5000** GS: **LT-UNK** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Per Pharos process chemistry information, ethyl acrylate [140-88-5; LT-1] and methyl methacrylate [80-62-6; LT-P1] are both monomers that may be present at unknown % weight.

POLYESTER

ID: Not Registered

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-12-06 6:55:31**

%: **0.2000** GS: **NoGS** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Carrier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Data regarding process chemistry/residuals and impurities for this substance was not available on Pharos and information was not provided by supplier.		

U CHANNELS	%: 2.0000 - 3.0000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Partially	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered based on process chemistry via Pharos. No Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.		
OTHER MATERIAL NOTES:		

FERROMANGANESE

ID: 12604-53-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-12-07 5:51:48

%: 96.0000 GS: LT-UNK RC: None NANO: Unknown SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ZINC

ID: 7440-66-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-12-07 5:51:52

%: 4.0000 GS: LT-P1 RC: None NANO: Unknown SUBSTANCE ROLE: Galvanizing

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MUL

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

PHY

EU - GHS (H-Statements) Annex 6 Table 3-1

H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]

AQU

EU - GHS (H-Statements) Annex 6 Table 3-1

H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]

AQU

EU - GHS (H-Statements) Annex 6 Table 3-1

H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]

PHY

EU - GHS (H-Statements) Annex 6 Table 3-1

H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]

SUBSTANCE NOTES:

SOUND DEADENING SPRAY

%: 1.0000 - 1.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Partially

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered based on process chemistry via Pharos. No Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.

OTHER MATERIAL NOTES:

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 5:51:49**%: **70.0000** GS: **BM-3** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 5:51:50**%: **25.0000** GS: **BM-4** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Coating**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHENYLBENZENE

ID: 9010-92-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 5:51:52**%: **5.0000** GS: **LT-UNK** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Coating**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance is listed on EPA's Safer Chemical Ingredients List.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

VOC data is not applicable for this product category.

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: NA
CERTIFICATE URL:

ISSUE DATE: 2021-12-06

EXPIRY DATE:

CERTIFIER OR LAB: NA

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

DRAIN

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Drain required for proper use of product. Select Elkay drains have a Health Product Declaration.

MOUNTING BRACKETS

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Mounting brackets are an optional accessory used in installation; these are comprised of galvanized steel and are furnished by the manufacturer.

FASTENERS AND SILICONE CAULK

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Additional installation materials include fasteners and silicone caulk. The manufacturer does not furnish fasteners or caulk.

Section 5: General Notes

Product is certified to ASME A112.19.3/CSA B45.4.

MANUFACTURER INFORMATION

MANUFACTURER: **Elkay Manufacturing Company**
 ADDRESS: **1333 Butterfield Road**
Downers Grove IL 60515, USA
 WEBSITE: **elkay.com**

CONTACT NAME: **Allison Carmody**
 TITLE: **Sustainability Analyst**
 PHONE: **(630)574-8484**
 EMAIL: **sustainability@elkay.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.