

# Product data sheet

## CONSTRUCTION TYPE AND DESIGN

Speed oven	•
ArtLine	•
No handles	•
Appliance colour	Graphite grey

## CONVENIENCE FEATURES

Quick & Gentle	•
Rapid PreHeat	•
Food probe	With cable
Keeping warm	•
Crisp function	•

## OPERATING MODES

Defrost	•
MasterChef programs	•
Auto Roast	•
Gentle Bake	•
Maxi Broil	•
Intensive	•
Slow Roasting	•
Microwave	•
Microwave with Auto Roast	•

<b>Microwave with Broil</b>	•
<b>Microwave with Convection Bake</b>	•
<b>Microwave with Convection Broil</b>	•
<b>Surround</b>	•
<b>Bake</b>	•
<b>Convection Broil</b>	•
<b>Special modes</b>	•
<b>Broiling operating modes</b>	•

## USER CONVENIENCE

<b>Display</b>	M Touch
<b>SoftOpen</b>	•
<b>Language Options</b>	•
<b>MyMiele</b>	•
<b>Help function</b>	•
<b>Popcorn function</b>	•
<b>Polyphonic audible signals</b>	•
<b>Time-of-day display</b>	•
<b>Time synchronization</b>	•
<b>Date display</b>	•
<b>Timer</b>	•
<b>Programmable start of cooking duration</b>	•
<b>Programmable end of cooking duration</b>	•
<b>Programmable cooking duration</b>	•
<b>Actual temperature display</b>	•
<b>Audible signal when desired temperature is reached</b>	•
<b>Recommended temperatures</b>	•

Recommended microwave power	•
Quick MW	•
Favourites	•
Networking with Miele@home	•
Individual settings	•
Timers	•
MotionReact DG	•

EFFICIENCY AND SUSTAINABILITY

Residual heat utilization	•
---------------------------	---

CLEANING CONVENIENCE

Stainless steel oven compartment with linen-weave pattern and PerfectClean finish	•
Hinged broiler	•
CleanGlass door	•

SAFETY

Appliance cooling system with touch-cool fronts	•
Safety shut-off	•
System lock	•
Sensor lock	•

TECHNICAL DATA

Temperatures in °F (°C)	85-475 (30-250)
Oven compartment volume in cubic feet (l)	1.52 (43) ft³ (l)

<b>Number of shelf levels</b>	3
<b>Oven interior lighting</b>	1 LED spot
<b>Electronically controlled microwave power</b>	•
<b>Niche width min. in inches (mm)</b>	28 5/8 (724)
<b>Niche width max. in inches (mm)</b>	28 5/8 (724)
<b>Niche height min. in inches (mm)</b>	18 5/8 (470)
<b>Niche height max. in inches (mm)</b>	18 5/8 (472)
<b>Niche depth in mm</b>	24 1/8 (610)
<b>Appliance width in mm</b>	29 7/8 (757)
<b>Appliance width in mm</b>	29 7/8 (757)
<b>Appliance width in mm</b>	29 7/8 (757)
<b>Appliance height in mm</b>	18 7/8 (479)
<b>Appliance height in mm</b>	18 7/8 (479)
<b>Appliance height in mm</b>	18 7/8 (479)
<b>Appliance depth in mm</b>	22 5/8 (573)
<b>Appliance depth in mm</b>	22 5/8 (573)
<b>Appliance depth in mm</b>	22 5/8 (573)
<b>Weight in lbs (kg)</b>	101 (45.5)
<b>Weight in lbs (kg)</b>	101 (45.5)
<b>Weight in lbs (kg)</b>	101 (45.5)
<b>Weight in lbs (kg)</b>	100.31 (45.5)
<b>Total rated load in kW</b>	4.000
<b>Voltage in V</b>	120
<b>Voltage convertible in V</b>	240/208
<b>Frequency in Hz</b>	60
<b>Fuse rating in A</b>	30
<b>Number of phases</b>	1
<b>Power cable with plug</b>	•

Length of power cable in m	1.80
Microwave power levels in power levels	1□7
Appliance dimensions (W x H x D) in mm	29 7/8 (757) x 18 7/8 (479) x 22 5/8 (573)
Appliance dimensions (W x H x D) in mm	29 7/8 (757)<NBSP/>x<NBSP/>18 7/8 (479) <NBSP/>x<NBSP/>22 5/8 (573)

ACCESSORIES SUPPLIED

Wire rack with PerfectClean	1
Glass tray	2

AVAILABLE DISPLAY LANGUAGES

Available display languages via Language Options	bahasa malaysia
--	-----------------