Talis S²
Prep Kitchen Faucet, 2-Spray Pull-Down, 1.75 GPM
Finish: **Polished Nickel** Part no. : **04286830**



Description

Features

- Swivel range 150°
- Aerated spray, shower spray
- Non-Lockable hand spray
- MagFit magnetic sprayhead docking
- Deck-mounted
- Max. flow rate: 1.75 GPM
- Ceramic cartridge
- G ⅜ hose connections
- Integrated backflow prevention
- Extension length up to 19 5/8”
- Single-handle Kitchen faucet, connection hoses, mounting set, service key, assembly instruction

Item details

List Price $ 1,201.00

Technology

EcoRight · Quick Clean · Comfort Zone · Pull-out · Mag Fit


Compliance / Sustainability

ADA · UPC · MAP ESSENTIALS

Product image



Scale drawing




Talis S²
Prep Kitchen Faucet, 2-Spray Pull-Down, 1.75 GPM
Finish: **Polished Nickel** Part no. : **04286830**



Exploded drawing

Year of production: **>01/22**



Talis S²
Prep Kitchen Faucet, 2-Spray Pull-Down, 1.75 GPM
Finish: **Polished Nickel** Part no. : **04286830**



Spare parts list

Year of production: **>01/22**

Pos.	Description	Part no.	Price	PU
2	screw cover	96338000	-	1
3	flange	95498830	-	1
4	nut	97209000	-	1
5	cartridge, assy	92730000	-	1
6	locking screw for handle	95140000	-	1
7	aerator M24x1 (15 l/min)	13913830	-	1
8	spray head cpl.	88658830	-	1
9	set of non return valves DW 15	97350000	-	1
10	filter	97735000	-	1
12	fixing set (Ø 34)	95049000	-	1
13	weight	98551000	-	1
14	hose 1,50 m	88624000	-	1
15	connection hose 600 mm M10x1	95561000	-	1
16	connection hose 35½" M8x0,75 3/8"	96316001	-	1
17	set of lever collars	98365000	-	1
20	seal	95008000	-	1
21	non return valve	93218000	-	1