

**APPEARANCE**

<b>Color Appearance</b>	White
<b>Installation</b>	EZ Mount

**CAPACITY**

<b>Cooling BTUH (MAX)</b>	5,000 Btu
<b>Dehumidification (pts./hr.)</b>	1.4

**ECONOMICAL / QUIET**

<b>Sound Level (dBA)</b>	56 dBA (High) 50 dBA (Low)
--------------------------	-------------------------------

**FEATURES**

<b>Airflow (cfm) Roomside</b>	120
<b>Airflow Direction</b>	Top 2-Way Adjustable
<b>Area to Cool</b>	100-150
<b>Chassis Type</b>	Fixed
<b>Control Type</b>	Mechanical Control
<b>Fan Speed Selections</b>	2 Cooling 2 Fan Only
<b>Filter Type</b>	Slide-Out
<b>LCDI / AFCI power cord</b>	Yes
<b>Louver Style</b>	2-Way Adjustable
<b>Mounting Type</b>	EZ Mount

<b>Plug Type</b>	Parallel/NEMA 5-15
<b>Power Cord Length</b>	72" Minimum
<b>Product Type</b>	Window
<b>Refrigerant Type</b>	R32
<b>Room Air Conditioner Features</b>	Mechanical Control On/Off Timer
<b>Rotary Compressor</b>	Yes
<b>Thermostat Type</b>	Electronic
<b>Unit Type</b>	Cool Only
<b>Vent/Air Exchange Exhaust</b>	Top Air Discharge

## POWER / RATINGS

<b>CEER</b>	11.0
<b>Cooling - Rated Cooling Amps AHAM</b>	4.6
<b>Cooling - Watts</b>	440
<b>Hertz</b>	60
<b>Sound Level (Low/High)</b>	50/56 dbA
<b>Voltage (MAX)</b>	115 V

## WARRANTY

<b>Labor Warranty</b>	No Warranty
<b>Parts Warranty</b>	1-Year Replacement Return to vendor
<b>Warranty Notes</b>	See written warranty for full details

**WEIGHTS & DIMENSIONS**

<b>Approximate Shipping Weight</b>	41.3 lb
<b>Min./Max. Window Opening Width (in.)</b>	21.88 to 36
<b>Minimum Window Opening Height (in.)</b>	13.38 in
<b>Net Weight</b>	36.5 lb
<b>Overall Depth</b>	13.38
<b>Overall Height</b>	12.59 in
<b>Overall Width</b>	16.36 in