QUICK REFERENCE GUIDE > RS2484FLJE1 Date: 17.12.2024 > 1

24" Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Left hinge

Experience the pinnacle of refrigeration design with our most advanced model. Featuring a left hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- Designed to optimise energy performance and efficiency
- Flexible storage with two Variable Temperature Zones: choose Freeze, Soft Freeze, or Deep Freeze mode
- Mix and match columns, install separately or pair, and customize with cabinetry or stainless steel panels

DIMENSIONS

Height	84 ′
Width	23 3/4 "
Depth	24 ′

FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and lock in natural goodness for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customized door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-13°F) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable leveling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit AJ-RS84LR

Accessories (sold separately)

D	oor panel stainless steel Left hinge 84"	RD2484L4D
D	oor panel stainless steel Right hinge 84"	RD2484R4D
Н	landle kit Classic	AHCLRDSF
Н	landle kit Contemporary round, aluminium	AHSRDSF
	landle kit Contemporary square fine, luminium	AHD5RDSF
Н	landle kit Contemporary square fine, black	AHD5RDSFE
Н	landle kit Professional round flush	AHP3RDSF
	landle kit Professional round flush, Brass ff-stands	AHP3RDSFBA
	landle kit Professional round flush, Dark Copper off-stands	AHP3RDSFD0
J	oiner Kit	AJ-RS84LF
T	oe kick stainless steel 24"	AKRS2404
T	oe kick stainless steel 42"	AKRS4204
T	oe kick stainless steel 48"	AKRS4804
T	oe kick stainless steel 54"	AKRS5404
T	oe kick stainless steel 60"	AKRS6004
T	oe kick stainless steel 66"	AKRS6604

QUICK REFERENCE GUIDE > RS2484FLJE1 Date: 17.12.2024 > 2

Toe kick stainless steel 72"	AKRS7204
Toe kick stainless steel 78"	AKRS7804
Toe kick stainless steel 84"	AKRS8404
Capacity	
Total gross capacity	11.9 cu ft
Volume	11.9 cu ft
Volume freezer	11.9 cu ft
Features	
Adjustable door shelves	4
Adjustable glass cantilevered shelves	•
Door alarm	•
Freezer Features	
Automatic ice maker	•
Bottle chill	•
Bottle chill Door alarm	•
	•
Door alarm	•
Door alarm Fast freeze	• • • • • • • • • • • • • • • • • • • •
Door alarm Fast freeze Freezer bins	• • 4 •
Door alarm Fast freeze Freezer bins Ice Boost	
Door alarm Fast freeze Freezer bins Ice Boost LED bin lighting	

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	
Frost free Inverter controlled compressor Sabbath mode	•
	2
Power requirements	
Rated current	10 A
Supply frequency	60 Hz
Supply voltage	115 V
Product dimensions	
Depth	24 "
Height	84 "
Width	23 3/4 "
Warranty	
Parts and labor	2 years
Sealed system parts only	5 years
SKU	26903

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

D-DWG Integrated Refrigeration - K05 Hinge
 2D-DWG Integrated Refrigeration
 2D-DXF Integrated Refrigeration - K05 Hinge
 2D-DXF Integrated Refrigeration
 2D-DXF Panel Preparation
 Service & Warranty
 Planning Guide EN
 Planning Guide Integrated Refrigeration FR
 Planning Guide Integrated Refrigeration SP
 Revit 20 Freezer
 Rhino 6 Freezer
 Sketchup 8

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Performance

QUICK REFERENCE GUIDE > RS2484FLJE1 Date: 17.12.2024 > 3

