



**By Sorelle - A Division of C&T International, Inc.**  
46 Whelan Road, East Rutherford, N. J. 07073 U. S. A.  
Tel, +1(201)531 1919 Fax, +1(201)531 1920  
Website: [www.sorellefurniture.com](http://www.sorellefurniture.com)

# **Berkley crib and changer**

## **Assembly Instruction**



### **Important Information:**

Read all instructions **BEFORE** assembling crib.  
KEEP INSTRUCTIONS FOR FUTURE USE.

## Crib Warnings:

### WARNING:

- \*Infants can suffocate on soft bedding. Never add a pillow or comforter. Never place additional padding under an infant.
- \*Failure to follow these warnings and the assembly instructions could result in serious injury or death. DO NOT use this crib if you cannot exactly follow the accompanying instructions.
- \*To reduce the risk of SIDS, pediatricians recommend healthy infants be placed on their backs to sleep, unless otherwise advised by your physician.
- \***Strangulation Hazard:** STRINGS CAN CAUSE STRANGULATION! Do not place items with a string around a child's neck, such as hood strings or pacifier cords. Do not suspend strings over a crib or attach strings to toys.
- \***Strangulation Hazard:** To help prevent strangulation tighten all fasteners. A child can trap parts of the body or clothing on loose fasteners.
- \***Strangulation Hazard:** Do not place crib near window or patio door where cords from blinds or drapes may strangle a child.
- \***Fall Hazard:** When child is able to pull to a standing position, set mattress to lowest position and remove bumper pads, large toys and other objects that could serve as steps for climbing out. This crib has an adjustable mattress support. For the convenience of the parent when the baby is very small, the mattress support may be used in the highest position.
- \***Fall Hazard:** Stop using crib when child begins to climb out or reaches a height of 35in. (89cm), whichever occurs first. The child should be placed in a youth or regular bed.
- \*Check this product for damaged hardware, loose joints, loose bolts or other fasteners, missing parts, or sharp edges before and after assembly and frequently during use. Securely tighten loose bolts and other fasteners. Do not use crib if any parts are missing, damaged or broken. Contact C&T International / Sorelle for replacement parts and instructional literature if needed. Do not substitute parts.
- \*Follow warnings on all products in a crib.
- \*If refinishing, use a non-toxic finish specified for children's products.
- \***Never** use plastic shipping bags or other plastic film as mattress covers because they can cause suffocation.
- \*Infants can suffocate in gaps between crib sides and a mattress that is too small.
- \*Ensure a safe environment for the child by checking regularly, before placing the child in the crib, that every component is properly and securely in place.
- \*To avoid head injury, do not allow any child to play underneath the crib.
- \***Never** add an accessory such as a bassinet or changing table that extends over the sleeping area.

**CAUTION : ANY MATTRESS USED IN THIS CRIB SHALL BE AT LEAST 27 1/4" (69CM) x 51 5/8" (131 CM) WITH A THICKNESS NOT EXCEEDING 6" (15CM).**

## Toddler Bed Warnings:

### WARNING

#### **INFANTS HAVE DIED IN TODDLER BEDS FROM ENTRAPMENT.**

Openings in and between bed parts can entrap head and neck of a small child.

NEVER use bed with children younger than 15 months.

ALWAYS follow assembly instructions.

The maximum user weight is 50lbs (22.7kg)

### WARNING

#### **STRANGULATION HAZARD**

NEVER place bed near windows where cords from blinds or drapes may strangle a child.

NEVER suspend strings over a bed.

NEVER place items with a string, cord, or ribbon, such as hood strings or pacifier cords, around a child's neck. These items may catch on bed parts.

### CAUTION

#### **ENTRAPMENT HAZARD**

To avoid dangerous gaps, any mattress used in this bed shall be a full-size crib mattress at least 51 5/8 in (1310mm) in length, 27 1/4 in (690mm) in width and 4 in (100mm) in thickness. The mattress thickness must not exceed 6 in (150mm).

## Changing Table Warnings:

### WARNING

FALL HAZARD - to prevent death or serious injury, always keep child within arm's reach. Read all instructions before use of the changing table.

KEEP THESE INSTRUCTIONS IN A SAFE PLACE FOR FUTURE USE.

Inspect the changing table periodically. **Do not** use the changing table if it is damaged or broken. Contact C&T International Inc. with any questions.

Tighten all loose screws and bolts before each use.

The maximum recommended weight of the child is 30lbs for the changing table.

Use only the pad provided by C&T International / Sorelle or Manufacturer's

Always secure the pad to the changing surface by inserting the strap through the hole in the middle of the pad. See Instructions.

NEVER use crib without Changing Table attached

**NOTES ON ASSEMBLY:**

- During the assembly process whenever using screws or bolts, check each by placing the screw/bolt on the diagram of the item which is drawn actual size and design. Be sure to use the proper size and shape specified in the instructions.
- To assemble this unit you may be required to place the unit on it's side and face. It is strongly recommended that assembly is done on a soft, non-abrasive surface to avoid damaging the finish.

**NOTES ON USE:**

Keep children and others safe by following these simple rules:

- **Do not** allow any child to play on furniture
- **Do not** allow climbing on any piece of furniture.
- **Do not** allow hanging from any piece of furniture.
- Always monitor your child's activity when in the nursery.

**NOTES ON CARE AND MAINTENANCE:**


- **Do not** scratch or chip the finish.
- Inspect the product periodically, contact C&T International / Sorelle for replacement parts or questions.
- **Do not** store the product or any parts in extreme temperatures and conditions such as a hot attic or a damp, cold basement. These extremes can cause a loss of structural integrity.
- To preserve the luster of the high quality finish on your product, it is recommended to place a doily or felt pad under any items you place on the finish.
- Clean with a damp cloth, then a dry cloth to preserve the original luster and beauty of this fine finish.
- Do not** use abrasive chemicals.
- Do not** spray cleaners directly onto furniture.
- Lift slightly when moving on carpeting to prevent leg breakage.
- Use of a vaporizer near furniture will cause wood to swell and finish to peel.

**Cleaning and Storage**


To clean, use only mild household soap and warm water. DO NOT use bleach or detergent. DO NOT use abrasive cleaners which can scratch the finish. Use clean soft cloths to wash, rinse and dry. With proper care, the quality finish will last a long time. Wood surfaces may be treated with a light application of a good grade of non-toxic furniture polish. Read contents on back of polish to make sure polish will not harm unit.

**Store all parts from Crib, which are not used for Full Size Headboard, in original carton(s) (if available) to prevent damage and allow reuse.**


## Assembly Parts




(A) Left End (x1)




(A1) Middle Panel (x1)




(A2) Right End (x1)



(B) Headboard (x1)




(C) Footboard (x1)




(D) Left -Front Post (x1)




(D1) Middle - Front Post (x1)




(D2) Left - Back Post (x1)




(E) Middle - Rear Post (x1)




(F) Rear - Top (x1)



(G) Middle Bar (x3)




(H) Middle-Up Bar (x1)




(J) Front - Up Bar (x1)




(K) Front- Middle Bar (x1)




(L) Front- Bottom Bar (x1)




( M ) Middle-Bottom Support Bar (x1)




( N ) Changer Top Shelf  
with Support Bar (x1)




(O) Back Shelf (x1)




( P ) Back-Bottom Shelf (x1)



( Q ) Changer Middle MDF Panel (x1)




( R ) Drawer Front (x2)



(R1) Drawer Left (x2)




(R2) Drawer Right (x2)




(R3) Drawer Back (x2)



(R4) Drawer Bottom (x2)




( S ) Changing Pad (x1)




( T ) Middle Shelf Panel (x1)

**Assembly Parts**


**Hardware list**




(a) M6 x 85mm Allen bolt (4 pcs)




(e) M6 x 35mm Allen bolt (3 pcs)



(b) M6 x 60mm Allen bolt (16 pcs)




(f) M6 x 17mm Allen bolt (4 pcs)



(c) M6 x 50mm Allen bolt (12 pcs)




( g ) M4 x 26mm Allen bolt (2 pcs)



(d) M6 x 45mm Allen bolt (6 pcs)



(i) 8 x 30 mm Wood Dowels (3 pcs)



(k) Metal Shelf Support (4 pcs)




(h) 25mm Wood Screw (16 pcs)




(j) 6 x 30 mm Wood Dowels (14 pcs)




( m ) Knob (x2)




(n) Allen Key (1 pc)



(l) Screwdriver (1 pc)




(o) Mattress Base (1 pc)




(p) Barrel Nut (4 pcs)

## Crib Assembly


- ① Attach Left End (A) to left front and back posts (D&D2) by using 6 Bolts ( c ) as Figure 1.  
Attach Middle End (A1) to Middle front and back postd (D1&E) by using 6 Bolts ( c ) & 1 bolts( e ) and 1 wood dowels( i ) as Figure 1.




*Fig.1*




- ② Attach headboard (B) to Left-back Post (D2) and Middle-back Post (E) by using 4 Bolts( a )& 4 barrel nut( p ) and 2 wood dowels( i )as Figure 2.



*Fig.2*




- 3** Attach the Front-Up Bar (J), Front-Bottom Bar (L), Front Middle Bar(K), and Middle Bar (G) to the Front Middle Post (D1) using 4 Bolts(b) and 3 Wood Dowels(j). Attach Middle - Bottom Bar(M) to the Middle Panel (A1) using 1 Bolt (e) and 1 wood dowel (j) as seen below in Figure 3.



**Fig.3**


- 4** Attach the Rear Top (F) and 2 Middle Bar (G) to Middle - Rear Post (E) using 4 Bolts( b ) and 2 Wood Dowels(j) . Attach Middle - up Bar (H) to the Middle Panel using 1 Wood Dowel(j) as seen below in Figure 4.



**Fig.4**


**Assembly**

- ⑤ Insert Changer Top Shelf with Support Bar (N) & Changer Middle MDF Panel (Q) & Back - Bottom Shelf (P) & Middle shelf panel (T) to Grooves as seen below in Figure 5.



*Fig.5*

- ⑥ Attach the Right End (A2) to the end of the crib using 8 Bolts (b), 1 Bolt (e), and 7 Wood Dowels (j) as seen below in Figure 6.




*Fig.6*

## Assembly


- ⑦ Attach Mattress Base ( o ) to crib by using 4 Bolts( f ) as Figure 7.

**NOTE:** For infants, set mattress support assembly in an upper position for greater accessibility. As child grows and can stand, mattress support assembly must be lowered. See Warning Statements.



*Fig.7*


- ⑧ Attach FootBoard (C) to Left-Front Post(D) & Middle-Front Post (D1) by using 6 Bolts( d ) as Figure 8.




*Fig.8*

## Drawer Assembly

1. Working on a padded flat surface, attach Drawer Sides (R1&R2) to Drawer Back (R3) with Philips Head Screw. *Figure 1*




2. Slide Drawer Bottom (R4) into drawer assembly. *Figure 2.*




3. Secure both sides of Drawer Front (R) to drawer assembly with four (4) Screws (h). *Figure 3.*

Check all screws for tightness.



4. Using Drawer Knob Screw (g), install one (1) Knob (m) on Drawer. *Figure 4.*


**Repeat for all drawers.  
Set drawers aside for later use.**




( m ) Knob x 2



( h ) 25mm Wood Screw x 16




( g ) M4 x 26mm Allen bolt x 2



( l ) Screwdriver x 1


# Assembly

- 9 Insert 4 Metal Shelf Support ( k ) into holes. Then put Back Shelf (O) on 4 Metal Shelf Support ( k ) as Figure 10



*Fig.10*

- 10 Insert two (2) drawers into changer.



*Fig.11*

## Assembly

- 11 Add changing pad to top of organizer.




Fig. 12



**Important :** Tighten all bolts before use your Crib.

## Changing Pad Assembly







**Important :** If changing pad and safety belt are assembled, make sure warnings are facing up and visible. If not, reassemble by following the steps below.

1. Locate safety belt bolted to dresser top. Insert safety belt through slit in changing pad from back of pad. *Figure 1.*

2. Pull through front of pad completely. Make sure pad is facing up and warnings are always visible. *Figure 2.*

3. Make sure that safety belt is fastened around child, and adjusted so safety belt is snug around child's mid-section. Make sure buckle is securely latched. *Figure 3.*



## Disassembling Crib For Storage


To disassemble crib for storage, follow assembly steps in reverse.

Store all parts and hardware together in a safe place. Store the instruction manual in the supplied envelope attached to the mattress support assembly for future reference for re-assembly.


## Converting to a Toddler Bed (Optional)

Follow all instructions supplied with the 148# Toddler Rail System. **NOTE:** 148# Toddler Rail System is not included. Please see your crib retailer, visit [WWW.Sorellefurniture.com](http://WWW.Sorellefurniture.com) or contact C&T International / Sorelle for more information.

### Additional Parts and Hardware ( 148# Toddler Rail System Not included, sold separately)




(A) 148 Toddler Rail (1 pcs)



Ⓐ M6\*50mm Bolt ( 4pcs )

## TODDLER BED ASSEMBLY



**IMPORTANT: MATTRESS SUPPORT MUST BE IN THE *LOWEST POSITION***

## Fullsize Bed and Changer Table Conversion (Optional)

Follow all instructions supplied with the 224# Adult Rail System. **NOTE:** 224# Adult Rail System is not included. Please see your crib retailer, visit [WWW.Sorellefurniture.com](http://WWW.Sorellefurniture.com) or contact C&T International / Sorelle for more information.

