

OR30SCG6B1

Dual Fuel Range, 30"

Classic

Heritage styling with contemporary performance in this 30" Fisher & Paykel Freestanding Range. You can cook several dishes at the same time with its spacious gas cooktop and generous convection oven. Instant heat and precise control add to the classic stylish black finish.

Black

Dimensions

| Depth | 25 1/4" |
|--------|------------------|
| Height | 35 3/4 - 37 5/8" |
| Width | 29 7/8" |

Features & Benefits

Multi-shelf cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop trivets and glowing halo dials all add up to an exceptional, premium range.

Easy to clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Large capacity oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once.

Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Specifications

Dishwasher safe trivets

Pyrolytic self-clean

Removable shelf runners


| Accessories | |
|--|----------------------|
| 2-pc grill system (Broil pan & Grill rack) | • |
| Broil pan | • |
| Full extension telescopic shelves | 2 sets (part 578776) |
| Grill rack | • |
| Hob rear trim (optional) | 3 1/8" (part 84656) |
| Kick strip, stainless steel (optional) | Part 81660 |
| Pyrolytic-proof shelf runners | 1 set |
| Small pot support | 1 (part 533981 cast) |
| Wok stand | 1 (part 534678) |
| | |

Cleaning Acid resistant graphite enamel

Drop down broil element •

Pyrolytic-proof shelf runners

Removable oven door/s



| Controls | |
|--|---|
| Audio feedback | • |
| Automatic cooking/minute timer | • |
| Automatic pre-set temperatures | • |
| Bright chromed, cast zinc dials with | |
| illuminated halos | • |
| Celsius/Fahrenheit temperature | • |
| Electronic clock | • |
| High resolution display | • |
| Interior light | • |
| Laser etched graphics | • |
| Precise electronic temperature control | • |
| | |
| Sabbath mode | • |
| Sabbath mode Turned stainless steel clock buttons | • |
| | • |
| Turned stainless steel clock buttons | • |
| Turned stainless steel clock buttons Turned stainless steel clock crown (dial) | • |
| Turned stainless steel clock buttons Turned stainless steel clock crown (dial) Cooktop features | • |
| Turned stainless steel clock buttons Turned stainless steel clock crown (dial) Cooktop features Brass burner spreader (power burner) | • |
| Turned stainless steel clock buttons Turned stainless steel clock crown (dial) Cooktop features Brass burner spreader (power burner) Dishwasher safe trivets | • |
| Turned stainless steel clock buttons Turned stainless steel clock crown (dial) Cooktop features Brass burner spreader (power burner) Dishwasher safe trivets Embossed brass burner cap (power | • |
| Turned stainless steel clock buttons Turned stainless steel clock crown (dial) Cooktop features Brass burner spreader (power burner) Dishwasher safe trivets Embossed brass burner cap (power burner) | • |

| | Cooktop performance |
|--------------|---|
| 18000 | Dual wok burner inner / outer (LPG) |
| 18000 | Dual wok burner inner / outer (natural |
| 18000 | gas) |
| 18000 BTU | Max burner power |
| 4 | Number of burners |
| 8000 | Semi-rapid burner (LPG) |
| 8000 BTU | Semi-rapid burner (natural gas) |
| 52000 BTU | Total cooktop power |
| | Details |
| 822843813186 | UPC Code |
| | Gas requirements |
| 11" W.C.P | Supply Pressure (LPG) |
| 4" W.C.P | |
| | Supply Pressure (natural gas) |
| | Supply Pressure (natural gas) Installation cutout dimensions |
| 25 1/4 " | |

| Oven features | |
|---|------------------------|
| AeroTech™ technology | • |
| Automatic rapid pre-heat | • |
| Combined Warming/Storage Drawer | • |
| Concealed element | • |
| Electronic capacitive touch controls | • |
| Full extension telescopic sliding shelves | 2 sets (part 578776) |
| Internal light | 2 x 25W halogen (rear) |
| Pyrolytic-proof shelf runners | • |
| Self cleaning | • |
| Soft open/close door | • |
| True Convection | • |
| Oven functions | |
| Aero™ Bake | • |
| Aero™ Broil | • |
| Aero™ Pastry with Pizza mode | • |
| Bake | • |
| Maxi Broil | • |
| Number of Functions | 9 |
| Rapid proof | • |
| Roast | • |
| Self-clean function | • |
| True Aero™ | • |

| Oven performance | |
|---|---------------|
| Broil | 4050 W |
| Combined Warming/Storage Drawer | 220 W |
| CoolTouch door | Triple glazed |
| Shelf positions | 7 |
| Total oven capacity | 3.5 cu ft |
| Power requirements | |
| AMP draw | 30 A |
| Supply frequency | 60 Hz |
| Supply voltage | 208 - 240 V |
| Safety | |
| Advanced cooling system | • |
| Anti-tilt bracket | • |
| Auto re-ignition system | • |
| Balanced oven door | • |
| Catalytic venting system | • |
| CoolTouch door | • |
| Full extension telescopic sliding shelves | • |
| Non-tip shelves | • |
| Spill containment | 1/2 gallon |
| Style And Series | |
| Product Style | Classic |
| Warranty | |
| Warranty | 2 years |
| SKU | 81318 |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2018

Other product downloads available at fisherpaykel.com

fisherpaykel.com