



EASY LOADING. BETTER WATER EFFICIENCY.

4.5 Cu. Ft. Front Load Washer

MLH45N1AWW White

Large capacity in a standard width. The Midea 4.5 Cu. Ft. Front Load Washer has 10 cycles along with extra rinse and soak options. Reduced vibration technology keeps heavier loads balanced for quieter washing even at high spin speeds — perfect for a second floor laundry room. The standard 27" width lets you locate it just about anywhere.

Large, 4.5 Cu. Ft. Capacity

Large capacity in a standard 27" width. Save time by washing more items at once.

Dynamic Vibration Control

Reduces vibration and noise, keeping heavy loads balanced even at high spin speeds.

Inverter Motor

Ensures reliability along with precision speed control. Backed by a 10-year warranty.

ENERGY STAR® Certified

Conserves energy while lowering your electric bill.

9 midea.com



4.5 Cu. Ft. Front Load Washer

Models MLH45N1AWW

SPECIFICATIONS

Models	MLH45N1AWW	
UPC	810004818866	
Color	White	
PERFORMANCE		
ENERGY STAR®	Yes	
Max Spin Speed (RPM)	1,300	
Vibration Reduction	Yes	
Certification	UL	
ADA Compliant	Yes	
FEATURES		
Capacity (cu. ft.)	4.5	
No. of Cycles	10 (Normal/Colors, Bulky/Sheets, Heavy Duty, Whites, Towels, Quick Wash, Delicates, Sportswear, Tub Clean, Rinse & Spin)	
No. of Options	8 (Signal, Water Plus, Speed Wash, Extra Rinse, Pre-Soak, Control Lock, My Cycle, Delay)	
Automatic Temperature Control	Yes	
Automatic Load Sensing	Yes	
No. of Soil Levels	5 (Extra Heavy, Heavy, Medium, Light, Extra Light)	
No. of Temperature Selections	5 (Hot, Warm, Eco Warm, Cold, Tap Cold)	
No. of Spin Speeds	5 (Extra High, High, Medium, Low, No Spin)	
Detergent Dispenser	Bleach, Softener	
Delay Start	Yes	
Control Lock	Yes	
Pre-Soak	Yes	
Extra Rinse	Yes	
Drum Light	-	
My Cycle	Yes	
Stackable	Yes	
Time-Remaining Display	Yes	
End-Of-Cycle Signal	Yes	
ELECTRICAL		
Voltage	120V-/60Hz	
Amperage (A)	12	
Power Cord Included	Yes	
PHYSICAL ATTRIBUTES		
Included Accessories	Drain Hose Guide, Inlet Hose Screen Washers (2), Cable Tie	
Optional Accessories	Pedestal (MLP1WW), Stacking Kit (MSTK1)	
Control Panel	Dial / Touch	
Control Panel Screen / Color	LED / White	
Tub/Drum Material	Stainless Steel	
Door	Injection White	
Door Cover	Gray Clear	
Dinanaiana (M*D*II)	27 x 34 x 39.8	
Dimensions (W*D*H) cn	68.6 x 86.4 x 101	
Depth with Door Open (in / cm)	55.5 / 141	
Weight (lbs / kg)	216 / 97.8	
Warranty	Parts & Labor, 1 Year	

10 midea.com





LARGE-CAPACITY DRYING

8.0 Cu. Ft. Front Load Dryer

MLE45N1AWW Electric, White

MLG45N1AWW Gas, White

Large capacity in a standard width. Our versatile, 8.0 Cu. Ft. Dryer has 10 cycles, 5 temperature settings and a convenient auto-dry feature. The reversible door can be adjusted to open from the left or right for maximum placement versatility.

Large, 8.0 Cu. Ft. Capacity

Large capacity in a standard 27" width. Dry multiple large items including comforters, towels and linens.

Electronic Controls

Sleek, modern electronic controls make cycle selection a breeze.

Sensor Dry

A sensor detects when your clothes are dry and automatically stops the dryer saving energy.

10 Total Cycles

6 Sensor Cycles: Normal, Bulky, Heavy Duty, Sanitize, Delicates, Towels

4 Manual Cycles: Quick Dry, Time Dry, Air Fluff, Towel Warmer

11 midea.com



8.0 Cu. Ft. Front Load Dryer

Models MLE45N1AWW, MLG45N1AWW

SPECIFICATIONS

Models		MLE45N1AWW	MLG45N1AWW
UPC		810004818873	810004818880
Heater Type		Electric	Gas*
Color		White	White
Matching Washer		MLH45N1AWW	MLH45N1AWW
PERFORMANCE			
ENERGY STAR®		-	-
UL Certification		Yes	Yes
ADA Compliant		Yes	Yes
FEATURES			
Capacity (cu. ft.)		8.0	8.0
No. of Cycles	Total	10	10
	Sensor Dry	Normal, Bulky, Heavy Duty, Sanitize, Delicates, Towels	Normal, Bulky, Heavy Duty, Sanitize, Delicates, Towels
	Manual Dry	Quick Dry, Time Dry, Air Fluff, Towel Warmer	Quick Dry, Time Dry, Air Fluff, Towel Warmer
No. of Options		7 (Wrinkle Care, Damp Dry Signal, Time Adjust, Control Lock, Signal, My Cycle, Eco Dry)	7 (Wrinkle Care, Damp Dry Signal, Time Adjust, Control Lock, Signal, My Cycle, Eco Dry)
Sensor Dry		Yes	Yes
Dryness Level Selections		5 (Extra Dry, More Dry, Normal Dry, Less Dry, Damp Dry)	5 (Extra Dry, More Dry, Normal Dry, Less Dry, Damp Dry)
Temperature Selection	ns	5 (High, Medium, Low, Ultra Low, No Heat)	5 (High, Medium, Low, Ultra Low, No Heat)
Time Dry Selections		5 (60 min, 50 min, 40 min, 30 min, 20 min)	5 (60 min, 50 min, 40 min, 30 min, 20 min)
Interior Light(s)		-	-
Lint Filter		Yes	Yes
Lint Filter Indicator Light		Yes	Yes
My Cycle		Yes	Yes
Steam Function		-	-
Reversible Door Hinge		Yes	Yes
3-Way Venting		Yes	Yes
Exhaust Vent		Yes - Rear, Bottom, Left	Yes - Rear, Bottom, Left
End of Cycle Signal		Yes	Yes
Stackable		Yes	Yes
ELECTRICAL			
Voltage (V)		120/240	120
Amperage (A)		24	9.5
Power Cord Included		-	Yes
PHYSICAL ATTRIBUTES			
Included Accessories		Short Inlet Hose, Y-Connector	Short Inlet Hose, Y-Connector
Optional Accessories		Pedestal (MLP1WW), Stacking Kit (MSTK1), Double Layer Drying Rack	Pedestal (MLP1WW), Stacking Kit (MSTK1), Double Layer Drying Rack
Tub/Drum Material		Aluminized Alloy Steel	Aluminized Alloy Steel
Drum Rear Cover		Coating Steel	Coating Steel
Double Layer Drying Rack		-	-
Control Panel		Dial / Touch	Dial / Touch
Control Panel Screen / Color		LED / White	LED / White
Door		Injection White	Injection White
Door Cover		Gray Clear	Gray Clear
Dimensions (WxDxH)	in	27 x 33.6 x 39.8	27 x 33.6 x 39.8
	cm	68.6 x 85.3 x 101	68.6 x 85.3 x 101
Depth with Door Open (i	n / cm)	55.2 / 140.2	55.2 / 140.2
Weight (lbs / kg)		138.9 / 63	138.9 / 63
Warranty		Parts & Labor, 1 Year	Parts & Labor, 1 Year

*For Liquid Propane gas, additional conversion kit should be purchased.