

Product data sheet

CONSTRUCTION TYPE AND DESIGN

PureLine	•
Built-in oven	•
Appliance colour	CleanTouch Steel

CONVENIENCE FEATURES

TasteControl	•
Rapid PreHeat	•
Food probe	With cable
Keeping warm	•
Crisp function	•

OPERATING MODES

Browning	•
Defrost	•
MasterChef programs	•
Auto Roast	•
Maxi Broil	•
Broil	•
Intensive	•
Moisture Plus	•
Moisture Plus with Convection Bake	•
Moisture Plus with Surround	•

Moisture Plus with Intensive	•
Moisture Plus with Auto Roast	•
Slow Roasting	•
Surround	•
Bake	•
Convection Broil	•
Special modes	•
Broiling operating modes	•

USER CONVENIENCE

Suction tube for collecting water	•
Display	M Touch S
SoftOpen	•
SoftClose	•
Language Options	•
MyMiele	•
Help function	•
Timed bursts of steam	•
Time-of-day display	•
Time synchronization	•
Date display	•
Timer	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
Audible signal when desired temperature is reached	•

Recommended temperatures

•

Favourites

•

Sabbath Program

•

Networking with Miele@home

•

Individual settings

•

Timers

•

MotionReact DG

•

EFFICIENCY AND SUSTAINABILITY**Residual heat utilization**

•

CLEANING CONVENIENCE**Stainless steel / Clean Touch Steel surface**

•

SelfClean

•

Catalyzer

•

Hinged broiler

•

CleanGlass door

•

SAFETY**Appliance cooling system with touch-cool fronts**

•

Safety shut-off

•

System lock

•

Door lock during SelfClean

•

Sensor lock

•

TECHNICAL DATA

Temperatures in °F (°C)	85-575 (30-300)
Oven compartment volume in cubic feet (l)	2.97 (84) ft ³ (l)
Number of shelf levels	5
Numbered shelf levels	•
Oven interior lighting	1 halogen spot
Niche width min. in inches (mm)	22 1/8 (560)
Niche width max. in inches (mm)	22 3/8 (568)
Niche height min. in inches (mm)	23 1/4 (590)
Niche height max. in inches (mm)	23 1/2 (595)
Niche depth in mm	21 3/4 (550)
Appliance width in mm	23 1/2 (595)
Appliance width in mm	23 1/2 (595)
Appliance width in mm	23 1/2 (595)
Appliance height in mm	23 1/2 (596)
Appliance height in mm	23 1/2 (596)
Appliance height in mm	23 1/2 (596)
Appliance depth in mm	22 1/2 (569)
Appliance depth in mm	22 1/2 (569)
Appliance depth in mm	22 1/2 (569)
Weight in lbs (kg)	103 (46.5)
Weight in lbs (kg)	103 (46.5)
Weight in lbs (kg)	103 (46.5)
Weight in lbs (kg)	102.52 (46.5)
Total rated load in kW	5.400
Voltage in V	120
Voltage convertible in V	240/208

Frequency in Hz	60
Fuse rating in A	30
Number of phases	1
Power cable with plug	•
Length of power cable in m	1.80
Appliance dimensions (W x H x D) in mm	23 1/2 (595) x 23 1/2 (596) x 22 1/2 (569)
Appliance dimensions (W x H x D) in mm	23 1/2 (595)<NBSP/>x<NBSP/>23 1/2 (596) <NBSP/>x<NBSP/>22 1/2 (569)

ACCESSORIES SUPPLIED

Anti-splash insert with PerfectClean	1
Universal tray with PerfectClean	1
Self Clean ready wire rack	2
Self Clean ready FlexiClip Runners (pair)	1
Removable Self Clean ready side racks (pair)	1
Descaling tablets	2

AVAILABLE DISPLAY LANGUAGES

Available display languages via Language Options	bahasa malaysia
--	-----------------