

# STU8633

Dishwashers, Fully-integrated built-in , 24", Number of place settings: 13, Silver



86 cm ▼	iŌi	؊	27min	65°	075°	t. t	65° ≷½≶
	90		$\widehat{\mathbb{Y}}$	Ś			Š
ACTIVE LIGHT	Þ	AQUATEST	****	FLEXI FIT	⊈ 44 dB	000 9 lt	

# TYPE

Product family: Dishwashers • Commercial height: 86 cm • Number of place settings: 13 • Installation: Fully-integrated built-in • Width: 24" • EAN code: 8017709303655

# AESTHETIC

Color: Silver • Control panel color: Silver • LED display color: White • Buttons color: Silver

# **PROGRAMS / FUNCTIONS**

Number of programs: 10+1 • Soak: Yes • Express 27': Yes • Mix: Yes • Sterilize: Yes • Self Clean: Yes • Daily (half load): Yes •

Delicates: Yes • Auto: Yes • Crystal & China: Yes • Eco express: Yes • Pots & Pans: Yes • Washing temperatures: 100, 113, 122,

130, 150, 158, 167 °F

# OPTIONS

Dry Assist option: Yes • Delay start: Up to 24 hours • Special programs option: Yes

## BASKETS

N° baskets: 3, FlexiDuo • Basket color: Gray • Upper basket: 3 foldable racks • Upper basket height adjustment: On 3 levels • Sliding Guides Extra Glide: Yes • Lower basket: With 4 foldable racks • Largest loadable dish in upper basket: 7 inches • Lower basket with anti-drip inserts: Yes • Largest loadable dish in lower basket: 13 3/4 inches • Cutlery basket: 13 place settings • Colour Inner Components: Blue

#### **TECHNICAL FEATURES**

Display: Delay start, Program progress indicator, Time-to-end indicator • Door opening system: Yes • Display type: LED display (3 digits) • Salt indicator: Light • Rinse aid indicator: Light • End-of-cycle indicator: ActiveLight • Washing system: Planetarium • Drying system: Natural condenser drying, with EnerSave automatic door opening system at the end of the cycle • Engine: Single phase • Third spray arm: Single • Water softener: With electronic setting • Turbidity sensor Aquatest: Yes • Flood protection system: Total Aquastop • Max water hardness: 100°fH;58°dH • Internal lighting: White LED • Tub material: Stainless steel • Filter: Stainless steel • Min. and max. frontal panel weight: 4.4 - 22 lbs • Hinges: Self-balancing, Sliding, FLEXIFIT • Min. and max plinth height: 50 - 215 mm • Adjustable feet: 2 3/4", from 33 7/8" to 36 5/8"

## PERFORMANCE / ENERGY LABEL

Noise level: 44 dB(A) re 1pW • Water consumption per cycle (l/cycle): 2.4 gal • Annual energy consumption: 235 KWh/year • Energy Star: Yes

#### PERFORMANCE / ENERGY LABEL NEW

#### **ELECTRICAL CONNECTION**

Connected power: 1800 W • Voltage: 115 V • Connection type: Single-phase • Frequency (Hz): 60 Hz • Power supply cable length: 55 "

#### STATISTICS FEATURES

## ALSO AVAILABLE

# LOGISTIC INFORMATION

Net weight: 115 lbs

#### **OPTIONAL**

KIT86CXF: Panel, DishwashersKITPL60X: Toe kick, DishwashersKITPL60B: Toe kick, DishwashersKITPL60N: Toe kick,

Dishwashers



