

Product data sheet

CONSTRUCTION TYPE AND DESIGN

Built-in vacuum drawer	•
VitroLine	•
ArtLine	•
No handles	•
Colour	Obsidian black

CONVENIENCE FEATURES

Preparing for sous-vide cooking	•
Longer storage life of food	•
Marinating food	•

OPERATING MODES

Vacuum-sealing	•
----------------	---

RANGE OF APPLICATIONS

Vacuum-sealing food	•
Marinating food	•
Dividing food into portions	•
Vacuum-sealing containers	•
Resealing original packaging	•
Sealing jars	•

Vacuum-sealing liquids

•

USER CONVENIENCE**Timers**

•

Capacity of vacuum chamber in l

•

Timer function

•

Stainless steel vacuum sealing chamber capacity in l

8.0

Maximum bag size in mm

13 7/8 (350)

Push2open mechanism

•

Fully telescopic runners for easy loading and unloading

•

Control panel with sensor controls

•

Control panel with text

•

Stop programming

•

Min. vacuum settings

1

LED vacuum strength indicator

•

Min. vacuum settings for external containers

1

LED vacuum strength indicator for external containers

•

Vacuum-sealing duration settings

1 - 3

LED sealing duration indicator

•

Stop function

•

Minimum bag size in mm

9 7/8 (250)

Max. vacuum settings

3

Max. vacuum settings for external containers

3

Max. vacuum settings for external containers

3

VACUUM-SEALING TECHNOLOGY

Stainless-steel vacuum chamber

•

Suction power of power in m³/h2.35 (4) ft³/min (m³/h)**CLEANING CONVENIENCE****Flush control panel**

•

Note regarding moisture removal from the vacuum pump

•

Interchangeable sealing bars

•

SAFETY**Safety shut-off**

•

TECHNICAL DATA**Appliance width in mm**

29 7/8 (757)

Appliance height in mm

9 7/8 (248)

Appliance depth in mm

22 1/2 (570)

Useable interior height in mm

3 1/4 (80)

Total rated load in kW

0.520

Voltage in V

120

Frequency in Hz

60

Fuse rating in A

10

Number of phases

1

Power cable with plug

•

Length of power cable in m

5 (1.8)

Appliance dimensions (W x H x D) in mm

29 7/8 (757) x 9 7/8 (248) x 22 1/2 (570)

ACCESSORIES SUPPLIED

Adapter for vacuum-sealing container	1
Vacuum-sealing bag support	1