

OR30SCG6R1 Dual Fuel Range, 30"

Classic

Heritage styling with contemporary performance in this 30" Fisher & Paykel Freestanding Range. You can cook several dishes at the same time with its spacious gas cooktop and generous convection oven. Instant heat and precise control add to the classic stylish red finish.

Red

Dimensions

Depth	25 1/4″
Height	35 3/4 - 37 5/8"
Width	29 7/8″

Features & Benefits

Multi-shelf cooking

Our AeroTech[™] system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop trivets and glowing halo dials all add up to an exceptional, premium range.

Easy to clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The selfclean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Large capacity oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once.

Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Specifications

Accessories	
2-pc grill system (Broil pan & Grill rack)	•
Broil pan	•
Full extension telescopic shelves	2 sets (part 578776)
Grill rack	•
Hob rear trim (optional)	3 1/8" (part 81656)
Kick strip, stainless steel (optional)	Part 81660
Pyrolytic-proof shelf runners	1 set
Small pot support	1 (part 533981 cast)
Wok stand	1 (part 534678)

Cleaning

Acid resistant graphite enamel	•
Dishwasher safe trivets	•
Drop down broil element	•
Pyrolytic self-clean	•
Pyrolytic-proof shelf runners	•
Removable oven door/s	•
Removable shelf runners	•



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 W fisherpaykel.com

SPEC SHEET > OR30SCG6R1 > Dual Fuel Range, 30"

Controls
Audio feedback
Automatic cooking/minute timer
Automatic pre-set temperatures
Bright chromed, cast zinc dials with
illuminated halos
Celsius/Fahrenheit temperature
Electronic clock
High resolution display
Interior light
Laser etched graphics
Precise electronic temperature control
Sabbath mode
Turned stainless steel clock buttons
Turned stainless steel clock crown (dial)
Cooktop features
Brass burner spreader (power burner)
Dishwasher safe trivets
Embossed brass burner cap (power
burner)
Gas Cooktop- Sealed range top
Hob rail
LPG/Natural gas compatible

Cooktop performance	
Dual wok burner inner / outer (LPG)	18000 BTU
Dual wok burner inner / outer (natural	10000 BTU
gas)	18000 BTU
Max burner power	18000 BTU
Number of burners	4
Semi-rapid burner (LPG)	8000 BTU
Semi-rapid burner (natural gas)	8000 BTU
Total cooktop power	52000 BTU
Details	
UPC Code	822843813209
UPC Code 	822843813209
	822843813209
Gas requirements	
Gas requirements Supply Pressure (LPG)	11″ W.C.F
Gas requirements Supply Pressure (LPG) Supply Pressure (natural gas)	11″ W.C.F

Oven features	
AeroTech [™] technology	•
Automatic rapid pre-heat	•
Combined Warming/Storage Drawer	•
Concealed element	•
Electronic capacitive touch controls	•
Full extension telescopic sliding shelves	2 sets (part 578776)
Internal light	2 x 25W halogen (rear)
Pyrolytic-proof shelf runners	•
Self cleaning	•
Soft open/close door	•
True Convection	•
Oven functions	
Oven functions Aero™ Bake	
	•
Aero™ Bake	
Aero™ Bake Aero™ Broil	• • •
Aero™ Bake Aero™ Broil Aero™ Pastry with Pizza mode	• • • 9
Aero™ Bake Aero™ Broil Aero™ Pastry with Pizza mode Bake	• • • 9
Aero™ Bake Aero™ Broil Aero™ Pastry with Pizza mode Bake Main oven functions	• • 9 •
Aero™ Bake Aero™ Broil Aero™ Pastry with Pizza mode Bake Main oven functions Maxi Broil	• • • 9 • •
Aero™ Bake Aero™ Broil Aero™ Pastry with Pizza mode Bake Main oven functions Maxi Broil Rapid proof	• • • 9 • • •

SPEC SHEET > OR30SCG6R1 > Dual Fuel Range, 30"

Oven performance	
Broil	4050 W
Combined Warming/Storage Drawer	220 W
CoolTouch door Shelf positions	Triple glazed 7
Power requirements	
AMP draw	30 A
Supply frequency	60 Hz
Supply voltage	208 - 240 V
Safety	
Advanced cooling system	•
Anti-tilt bracket	•
Auto re-ignition system	•
Balanced oven door	•
Catalytic venting system	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	1/2 gallon
Style And Series	
Product Style	Classic
Warranty	
Warranty	2 years
SKU	81320
580	61520

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2018

Other product downloads available at fisherpaykel.com

fisherpaykel.com