

WE8: Specifications

WE8: Specifications

Print Datasheet

Recommended maximum daily output	
Recommended maximum daily output	30
Areas of use	
Studios	✓
Offices	✓
Business premises	✓
Stores	✓
Factories and workshops	✓
Specialties	
Ristretto	✓
2 × Ristretto	✓
Espresso	✓
2 × Espresso	✓
Coffee	✓
2 × Coffee	✓
Espresso doppio	✓
Cappuccino	✓
Flat white	✓
Latte macchiato	✓
Portion of milk	✓
Hot water	✓
Ground coffee	✓
Number of cups per hour (as per DIN 18873-2)	
Espresso	95
2 × Espresso	136

Coffee	70
2 × Coffee	88
Cappuccino	70
Hot water	83
Specific benefits	
Number of specialties	12
Transmitter supplied as standard	Smart Connect
JURA coffee machine standards	
Pulse Extraction Process (P.E.P.®)	✓
One-Touch function	✓
Variable brewing unit	5 – 16 g
Grinder	Multi-level Aroma G3 grinder
High-performance pump, 15 bar	1
Thermoblock heating system	1
Fluid systems	1
Milk system / interchangeable milk spout	HP1 / CX3
Powder chute for ground coffee	✓
Aroma preservation cover	✓
Operating and programming standards	
Display	2.8" color display with buttons
Individually programmable quantity of coffee water	✓
Individually programmable coffee strength	8 levels
Individually programmable amount of milk/milk foam	✓
Individually programmable brewing temperature	2 levels
Individually programmable hot water temperature	3 levels
Resettable day counter	✓
Hygiene standards	
Automatic filter detection	✓
Filter cartridge	CLEARYL Pro Smart / CLEARYL Smart

Integrated rinsing, cleaning, and descaling program	✓
Monitored drip tray	✓
JURA hygiene: TÜV-certified	✓
Energy standards	
Energy Save Mode (E.S.M.©)	✓
Zero-Energy Switch or power switch	✓
Programmable switch-off time	✓
Design and materials	
Cup illumination	✓
In figures	
Height-adjustable/width-adjustable coffee spout	2.6 – 4.4 in / – 65 – 111 mm / –
Height-adjustable cappuccino spout	4.2 – 6 in / 107 – 153 mm
Height-adjustable hot-water spout	4.4 – 6.2 in / 111 – 157 mm
Water tank capacity	101 oz / 3 l
Bean container holding capacity	17.7 oz. / 500 g
Coffee grounds container (approx. servings)	25
Cord length	43 in / 1.1 m
Voltage / power	110 V / 1450 W
Current	10 A
Stand-by power	0 W
Weight	22 lbs / 10 kg
Dimensions (W × H × D)	11.6 in × 16.5 in × 17.5 in 29.5 cm × 41.9 cm × 44.4 cm
Article number, Product code	15145, Chrome (NA)
EAN code	7610917151455
Country of production	Made in Portugal
Model year	2016