LIEBHERR

CS 1401R-IM

Fridge-freezer with NoFrost

Product dimen-66 3/8|29 9/16|24 13/16

sions (H/W/D) inch

12.8 cubic feet Net capacity, to-

tal

IceMaker Fixed water connection

3/4"





















General product information

Model type	Fridge-freezer with NoFrost
GTIN	9005382211458

Output and consumption

Energy consumption in 24h	1.273 kWh / 24h
Energy consumption per year	465 kWh/a
Climate class	SN-T
Net capacity, total	12.8 cubic feet
Refrigerator compartment	9.8 cubic feet
Freezer compartment	3.0 cubic feet
Gross capacity, total	13.7 cubic feet
Refrigerator compartment	10.2 cubic feet
Freezer compartment	3.5 cubic feet
Voltage	115 V ~
Connection rating	2.0 A 138 W
Dimensions and weight	
Product dimensions (H/W/D)	66 3/8 29 9/16 24 13/16 inch
Height / Width / Depth (with packaging)	69 11/16 31 5/8 28 inch
Weight (without packaging)	211.6 pounds

Control and functions

Position of control unit	behind the door
Individual temperature zones	2
Temperature zones	2
Temperature display	Fridge & freezing compartment
FrostControl	✓
Door open: Warning signal, refrigerator compartment	audible
Door open: Warning signal, freezer compartment	audible
Child proofing	✓
SuperCool	✓
SuperFrost	Time-controlled
HolidayMode	_
SmartDeviceBox	_
Forced air cooling	✓

Refrigerator compartment

Lighting	LED ceiling lighting
Number of storage shelves	4
Storage shelf material, refrigerator compartment	Glass
VarioSafe	_
Bottle rack	1
VarioBoxes	0
Egg trays	✓
Vegetable bins	2
with lighting	LED ceiling lighting
Freezer compartment	
Star-coding	4
Storage time during interruptions in power supply	24 h
Freezing capacity in 24 hrs	17.6 pounds
No. of drawers in freezer compartment	3

Material adjustable shelves freezer compartment	Glass
VarioSpace	✓
Lighting	_
IceMaker	Fixed water connection 3/4"
Ice cube capacity in 24 h	3.1 pounds
Ice cube storage	5.5 pounds
Freezer tray	0
Design and materials	
Door material	Stainless steel door with SmartSteel
Handle	Lever handle with integrated opening mechanism
Set-up and installation	
Door hinges	Left reversible
Transport handles at back	✓
Transport castors at back	✓
Suitable for installation in a row of kitchen units	✓