General Features

Model Number	MRT12B2AWW
UPC	687636007902
Colour	White
Appliance Type	Top mounted freezer
Total Capacity (Cu.Ft.)	11.5
Refrigerator Capacity (cu. ft.)	8.4
Freezer Capacity (cu. ft.)	3.1
Reversible Door	Ø
Convertible Between Fridge and Freezer	No
Convertible Keg to Fridge	No
Temperature Control	Electric
Control Type	Electric
Defrost Type	No frost
Defrost Drain	Ø
Power On Indicator	Νο
Interior Lighting	Ø
Water Filter	Νο
Water Dispenser	No
Ice Maker	Ice maker ready
Temperature Alarm	No
Security Lock	Νο
Child Safety Lock	No
Utility/Deli Drawer	Νο

Physical Features

Dimensions (W x H x D)	24*59.8*28.9"
Product Weight (lbs)	127.9
Reversible Door	
Leveling Legs	
Never Clean Condenser	
Door Handle Design	Recessed handle
Door Finish	White
Door Hinge Covers	
Transparent Glass Door	No
Cabinet Finish	Black
Refrigerant	R600a
Interior Colour	White
Interior Lighting	Yes/LED
Rollers / Casters	No

Refrigeration Details

Humidity-Controlled Crisper Drawers	\bigcirc
Crisper Drawer Cover	Ø
Temperature Range (°C)	0 to 10
Number of Shelves	2
Adjustable Shelves	2
2-Litre Bottle Storage	Ø
Can Storage	Ø
Wine Rack	No
Cabinet Shelf Type	Adjustable
Cabinet Shelves Material	Glass
Refrigerator Bins	Ø
Removable Bin / Basket	Ø
Refrigerator Drawers	Ø
Number of door shelves	3
Door shelf material	Plastic
Flexible Door Shelves	No
Dairy Compartment	No
Freezer Details	

Freezer Details

Freezer Type/ Design	Top mounted
Temperature Range (°C)	-15.3 to -24
Freezer Shelves	1
Freezer Shelf Design	Wire
Freezer Bins	2/Plastic
Number of door shelves	No
Electrical	
Electrical Requirements (v/Hz)	115/60hz
Voltage (V)	115
Amperage (A)	120
Performance and Certifications	
Performance and Certifications Efficiency Certification	E-star
	E-star UL
Efficiency Certification	
Efficiency Certification Safety Certification	UL
Efficiency Certification Safety Certification Energy Level (kW/yr)	UL 311
Efficiency Certification Safety Certification Energy Level (kW/yr) Running Amps (A)	UL 311 120
Efficiency Certification Safety Certification Energy Level (kW/yr) Running Amps (A) Noise Level (dB)	UL 311 120

Sealed System