

Date Created 16 JUN 2020

Revised Date 11 MAR 2021

Item and Description





SIGNATURE:

NOTE: PLEASE SIGN AND DATE THIS PAGE BEFORE RETURNING TO SEURA, SIGNIFYING YOU AGREE TO ALL SPECIFICATIONS SHOWN ON ALL DRAWING SHEETS. THE BUILD PROCESS WILL NOT BEGIN WITHOUT AN AUTHORIZED SIGNATURE. FOR DRAWINGS THAT REQUIRE REVISIONS, SEND THE REVISIONS TO SEURA NOTED ON THE ORIGINAL DRAWINGS. A REVISED DRAWING PACKAGE WILL BE RE-SENT FOR SIGNATURE.


DATE:


TOLERANCES (UNLESS OTHERWISE NOTED) FRACTIONAL: ± 1/8" ANGULAR: ± 1.0° TWO PLACE DECIMAL: ±.03' THREE PLACE DECIMAL: ±.015"

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART, OR AS A WHOLE, WITHOUT THE WRITTEN PERMISSION OF MANUFACTURER, IS PROHIBITED.

SHEET 1





INSTALLATION INSTRUCTIONS:

- Reference the dimensions on this sheet to properly locate the wall brackets.
- If it is not possible to mount to the wall framing members, use toggle bolts into minimum ½-inch thick drywall.
- Hold mirror assembly close to wall, connect A/V and power, and verify functionality.

Hang mirror assembly. Ensure the brackets are interlocked and mirror is secure.

TOLERANCES
(UNLESS OTHERWISE NOTED)
FRACTIONAL: ± 1/8"
ANGULAR: ± 1.0°
TWO PLACE DECIMAL: ± .03"

THREE PLACE DECIMAL: ±.015"

THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART, OR AS A WHOLE, WITHOUT THE WRITTEN PERMISSION OF MANUFACTURER, IS PROHIBITED.

PROPRIETARY AND CONFIDENTIAL

ALIGNED WITH BOTTOM

OF WALL OPENING

SHEET 3

Model Number	Drawing ID Number	Date Created	Revised Date	
S-R-7143-ENT4-75.1-T2	-	16 JUN 2020	11 MAR 2021	