


Cooktops

24" Electric Cooktop
500 Series - Black with
Stainless Steel Frame
NET5466SC



- Infinite Temperature Controls for Precision Cooking

Technical Data	
Sealed Burners :	No
Dimension of 1st heating element (in) :	6"
Power of heating element (W) :	1.2
Dimension of 3rd heating element (in) :	7"
Power of 3rd heating element (W) :	2
UPC code :	825225907237
Variant color :	Black
Energy source :	Electric
Watts (W) :	6600
Current (A) :	30/30
Volts (V) :	240/208
Frequency (Hz) :	60
Approval certificates :	CUL
Power cord length (cm) :	96
Plug type :	no plug
Required cutout size (HxWxD) (mm) :	110 x 560-560 x 490-490
Minimum distance from counter front (in) :	2 1/4"
Minimum distance from rear wall (in) :	2"
Overall appliance dimensions (HxWxD) (in) :	1/8"+4 1/3" x 23" x 20 1/5"
Overall appliance dimensions (HxWxD) (mm) :	110 x 583 x 513
Product packaging dimensions (HxWxD) (in) :	7 7/8" x 37 3/8" x 24"
Product packaging dimensions (HxWxD) (mm) :	210 x 610 x 950
Net weight (lbs) :	20
Net weight (kg) :	9.0
Gross weight (lbs) :	28
Gross weight (kg) :	13.0
Total number of cooktop burners :	4

Optional accessories

- HEZ390210 : System pan diameter 15 cm
- HEZ390220 : System pan diameter 19 cm
- HEZ390230 : System pan diameter 21cm

Cooktops

24" Electric Cooktop

500 Series - Black with Stainless Steel Frame NET5466SC

Design

- High-end Stainless Steel Frame for a Premium Look

Performance


- Infinite Temperature Controls for Precision Cooking
- Powerful 2,200W Right-Front Burner for Faster Boil Times

Safety

- 2-Level Heat Indicator - Warns if Cooktop is Warm or Hot
- ChildLock - Prevents the Cooktop from Being Accidentally Switched on. Locks Temperature Settings if in Use.

Cooktops

24" Electric Cooktop 500 Series - Black with Stainless Steel Frame NET5466SC



- * Minimum clearance from the cooktop cutout to the wall
- ** Maximum depth
- *** Minimum clearance between cooktop surface and lower edge of exhaust hood

