J8: Specifications

Print	Datasheet

Print Datasheet	
Specialties	
Number of specialties	31
Espresso	\checkmark
2 × Espresso	\checkmark
Coffee	\checkmark
2 × Coffee	\checkmark
Americano	✓
Lungo	✓
Espresso doppio	\checkmark
Cortado	✓
Sweet Cortado	✓
Macchiato	✓
Sweet Espresso Macchiato	\checkmark
Caffè latte	\checkmark
Sweet Caffè latte	\checkmark
Caffè latte Extra Shot	\checkmark
Cappuccino	\checkmark
Sweet Cappuccino	\checkmark
Cappuccino Extra Shot	\checkmark
Flat white	\checkmark
Sweet Flat White	✓
Flat white Extra Shot	✓
Latte macchiato	✓
Sweet Latte macchiato	✓
Latte macchiato Extra Shot	✓
Sweet Latte	✓

Sweet Latte Extra Shot	\checkmark
Portion of milk foam	✓
Sweet portion of milk foam	✓
Portion of milk	✓
Sweet Portion of milk	\checkmark
Hot water	\checkmark
Hot water for green tea	✓
Specific benefits	
Sweet Foam Function	✓
Intelligent preheating	✓
Active bean monitoring	✓
Coffee Eye	✓
JURA Cockpit with maintenance status display	✓
Wi-Fi connection to home network	✓
Transmitter supplied as standard	Wi-Fi Connect
Transmitter supplied as standard JURA coffee machine standards	Wi-Fi Connect
	Wi-Fi Connect ✓
JURA coffee machine standards	
JURA coffee machine standards Pulse Extraction Process (P.E.P.®)	✓
JURA coffee machine standards Pulse Extraction Process (P.E.P.®) 3D brewing technology	✓ ✓
JURA coffee machine standards Pulse Extraction Process (P.E.P.®) 3D brewing technology One-Touch Americano function	✓ ✓ ✓
JURA coffee machine standards Pulse Extraction Process (P.E.P.®) 3D brewing technology One-Touch Americano function One-Touch function	✓ ✓ ✓
JURA coffee machine standards Pulse Extraction Process (P.E.P.®) 3D brewing technology One-Touch Americano function One-Touch function Variable brewing unit	✓ ✓ ✓ ✓ 5–16 g
JURA coffee machine standards Pulse Extraction Process (P.E.P.®) 3D brewing technology One-Touch Americano function One-Touch function Variable brewing unit Grinder	✓ ✓ ✓ ✓ 5 – 16 g P.A.G.2+
JURA coffee machine standards Pulse Extraction Process (P.E.P.®) 3D brewing technology One-Touch Americano function One-Touch function Variable brewing unit Grinder High-performance pump, 15 bar	✓ ✓ ✓ ✓ 5-16 g P.A.G.2+
JURA coffee machine standards Pulse Extraction Process (P.E.P.®) 3D brewing technology One-Touch Americano function One-Touch function Variable brewing unit Grinder High-performance pump, 15 bar Thermoblock heating system	✓ ✓ ✓ ✓ 5-16 g P.A.G.2+ 1
JURA coffee machine standards Pulse Extraction Process (P.E.P.®) 3D brewing technology One-Touch Americano function One-Touch function Variable brewing unit Grinder High-performance pump, 15 bar Thermoblock heating system Fluid systems	✓ ✓ ✓ ✓ 5-16 g PA.G.2+ 1 1
JURA coffee machine standards Pulse Extraction Process (P.E.P.®) 3D brewing technology One-Touch Americano function One-Touch function Variable brewing unit Grinder High-performance pump, 15 bar Thermoblock heating system Fluid systems Milk system / interchangeable milk spout	✓ ✓ ✓ 5-16 g P.A.G.2+ 1 1 HP3/CX3

Operating and programming standards Compatible with J.O.E.® \checkmark 4.3" touchscreen color display Display Position, duplicate and personalize products according to personal preference Individually programmable quantity of coffee water √ Individually programmable coffee strength 10 levels Individually programmable amount of milk/milk foam Individually programmable brewing temperature 3 levels Individually programmable hot water temperature 3 levels Hygiene standards √ Automatic filter detection Filter cartridge **CLEARYL Smart** One-Touch milk system cleaning (automatic) √ Integrated rinsing, cleaning, and descaling program Monitored drip tray JURA hygiene: TÜV-certified **Energy standards** √ Energy Save Mode (E.S.M.©) √ Zero-Energy Switch or power switch Programmable switch-off time **Design and materials** Cup illumination √ In figures Height-adjustable/width-adjustable coffee spout 2.6 - 4.4 in / -65 – 111 mm / – Height-adjustable cappuccino spout 4.2 - 6 in / 107 - 153 mm Height-adjustable hot-water spout 2.6 - 4.4 in / 65 - 111 mm64 oz / 1.9 l Water tank capacity

16

Coffee grounds container (approx. servings)

Bean container holding capacity	9.9 oz. / 280 g
Cord length	43 in / 1.1 m
Voltage / power	120 V ~ / 1450 W
Current	10 A
Stand-by power	0 W
Weight	22.5 lbs / 10.2 kg
Dimensions (W \times H \times D)	12.5 in × 13.7 in × 17.6 in 31.8 cm × 34.8 cm × 44.6 cm
Article number, Product code	15555, Midnight Silver (NAA)
EAN code	7610917155552
Country of production	Made in Switzerland
Model year	2022