MWOTR30200CSS

30" Over the Range Convection Microwave







GENERAL PROPERTIES	
Color	Stainless Steel with Black Glass
Interior Finish	Stainless Steel
Capacity	1.5 cu. ft.
Control Type	Touch Control w/ LED Display
Door Opening Type	Side Opening w/ Handle
Hidden Vent	Yes
Venting Options	Recirculation or Outside Venting (Roof & Wall)

FEATURES & FUNCTIONS	
Microwave Cooking	Yes
Convection Cooking	Yes
Combination Convection/ Microwave Cooking	Yes
Auto-cooking	Yes
Defrost	Yes
Glass Turntable Diameter (in.)	13.6
Quick Start	Yes
Start /+ 30 Seconds	Yes
Cooktop Lighting	Yes
Stop/Cancel/Clear	Yes
End of Cooking Reminder	Yes
Child Lock	Yes

COOKING FLEXIBILITY

Cook with Microwave only, Convection only or a combination of both. When combined, you get speed cooking with oven-quality results.

PREMIUM TECHNOLOGY

300 CFM, 2-SPEED EXHAUST

Match the right amount of ventilation to the dish being prepared and quickly get rid of cooking odors with two different fan speed settings.

COOKING SHELF

Make room for more with a removable cooking shelf that lets you cook or reheat on two different levels.

30" Over the Range Convection Microwave



FEATURES & FUNCTIONS CONTINUED		
Power Levels	10	
Digital Clock	Yes	
Kitchen Timer	Yes	
Interior Light	Yes	
Exhaust Filters	Yes (Dishwasher-Safe)	
Exhaust Fan Speeds	High / Low / Off	

COOKING - MENU PRESETS

Popcorn	Yes
Potato	Yes
Reheat	Yes
Beverage	Yes

TECHNICAL INFORMATION

900 W
1,450 W
1,500 W
120 V / 60 Hz
20 A
120V, 3-Prong
39
300 CFM
Yes (3 1/4 x 10)
Yes

DIMENSIONS & WEIGHT		
Product (H x W x D) (in.)	16 7/16 x 29 7/8 x 15 1/16	
Interior (H x W x D) (in.)	13 X 12 11/16 X 9 7/8	
Required Cutout Size (H x W x D) (in.)	16 5/16 x 30 x 12	
Carton (H x W x D) (in.)	197/8x33x191/2	
Net Weight (lbs.)	64	
Shipping Weight (lbs.)	70.5	

ACCESSORIES (INCLUDED)		
Glass Turntable	Yes	
Wire Rack (for Convection and Combination Cooking)	Yes	
Wire Shelf (for Microwave Cooking)	Yes	
Grease Filters	Yes (2)	
Charcoal Filter	Yes (1)	

WARRANTY

Entire Appliance

2-Year Full Warranty

MWOTR30200CSS

30" Over the Range Convection Microwave





Installation Grounded outlet inside upper cabinet Min. 12" (304.8 mm) 30" Max. 13" (762 mm) (330.2 mm) 165/16" Min. (414.3 mm) 30" (762 mm) or more At least 2" (50.8 mm) from cooking surface Backsplash 66" (1676.4 mm) or more from floor

Venting Options



Outside / Roof Top Exhaust (Vertical Duct)



Outside / Wall Back Exhaust (Horizontal Duct)



Recirculating / Room (Non-vented Ductless)

NOTE TO THE INSTALLER: All height, width, and depth dimensions are shown in inches (as well as metric). Beko U.S., Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website, www.BekoAppliances.com, or call 888.352.2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials, or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.