

Specs & Details

Dimensions: 12.5625 H x 16.4375 W x 15 D

APPEARANCE

Color Appearance	Light Cool Gray
Installation	EZ Mount

CAPACITY

Cooling BTUH (MAX)	6,000 Btu
Cooling EER (BTUH / Watt)	12.3
Dehumidification (pts./hr.)	1.5

ECONOMICAL / QUIET

Energy Saver	Yes
Sound Level (dBA)	61 dBA (High) 57 dBA (Low)

FEATURES

Airflow (cfm) Roomside	139/109
Airflow Direction	Top 2-Way
Chassis Type	Fixed
Delay Timer	24-Hour On/Off Timer
Fan Speed Selections	3 Cooling 3 Fan Only

Filter Type	One Touch Lift-Out
Louver Style	4-Way
Mounting Type	EZ Mount
Plug Type	Parallel/NEMA 5-15
Product Type	Window
Refrigerant Type	R32
Remote Control	Yes
Rotary Compressor	Yes
Thermostat Type	Electronic
Unit Type	Cool Only
Vent/Air Exchange Exhaust	Top Air Discharge

POWER / RATINGS

CEER	11.0
Cooling - Rated Cooling Amps AHAM	4.6
Cooling - Watts	490
Hertz	60
Sound Level (Low/High)	57/61 dbA
Voltage (MAX)	115 V

WARRANTY

Labor Warranty	No Warranty
Parts Warranty	1-Year Replacement Return to vendor

Warranty Notes	See written warranty for full details
-----------------------	---------------------------------------

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	40.7 lb
Depth to Louvers	6.25 in
Grille Depth	1.1875 in
Min./Max. Window Opening Width (in.)	21.875 / 36 in
Minimum Window Opening Height (in.)	13.375 in
Net Weight	35.93 lb
Overall Depth	15 in
Overall Height	12.5625 in
Overall Width	16.4375 in