

# JTD5000DV/EV/SV

## GE® 30" Smart Built-In Self-Clean Convection Double Wall Oven with Never Scrub Racks

### DIMENSIONS AND INSTALLATION INFORMATION


**NOTE:** Wall coverings, countertops and cabinets surrounding the wall oven must be able to withstand a temperature of up to 200°F (94°C).

**NOTE:** If the cabinet in which the wall oven is installed does not have a solid bottom, two braces or runners must be installed to support the weight of the oven. The runners and braces must support up to 400 lbs (181 kg).


**NOTE:** Door handle protrudes 3" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.

**ATTENTION INSTALLER:** Electric wall ovens are NOT approved for installation with a plug and receptacle. They must be hard wired into an approved junction box.

**IMPORTANT:** Before installing, consult installation instructions packed with product for current dimensional data.



KW RATING	
240V	8.4
208V	6.3
BREAKER SIZE	
240V	40 Amps
208V	40 Amps



	JTD5000
<b>Cabinet</b>	<b>30"</b>
A - Overlap of oven at top of cutout	<b>1"</b>
B - Overlap of oven other side of edge of cutout	<b>11/18"</b>
C - Overlap of oven at bottom of cutout	<b>1-1/4"</b>
<b>Oven</b>	
D - Install depth	<b>23-1/2"</b>
E - Overall height with trim	<b>50-1/4" to 51-15/16"</b>
F - Overall width	<b>28-1/2" to 28-5/8"</b>



For answers to your GE Profile™ Series or GE Appliances product questions, visit our website at [geappliances.com](http://geappliances.com) or call GE Answer Center® Service, 800.626.2000.



Listed by Underwriters Laboratories



# JTD5000DV/EV/SV

## GE® 30" Smart Built-In Self-Clean Convection Double Wall Oven with Never Scrub Racks

### DIMENSIONS AND INSTALLATION INFORMATION

**NOTE:** 30" Double electric wall ovens are approved for installation above 27" and 30" warming drawers.

**ATTENTION INSTALLER:** Electric wall ovens are NOT approved for installation with a plug and receptacle. They must be hard wired into an approved junction box.


**IMPORTANT:** Before installing, consult installation instructions packed with ALL products for current dimensional and combination data.

**WHEN TO USE THE PEDESTAL RAILS:** When replacing an older GE Appliances 30" double wall oven with a new GE Appliances model: Cutout Height = 51-13/16" to 51-15/16". This is our traditional cutout height.

#### **WHEN NOT TO USE THE PEDESTAL RAILS:**

When replacing a 30" double wall oven from another manufacturer (i.e., Whirlpool) with a new GE Appliances model: Cutout height = 50-1/4". You will need to verify that the existing cutout matches the 50-1/4" dimension.

If the new GE Appliances 30" double wall oven is being installed into new construction (i.e., not a replacement), then the recommended installation is to use the pedestal rails.



For answers to your GE Profile™ Series or GE Appliances product questions, visit our website at [geappliances.com](http://geappliances.com) or call GE Answer Center® Service, 800.626.2000.

Specification Revised 11/23

# JTD5000DV/EV/SV

## GE® 30" Smart Built-In Self-Clean Convection Double Wall Oven with Never Scrub Racks

### FEATURES AND BENEFITS

No Preheat Air Fry - Cook healthier, crispier versions of your favorite foods in less time, thanks to an air fryer right in your oven that doesn't require preheating, or special equipment

True European Convection - Achieve faster and more even results with a convection fan and third heating element that circulates air for more efficient cooking

Anywhere control with remote notifications - Save time by conveniently preheating and monitoring your oven from anywhere using the GE Appliances Kitchen app

Remote temperature probe - Internal probe allows monitoring of roasts and meats to assure they are thoroughly and accurately cooked without opening the oven door

Self-Clean with optional Steam Clean - Cleaning the oven interior has never been easier, with two cleaning options to fit your lifestyle

Hidden backlit LCD control - Easily read and operate a bright display that shows the clock when not in use and illuminates controls when you're ready to cook


10-pass hidden bake element - Even baking and quick cleanup are assured, with 10-pass element that heats a large cooking area and is hidden for an easy-to-wipe surface

8-pass broil element - Get full broil coverage and even browning from edge to edge

Model JTD5000DVBB - Black

Model JTD5000EVES - Slate

Model JTD5000SVSS - Stainless Steel



### FIT GUARANTEE

Replacing a similar wall oven from GE Appliances or another brand? GE wall ovens are guaranteed for an exact fit or GE Appliances will pay up to \$300 toward modifications.

Visit [geappliances.com](http://geappliances.com) for more info.