




*we create* sustainable outdoor living



## T52WC

Rectangular Picnic Table  
(Wheelchair Accessible)



# C.R. PLASTIC PRODUCTS

*we create* sustainable outdoor living



**L** x 101 2.00" / 51 mm  
2 SCREWS EXTRA

**M** x 2 2.50" / 63.5 mm



SCREW SIZE SCALE 1:1



PLEASE USE  
6" DRIVER BIT



1-866-439-9521




wecare@crplastics.com



www.crpproducts.com

# 1


- (A) x 1
- (B) x 2
- (L) x 12



# 2

- (C) x 1
- (D) x 1
- (L) x 4

NOTE: 1 SCREW EACH SIDE.





# 3

⊙ x 1

⊙ L x 4



NOTE: 1 SCREW EACH SIDE.



# 4

⊙ L x 4

NOTE: 2 SCREWS EACH SIDE.




# 5

(M) x 2



FAILURE TO USE CORRECT SCREW  
CAN DAMAGE THE PRODUCT.

NOTE: DO NOT OVER TIGHT,  
IT WILL CAUSE GAPPING.




# 6

(E) x 2

(L) x 12

NOTE: 2 SCREWS EACH SIDE.




NOTE: 4 SCREWS EACH SIDE.

# 7


(H) x 2

(L) x 8




ALIGN TO CENTER

FLUSH



NOTE: 2 SCREWS EACH SIDE




# 8

(I) x 1


(L) x 15

NOTCHED (B)




KEEP THE CARDBOARD TO AVOID SCRATCH

KEEP EQUAL GAP EACH SIDE



ATTACH (I) TO NOTCHED (B) SIDE.




# 9

ⓐ x 1


ⓑ x 1

ⓒ x 6


KEEP COUNTERSINK  
FACING OUT




PLACE ⓐ,ⓑ IN  
THE CENTER  
OF NOTCH



## STEP 9.1:




MAKE SURE  
TO FLUSH



NOTE: 2 SCREWS EACH SIDE

## STEP 9.2:



SCREW IN INSIDE  
COUNTERSINK ONLY


FLUSH

NOTE: 1 SCREWS EACH SIDE ONLY

# 10



 $\textcircled{L} \times 2$ 

DO NOT HOLD  
EXTENSION TABLE TO FLIP





## STEP 10.1:

**NOTE: LEVELING WITH  
TABLETOP (IF REQUIRED)**  
REMOVE SCREW  $\textcircled{L}$   
FROM BOTH SIDE



## STEP 10.2:

MANUALLY LIFT UNTIL FLUSH  
WITH TABLETOP AND INSTALL  
SCREWS IN THE SAME  
SEQUENCE AS SHOWN BELOW.




# 11

(F) x 2



(L) x 16

NOTE: 4 SCREWS ON EACH SIDE OF SEAT

NOTE: USE 6" DRIVER BIT FOR INSIDE SCREW



12  $\textcircled{G}$  x 4  
 $\textcircled{L}$  x 16



NOTE: TABLE MUST BE PLACE ON A FLAT SURFACE.