# Product data sheet

# **CONSTRUCTION TYPE**

Built-in appliance	•
Integrated appliance	•
Door hinging	Left and right
Can be installed side by side	•

# **DESIGN**

Lighting	BrilliantLight
Front colour	CleanTouch Steel

#### **USER CONVENIENCE**

MasterFresh
•
•
•
•
•
•
•
•
•
•
•

Push2open	•
Networking with Miele@home	•
CONTROLS	
Eco mode	•
User interface	MasterSensor
Independent temperature regulation of fridge and freezer compartments	•
SuperCool	•
SuperFrost	•
Number of temperature zones	3
Sabbath mode	•
Holiday mode	•
FRIDGE / FRIDGE SECTION	
SlidingShelf	•
Door rack for tins	2
Height-adjustable tempered glass shelves	2
Number of crisper drawers	2
Door rack for bottles	4
FREEZER / FREEZER SECTION	
Number of freezer baskets	2

# **Energy Star**

# SAFETY

Overflow protection	•
Safety lock	•
Acoustic door alarm	•
Acoustic temperature alarm, freezer section	•
Optical door alarm	•
Optical temperature alarm	•

# **TECHNICAL DATA**

Replacing lamps	Customer Service
Number of phases	1
Niche width in inches (mm), min.	36 (914)
Niche width in inches (mm), max.	36 (914)
Niche height in inches (mm), min.	84 1/8 (2134)
Niche height in inches (mm), max.	84 1/8 (2134)
Niche depth in mm	24 1/8 (610)
Appliance width in mm	35 3/4 (908)
Appliance height in mm	83 3/4 (2125)
Appliance depth in mm	24 (608)
Weight in lbs (kg)	363 (164.3)
Door hinge technology	Fixed door
Climate class	Т
Total usable capacity in I	19.42 (550) ft³ (I)
Current consumption in milliamps (mA)	4000

,	•
Voltage in V	110-120
Fuse rating in A	10
Frequency in Hz	60
Length of power cable in m	11 (3.5)
ACCESSORIES SUPPLIED	
Active AirClean filter	•
APPLIANCE CATEGORY	
Fridge / freezer	•
AVAILABLE DISPLAY LANGUAGES	
Available display languages via Language Options	bahasa malaysia