

ELECTRIC WALL MOUNT, RECESSED
AND SEE THRU FIREPLACES

napoleonfireplaces.com

NAPOLEON

Find your happy (fire)place.

Throughout the ages, people have gathered around fires to share in life's greatest joys. There's just something about the glow of flickering flames that makes special moments feel even warmer.

A Napoleon fireplace is uniquely designed to brighten the vibe of any room in your house. Napoleon has an incredible range of designer options to fit any vision.

A fire not only raises the warmth and ambiance of a room, it can raise the value of your home. A fireplace offers some of the highest returns of any remodeling project. And that should make you feel good all over.

And so you can keep enjoying that positive glow for years and years and years, every Napoleon fireplace is backed by an exclusive warranty program.

CLEARion™ - NEFBD50H ..... 4 - 5

Trivista™ Series - 50 & 60 ..... 6 - 7

Alluravision™ Series - 42, 50, 60, 74 & 100 ..... 8 - 13

Allure™ Series - 32, 42, 50, 60, 72 & 100 ..... 14 - 17

Allure™ Phantom Series - 42, 50 & 60 ..... 18 - 19

Allure™ Vertical Series - 32 & 38 ..... 20 - 21

Stylus™ Wallmount - NEFP32-5019W ..... 22 - 23

Outstanding Features ..... 24 - 25

Detailed Specifications ..... 26 - 31



Cover Photo - CLEARion™ See Thru shown with Black Surround, Blue Flames and Pink Ember Bed with Crystal Media. *See pages 4 - 5 for more information*



Allure™ 100 shown with Orange Flame Color Option.

CLEARion™ 50 See Thru

The CLEARion™ See Thru Electric Fireplace is the first ever truly see through electric fireplace. The CLEARion™ can be plugged in or hardwired directly into your electrical system creating a relaxing environment in two rooms. This unique fireplace can heat separate rooms at different rates, increasing the comfort of two spaces at the same time. Customize this fireplace with either a sparkling crystal media ember bed or the hand-painted South Beach Logs with Topaz Glass Embers; both sets are included. Illuminated from below by LED, color-changing lights, both ember bed styles glow with a luxurious feel that can be enjoyed from two rooms.

Features & Accessories




Remote Control



Control Panel



Front Vents Allow Unit to be Fully Recessed



Crystal Media



South Beach Logs with Topaz Glass Embers

Ember Bed Color Options



Yellow



Orange



Red



Magenta



Pink



Purple



White



Sky Blue



Blue



Green



CLEARion™ Shown with Stainless Steel Surround
*Note: for 2x4 installation only

LOW ENERGY
LED
HIGH INTENSITY



NEFBD50H

Up to 9,000 BTU's
Viewing Area: 43 5/8"W x 12"H

For more detailed specifications, see page 26

Flame Color Options



Blue



Multi-Color



Orange

CLEARion™ shown with Black Surround, Multi-Color Flames, Orange Ember Bed and South Beach Logs with Topaz Glass Embers.

Trivista™ Series

Napoleon's 3-sided electric fireplace series comes in both a 50" and a 60" width and boasts the highest heat output in its category. Showcase the fireplace with the Northern Woods log set or acrylic crystals or combine them both for an amazing display. Effortlessly control all the features using the remote control or the touch screen panel with motion proximity sensor. End panels come with the fireplace to allow you to install the 3-sided fireplace as a 2-sided or 1-sided depending on desired location for installation. Enjoy Napoleon's Trivista™ Series fireplaces year round with their ability to operate the luminouse flames with or without heat.

Features & Accessories



Remote Control



Control Panel




End Panels



Northern Woods log set and crystal media

LOW ENERGY
LED
HIGH INTENSITY

Ember Bed Color Options



Ember Bed Color Options
Royal Blue, Clear, Dark Orange, Fuschia, Green, Light Blue, Lime, Orange, Purple, Red, Teal and Yellow



NEFB50H-3SV

up to 10,000 BTU's
Viewing Area: 48 5/8"W x 15"H

For more detailed specifications, see page 26

Trivista® 50 shown as 3-sided installation.

NEFB60H-3SV

up to 10,000 BTU's
Viewing Area: 58 5/8"W x 15"H

For more detailed specifications, see page 26

Trivista® 60 shown as 2-sided installation.

Alluravision™ Series

See the fireplace, not the frame with Napoleon's Alluravision™ Series linear electric fireplaces. They stand out from the rest with their nearly frameless viewing area which highlights the unique flame colors. Set the mood with yellow, orange, blue and multi-color flames with the push of a button. Easy to use, these fireplaces are plug and play - just hang on the wall and plug them in. Nine models, five sizes available, 42, 50, 60 and 74 inch slim and deep models as well as a 100" deep model. All models include a crystal media ember bed and remote control. The NIGHT LIGHT™ and driftwood logs with topaz glass embers make beautiful additions to the deep model. Napoleon's Alluravision™ Series linear electric fireplaces are about adding the fireplace, and not the frame to your favorite room.

Features & Accessories



Remote Control



Control Panel



Crystal Media



Driftwood Logs and Glass Ember Media



Slim Model Depth (4 1/4")



Deep Model Depth (5 13/16")

Ember Bed Color Options



White



Blue



Green



Red




Yellow



Purple



42"



50"



60"



74"



100"

LOW ENERGY
LED
HIGH INTENSITY





NEFL42CHS

5,000 BTU's
1,450 Watts (120V)
Viewing Area : 40 1/4" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision® 42 Slim shown with Blue Flames, Purple Ember Bed and Crystal Media.

Flame Color Options

Yellow | Blue | Multi-Color | Orange

NEFL50CHS

5,000 BTU's
1,450 Watts (120V)
Viewing Area : 48 1/2" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 50 Slim shown with Multi-Color Flames, Blue Ember Bed and Crystal.

NEFL50CHD

Up to 9,000 BTU's
1,450/2,800 Watts (120V/240V)
Viewing Area : 48 1/2" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 50 Deep Depth shown with Yellow Flames and Driftwood Log Media with Topaz Glass Embers.

NEFL42CHD

Up to 9,000 BTU's
1,450/2800 Watts (120V/240V)
Viewing Area : 40 1/4" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 42 Deep shown with Orange Flames, Ember Bed off and Driftwood Log Media with Topaz Glass Embers.



NEFL60CHS

5,000 BTU's
1,450 Watts (120V)
Viewing Area : 58 5/16" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 60 Slim shown with Multi-Color Flames, Purple Ember Bed and Crystal Media.



NEFL60CHD

Up to 9,000 BTU's
1,450/2,800 Watts (120V/240V)
Viewing Area : 58 5/16" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 60 Deep shown with Yellow Flames, Blue Ember Bed and Driftwood Log Media with Topaz Glass Embers.

NEFL74CHS

5,000 BTU's
1,450 Watts (120V)
Viewing Area : 72 1/2" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision® 74 Slim shown with Multi-Color Flames, Blue Ember Bed and Crystal.

NEFL74CHD

Up to 9,000 BTU's
1,450/2,800 Watts (120V/240V)
Viewing Area : 72 1/2" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision® 74 Deep Depth shown with Orange and Yellow Flames and Driftwood Log Media with Topaz Glass Embers.



NEFL100CHD

Up to 9,000 BTU's
1,450/2,800 Watts (120V/240V)
Viewing Area : 98 1/2" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 100 Deep Depth shown with Multi-Color Flames and Driftwood Log Media with Topaz Glass Embers.

Allure™ Series

Making a statement with an Allure™ Series fireplace is easy. With six sizes to choose from, every Allure™ fireplace sparkles with a crystal ember bed and three color flame options; orange, blue or multi-color. Control the appearance as well as temperature and blower with the remote control. Any Allure™ series fireplace can simply be plugged in and hung on a wall for instant satisfaction. What makes these fireplaces special is the ability to be fully recessed into the wall thanks to the placement of front vents. The only difficulty now is deciding which one you want.

Features & Accessories




Remote Control



Paintable Cord Cover



Touch Screen Control Panel



Front Vents Allow Unit to be Fully Recessed



32" 42" 50" 60" 72" 100"

LOW ENERGY LED HIGH INTENSITY



NEFL32FH

5,000 BTU's
1,500 Watts
Viewing Area: 22 5/16" W x 12" H

For more detailed specifications on this unit, see page 28 -29

Allure™ 32 shown with Orange Flame Color Option.

NEFL42FH

5,000 BTU's
1,500 Watts
Viewing Area: 32 5/16" W x 12" H

For more detailed specifications on this unit, see page 28 - 29

Allure™ 42 shown with Blue Flame Color Option.

Flame Color Options



Blue | Multi-Color | Orange



NEFL50FH

5,000 BTU's
1,500 Watts
Viewing Area: 40 5/16" W x 12" H

For more detailed specifications on this unit, see page 28 - 29

Allure™ 50 shown with Orange Flame Color Option.



NEFL60FH

5,000 BTU's
1,500 Watts
Viewing Area: 50 5/16" W x 12" H

For more detailed specifications on this unit, see page 28 - 29

Allure™ 60 shown with Blue Flame Color Option.



NEFL72FH

5,000 BTU's
1,500 Watts
Viewing Area: 62 5/8" W x 12" H

For more detailed specifications on this unit, see page 28 - 29

Allure® 72 shown with Orange Flame Color Option.



NEFL100FH

5,000 BTU's
1,500 Watts
Viewing Area: 90 9/16" W x 12" H

For more detailed specifications on this unit, see page 28 - 29

Allure® 100 shown with Multi-Color Flame Color Option.

Allure™ Phantom Series

Transform your space by simply hanging one of the Allure™ Phantom Electric Fireplaces, and enjoy the view without glare or reflections thanks to a black matte surround and mesh front. Control comfort and mood with the touch of a button. Adjust flame height and instantly transition between cool blue, orange, or multi-color. All of the Allure™ Phantom wall hanging fireplaces can be installed fully recessed, or eaily wall hung protruding only 5" into your space, simply plug in or hardwire. Renew your living space with one of three luxurious Allure™ Phantom Electric Fireplaces.





Features & Accessories



Remote Control



Paintable Cord Cover



Touch Screen Control Panel



Front Vents Allow Unit to be Fully Recessed



Matte Surround and Mesh Screen eliminates reflections



42" 50" 60"

LOW ENERGY
LED
HIGH INTENSITY

NEFL42FH-MT

5,000 BTU's
1,500 Watts
Viewing Area: 32 9/16" W x 12" H

For more detailed specifications on this unit, see page 30

Allure® Phantom 42 shown with Orange Flame Color Option.

NEFL50FH-MT

5,000 BTU's
1,500 Watts
Viewing Area: 40 1/2" W x 12" H

For more detailed specifications on this unit, see page 30

Allure® Phantom 50 shown with Blue Flame Color Option.

NEFL60FH-MT

5,000 BTU's
1,500 Watts
Viewing Area: 50 5/8" W x 12" H

For more detailed specifications on this unit, see page 3

Allure® Phantom 60 shown with Multi-Color Flame Color Option.

Flame Color Options



Blue



Multi-Color



Orange

Allure™ Vertical Series

Create a stunning focal point with Napoleon's Allure Vertical Electric Fireplaces. Available in two sizes, these fireplaces are not just perfect for any room but for EVERY room! The vertical design hosts a collection of features including an LED ember bed, flames and side accent lights with more than 6 color options. Operable with or without heat allows you to enjoy this statement piece all year round no matter the season. Making a grand statement that is as functional as it is beautiful has never been easier than with these trendsetting fireplaces.

Features & Accessories



Remote Control



Control Panel




Crystal Clear Cube Media
(Included)



Birch log set
(included in 38" model only)

Ember Bed Color Options



Ember Bed Color Options
White, Blue, Green, Red, Yellow and Purple

Side Accent Lights



Side Accent Lights
White, Blue, Green,
Red, Yellow and Purple

LOW ENERGY
LED
HIGH INTENSITY





NEFVC32H

5,000 BTU's
Viewing Area: 15 1/4"W x 20"H

For more detailed specifications, see page 31

Allure™ Vertical 32 shown.



NEFVC38H

5,000 BTU's
Viewing Area: 15 1/4"W x 26"H

For more detailed specifications, see page 31

Allure™ Vertical 38 shown.

Stylus™ Wallmount

The Stylus™ Wallmount is as much an elegant focal point as it is a functional source of heat for a room up to 400 sq. ft. Perfect for your modern decor or to take your current design to a transitional feel. The contemporary surround offers features such as a dual USB 2.0 charging port with smart LED color indication of charging status by changing from red to green when your mobile device has finished charging. The eye catching flames have four color settings as well as five brightness settings which when combined with the six color options of the ember bed create the ultimate in customization. Use the side shelf to put your favorite pieces on display with an accent light that offers color and brightness adjustments.

Features & Accessories



Remote Control




Touch Control Panel



Birch Log Set and Crystal Media
(Included)



Dual USB Charging Ports
(red = charging, green = fully charged)



Ember Bed Color Options
White, Blue, Green, Red, Yellow and Purple



Side Accent Light

LOW ENERGY
LED
HIGH INTENSITY





NEFP32-5019W

5,000 BTU's
1,500 Watts
Viewing Area: 31 7/8" W x 12" H


For more detailed specifications on this unit, see page 31

Stylus™ shown with Multi Flame and Purple Emberbed Color Options.

Outstanding Features
of Napoleon's Advanced Technology







Reliable LED Technology

Napoleon's electric fireplaces offers reliable LED technology for added convenience. LED lights are extremely energy efficient and long-lasting saving you the hassle of having to change out light bulbs. Plus LED lights are high intensity providing a product you can enjoy during both day and night time.

No Glare Front with Invisible Screen

Napoleon's Allure™ Phantom Series contains a mesh front and matte surround which eliminates distracting reflections caused by a glass front. High intensity LED lights can be seen at night or during the day!

Front Vent Heat

All Napoleon's Electric Fireplaces listed in this brochure have been designed with front vents, directing the heat to pump more efficiently into the space.

ELECTRIC FIREPLACE
Economical to Operate

ULTRA BRIGHT™ LED LIGHTS
Provide day or night intensity

ADJUSTABLE TEMPERATURE
Adjust the heat being produced by choosing a temperature

PLUG IN
Simply plug in and your fireplace is ready

HARD WIRED
Can be hard wired into existing home wiring

SAFE TO TOUCH
Never hot enough to burn (CLEARion™ Model Excluded)

WHISPER QUIET™
Operates at a whisper to ensure enjoyment

ECO-FRIENDLY

Only heat the rooms you use most

NON-REFLECTIVE BACKING

Allows for optimal flame viewing (not applicable for the Trivista™ or CLEARion™)

FULL FEATURE REMOTE

Controls thermostat, heat settings, flame settings, timer, on/off and more

SAVE UP TO 30% WITH NAPOLEON'S ZONE Heating

CAN BE RECESSED


Partially or fully recess these electric fireplaces

BRILLIANT CRYSTALS

Crystal ember bed glows with the LED lights from underneath

REALISTIC LOG SET

Realistic logset available for the CLEARion™, Trivista™, Alluravision™ Series (deep models only, Allure™ Vertical (38" model only) and the Stylus™ Wallmount





Wall Mounted



Fully Recessed



Hidden Touch Screen Controls

The Allure™, Allure™ Phantom, Alluravision™ and CLEARion™ Series touch screen controls allow you to adjust the heat level, flame height, brightness, timer to control hours of operation, flame and ember bed colour and more!

Flexible Installation Options


All Napoleon's Electric Fireplaces listed in this brochure have been designed with front vents, allowing you the option of a partial/fully recessed or convenient wall mount installation.

Transformation

All Napoleon's wall mount electric fireplaces, including the new CLEARion™ See Thru electric fireplace, allows for an affordable and quick transformation of any room. Enhance any room in your home, a generous glass front and a clear glass ember bed to complement the crisp, clean design.

CLEARion™ 50
NEFBD50H

Shown on pages 4 - 5




Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFBD50H	5,000-9,000	3,000	18 3/8"	17 15/16"	50"	49"	8 1/6"	4 1/2" or 8" *	12"	43 5/8"	Fully Recessed	Yes	Included	Included	Included	Included


* Framing Depth is dependant on 2x4 or double 2x4 wall installation.

Trivista™ Series

Shown on pages 6 - 7



Ref.	NEFB50H-3SV	NEFB60H-3SV
A	50" (1270mm)	60" (1524mm)
B	48 5/8" (1235mm)	58 5/8" (1490mm)
C	48 13/16" (1240mm)	58 13/16" (1494mm)




Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFB50H-3SV	5,000-10,000	1,500-3,000	21 1/2"	21 3/4"	50"	49"	9 1/2"	9 1/4"	15"	48 5/8"	Fully Recessed	Yes	Inlcuded	Included	Included	Included
NEFB60H-3SV	5,000-10,000	1,500-3,000	21 1/2"	21 3/4"	60"	59"	9 1/2"	9 1/4"	15"	58 5/8"	Fully Recessed	Yes	Included	Included	Included	Included

Certified under Canadian and American National Standards.
Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.
Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

Alluravision™ Series

Shown on pages 8 - 13



CORD LOCATION


Dimensions								
Model Number	**A**	**B**	**C**	**D**	**E**	**F**	**G**	**H**
NEFL32CHS	35" (88.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	32 5/8" (82.8cm)	30 13/16" (78.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL42CHS	44 7/16" (112.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	42 1/16" (106.8cm)	40 1/4" (102.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL50CHS	52 11/16" (133.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	50 5/16" (127.8cm)	48 1/2" (123.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL60CHS	62 9/16" (158.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	60 3/16" (152.8cm)	58 5/16" (148.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL72CHS	76 3/4" (194.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	74 5/16" (188.8cm)	72 1/2" (184.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL100CHS	102 11/16" (260.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	100 5/16" (254.8cm)	98 1/2" (250.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL32CHD	35" (88.8cm)	17 5/16" (44cm)	5 13/16" (14.8cm)	15 7/8" (40.2cm)	32 5/8" (82.8cm)	30 13/16" (78.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL42CHD	44 7/16" (112.8cm)	17 5/16" (44cm)	5 13/16" (14.8cm)	15 7/8" (40.2cm)	42 1/16" (106.8cm)	40 1/4" (102.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL50CHD	52 11/16"	17 5/16"	5 13/16"	15 7/8"	50 5/16"	48 1/2"	11 1/16"	3/4"

Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL42CHS	5,000	1,450	17 5/16"	16 1/8"	44 7/16"	42 9/16"	4 1/4"	4 1/2"	11 1/16"	40 1/4"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included
NEFL42CHD	5,000-9,000	1,450-2,800	17 5/16"	16 1/8"	44 7/16"	42 9/16"	5 13/16"	6 1/16"	11 1/16"	40 1/4"					Included	
NEFL50CHS	5,000	1,450	17 5/16"	16 1/8"	52 11/16"	50 13/16"	4 1/4"	4 1/2"	11 1/16"	48 1/2"					N/A	
NEFL50CHD	5,000-9,000	1,450-2,800	17 5/16"	16 1/8"	52 11/16"	50 13/16"	5 13/16"	6 1/16"	11 1/16"	48 1/2"					Included	
NEFL60CHS	5,000	1,450	17 5/16"	16 1/8"	62 9/16"	60 11/16"	4 1/4"	4 1/2"	11 1/16"	58 5/16"					N/A	
NEFL60CHD	5,000-9,000	1,450-2,800	17 5/16"	16 1/8"	62 9/16"	60 11/16"	5 13/16"	6 1/16"	11 1/16"	58 5/16"					Included	
NEFL74CHS	5,000	1,450	17 5/16"	16 1/8"	76 3/4"	74 13/16"	4 1/4"	4 1/2"	11 1/16"	72 1/2"					N/A	
NEFL74CHD	5,000-9,000	1,450-2,800	17 5/16"	16 1/8"	76 3/4"	74 13/16"	5 13/16"	6 1/16"	11 1/16"	72 1/2"					Included	
NEFL100CHD	5,000-9,000	1,450-2,800	17 5/16"	16 1/8"	102 11/16"	100 13/16"	5 13/16"	6 1/16"	11 1/16"	98 1/2"					Included	

Certified under Canadian and American National Standards.
Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.
Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

Allure™ 32
NEFL32FH


Shown on pages 14 - 17



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL32FH	5,000	1,500	21 5/8"	21"	32"	27 13/16"	5"	3 1/2 - 5"	12"	22 5/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Allure™ 42
NEFL42FH


Shown on pages 14 - 17



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL42FH	5,000	1,500	21 5/8"	21"	42"	38"	5"	3 1/2 - 5"	12"	32 5/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Allure™ 50
NEFL50FH

Shown on pages 14 - 17




Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL50FH	5,000	1,500	21 5/8"	21"	50"	45 15/16"	5"	3 1/2 - 5"	12"	40 5/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Certified under Canadian and American National Standards.
Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.
Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

Allure™ 60
NEFL60FH


Shown on pages 14 - 17



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL60FH	5,000	1,500	21 5/8"	21"	60"	55 13/16"	5"	3 1/2 - 5"	12"	50 5/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Allure™ 72
NEFL72FH


Shown on pages 14 - 17



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL72FH	5,000	1,500	21 5/8"	21"	72"	67 7/8"	5"	3 1/2 - 5"	12"	62 5/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Allure™ 100
NEFL100FH

Shown on pages 14 - 17




Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL100FH	5,000	1,500	21 5/8"	21"	100"	95 7/8"	5"	3 1/2 - 5"	12"	90 9/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Certified under Canadian and American National Standards.
Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.
Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

Allure™ Phantom 42
NEFL42FH-MT


Shown on pages 18 - 19



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL42FH-MT	5,000	1,500	21 5/8"	21"	42"	38"	5"	3 1/5 - 5"	12"	32 9/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Allure™ Phantom 50
NEFL50FH-MT


Shown on pages 18 - 19



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL50FH-MT	5,000	1,500	21 5/8"	21"	50"	45 15/16"	5"	3 ½ - 5"	12"	40 1/2"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Allure™ Phantom 60
NEFL60FH-MT

Shown on pages 18 - 19




Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL60FH-MT	5,000	1,500	21 5/8"	21"	60"	55 13/16"	5"	3 1/2 - 5"	12"	50 5/8"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Certified under Canadian and American National Standards.
Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.
Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.


Allure™ Vertical Series

Shown on pages 20 - 21

NEFVC32H




NEFVC38H



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFVC32H	5,000	1,500	32"	30 3/4"	16"	14 1/2"	16"	14 1/2"	20"	15 3/8"	Wall Mount/ Patially Recessed	Yes	Included	Included	n/a	Included
NEFVC38H	5,000	1,500	38"	36 3/4"	16"	14 1/2"	16"	14 1/2"	26"	15 3/8"		Yes	Included	Included	Included	Included

Stylus™ NEFP32-5019W

Shown on pages 22 - 23



Model	BTU's	Watts	Height	Front Width	Depth	Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Actual	Actual	Height	Width					Logs	Crystals
NEFP32-5019W	5,000	1,500	20 5/16"	59 1/8"	11"	12"	31 7/8"	Wall Mount	Yes	Included	Included	Included	Included

Certified under Canadian and American National Standards.
Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.
Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

NAPOLEON - CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS







24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8
103 Miller Drive, Crittenden, Kentucky, USA 41030
7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 1-866-820-8686
napoleonfireplaces.com

Authorized Dealer

Consult your owner's manual for complete installation instructions, accurate framing dimensions and proper clearances to combustible material. Check all local and national building codes. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Napoleon is a registered trademark of Wolf Steel Ltd. © Wolf Steel inc.

Printed in Canada
ADBREL-WMRS 09/2019