

OR36SDG6X1 Dual Fuel Range 36"

Contemporary

Feeding a crowd is a breeze with this 36" Fisher & Paykel Freestanding Dual Fuel Range that lets you cook several dishes at the same time with its spacious gas cooktop and self-cleaning convection oven.

Brushed Stainless Steel with black glass

24/7

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support T 1.888.936.7872 W fisherpaykel.com

Dimensions

| Depth | 25 1/4" |
|--------|------------------|
| Height | 35 3/4 - 37 1/4" |
| Width | 35 7/8″ |

Features & Benefits

Multi-shelf cooking

Our AeroTech[™] system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop trivets and machined stainless dials all add up to an exceptional, premium range.

Easy to clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The selfclean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large capacity oven

The generous 4.9 cu. ft total capacity oven gives you plenty of space to cook multiple dishes at once.

Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Specifications

| Accessories | |
|--|----------------------|
| 2-pc grill system (Broil pan & Grill rack) | • |
| Broil pan | • |
| Full extension telescopic shelves | 2 sets (part 578744) |
| Grill rack | • |
| Hob rear trim (optional) | 3 1/8" (part 81654) |
| Kick strip, stainless steel (optional) | Part 81659 |
| Pyrolytic-proof shelf runners | 1 set |
| Small pot support | 1 (part 533981 cast) |
| Wok stand | 1 (part 534678) |
| Cleaning | |

Cleaning

| Acid resistant graphite enamel | • |
|--------------------------------|---|
| Dishwasher safe trivets | • |
| Drop down broil element | • |
| Pyrolytic self-clean | • |
| Pyrolytic-proof shelf runners | • |
| Removable oven door/s | • |
| Removable shelf runners | • |

SPEC SHEET > OR36SDG6X1 > Dual Fuel Range 36"

| Controls | |
|---|---|
| Audio feedback | • |
| Automatic cooking/minute timer | |
| Automatic pre-set temperatures | |
| Celsius/Fahrenheit temperature | |
| Electronic clock | |
| High resolution display | |
| Interior light | |
| Laser etched graphics | |
| Precise electronic temperature control | |
| Sabbath mode | |
| Turned stainless steel clock buttons | |
| Turned stainless steel clock crown (dial) | |
| Turned stainless steel dials with | |
| illuminated halos | |
| Cooktop features | |
| Brass burner spreader (power burner) | |
| Dishwasher safe trivets | |
| Embossed brass burner cap (power | |
| burner) | |
| Gas Cooktop- Sealed range top | |
| LPG/Natural gas compatible | • |

| Cooktop performance | |
|---|------------------|
| Dual wok burner inner / outer (LPG) | 1000 - 18000 BTL |
| Dual wok burner inner / outer (natural | 1000 - 18000 BTU |
| gas) | |
| Max burner power | 18000 BTL |
| Number of burners | 5 |
| Semi-rapid burner (LPG) x2 | 1500 - 8000 BTU |
| Semi-rapid burner (natural gas) x2 | 1500 - 8000 BTU |
| Total cooktop power | 62000 BTU |
| Triple ring wok burner (LPG) x2 | 6100 - 14000 BTU |
| Triple ring wok burner (natural gas) x2 | 6100 - 14000 BTU |
| Details | |
| UPC Code | 822843813056 |
| Gas requirements | |
| Supply Pressure (LPG) | 11″ W.C.F |
| Supply Pressure (natural gas) | 4″ W.C.F |
| Installation cutout dimensions | |
| Depth | 25 1/4 ' |
| Width | 36 ' |

| Oven features | |
|---|---------------------------|
| AeroTech™ technology | • |
| Automatic rapid pre-heat | • |
| Combined Warming/Storage Drawer | • |
| Concealed element | • |
| Electronic capacitive touch controls | • |
| Full extension telescopic sliding shelves | 2 sets (part 578744) |
| Internal light | 4 x 25W halogen (2 side & |
| | 2 top) |
| Pyrolytic-proof shelf runners | • |
| Self cleaning | • |
| Soft open/close door | • |
| True Convection | • |
| Twin cavity fans | • |
| Oven functions | |
| Aero™ Bake | • |
| Aero™ Broil | • |
| Aero™ Pastry with Pizza mode | • |
| Bake | • |
| Maxi Broil | • |
| Number of Functions | 9 |
| Rapid proof | • |
| Roast | • |
| Self-clean function | • |
| True Aero™ | • |

SPEC SHEET > OR36SDG6X1 > Dual Fuel Range 36"

| Oven performance | |
|---|------------------|
| Broil | 4300 W |
| Combined Warming/Storage Drawer | 220 W |
| CoolTouch door | Quadruple glazed |
| Shelf positions | 7 |
| Total oven capacity | 4.9 cu ft |
| Power requirements | |
| AMP draw | 30 A |
| Supply frequency | 60 Hz |
| Supply voltage | 208 - 240 V |
| Safety | |
| Advanced cooling system | • |
| Anti-tilt bracket | • |
| Auto re-ignition system | • |
| Balanced oven door | • |
| Catalytic venting system | • |
| CoolTouch door | • |
| Full extension telescopic sliding shelves | • |
| Non-tip shelves | • |
| Spill containment | 5/8 gallon |
| Style And Series | |
| Product Style | Contemporary |
| Warranty | |
| Warranty | 2 years |
| SKU | 81305 |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2018

Other product downloads available at fisherpaykel.com

fisherpaykel.com