

**500 Series, French Door Bottom
Mount, 36", Brushed black steel
anti-fingerprint
B36FD52SNB**



- Freezer LEDLight provides you with better illumination for more
- visibility in your fridge, at all times.
- QuickIce Pro System™: The industry's fastest refrigerator ice maker*, offers freshly filtered ice, replenished fast.
- UltraClarityPro® Water Filter: removes an astonishing >99.9% of sediments from your tap water.
- Ice and Water Dispenser with Tap Connection: Dispense water and ice.
- Crescent shaped ice: enjoy classically shaped crescent shaped ice on demand


UPC code: 825225970774
 Color: Brushed black steel anti-fingerprint
 Panel Ready: Not Possible
 Silence Level: 40 dB(A) re 1pW
 Fuse protection: 10 A
 Volts: 110-120 V
 Frequency: 60 Hz
 ENERGY STAR®: Yes
 Power Cord Length: 91 "
 Plug type: 120V-3 prong
 Required Cutout Size (HxWxD) (in): 70 " x 36 " x 25 "
 Product Packaging Dimensions (HxWxD): 73.03 x 39.29 x 35.98
 Total Unit Gross Capacity - AHAM: 26.0 Cu Ft
 Refrigerator Gross Capacity: 18.0 Cu Ft
 Freezer Gross Capacity: 8.0 Cu Ft
 Net Weight: 327.000 lbs
 Gross Weight: 355.000 lbs




BORPLFTR55 Ultraclarity PRO water filter
 FPETHKT50 Fresh Protect Ethylene Starter Kit

**500 Series, French Door Bottom
Mount, 36", Brushed black steel
anti-fingerprint
B36FD52SNB**

Measurements in inches (mm)




Measurements in inches (mm)




A: Add $\frac{1}{4}$ " (6 mm) with front leveling feet fully extended

Measurements in inches (mm)




Drawers can be pulled out with door open to 90°
Drawers can be taken out with door completely opened

measurements in inches (mm)



measurements in inches (mm)



Leave $\frac{1}{2}$ " (12.7) gap at the top and 1" (25.4) behind the refrigerator for proper ventilation.

It is recommended that you do not install the refrigerator near a heat source such as an oven or a range.