



SPECIFICATIONS


Overall Width	26 3/4" (68.0 cm)
Overall Height	51 1/8" (130.0 cm)
Overall Depth Including Handle	26 5/8" (67.6 cm)
Oven Door Clearance	20 1/2" (52.0 cm)
Overall Oven Interior Capacity	8.6 cu. ft (243.6 Liters)
Oven Interior Dimensions (W x H x D) each oven	21 1/2" x 17 1/4" x 20" (54.6 x 43.8 x 50.8 cm)
Minimum Cabinet Width*	27" (76.2 cm)
Minimum Cabinet Depth*	24" (61.0 cm)
Minimum Base Support	375 lbs. (170 kg)
Cutout Width*	25" (63.5 cm) Min 25 1/4" (64.1 cm) Max
Cutout Height*	49 11/16" (126.2 cm) Min 50 1/8" (127.3 cm) Min
Cutout Depth*	23 1/2" (59.7 cm) Min
Volts/Hertz/Amps	240/208 V AC, 60 Hz, 40A
Conduit Length	40" (72" available special order: WB18T10398)
Electrical Rating	5.4 kW at 208V 7.2 kW at 240V
Shipping Weight	250 lbs. (114 kg)

* Additional space will be needed for flush installation.

ATTENTION ELECTRICIAN:



A 240/208V, 60Hz, 30 Amp circuit is required. An individual properly grounded branch circuit or circuit breaker is required. Hardware junction box is required for built-in product.

OVERALL DIMENSIONS




Dimensions in parentheses are in centimeters unless otherwise noted. Actual product dimensions may vary due to manufacturing tolerances.

WALL INSTALLATION



- NOTES
- A Based on a user height of 5' 6" to 5' 10"
 - B Junction box location (May also be located in adjacent cabinet.)
 - C Platform must be able to support 375 lbs (169 kg)
 - D Dimension per Warming Drawer requirement

INSTALLATION OVER WARMING DRAWER



For more details, refer to the installation instructions for this product on Monogram.com. Dimensions in parentheses are in centimeters unless otherwise noted.

FEATURES AND BENEFITS

Glass touch controls - Allow you to adjust oven settings quickly, with little effort

True European Convection - Achieve delicious results from a third heating element and fan combination

8.6 cu. ft. capacity (4.3 each oven) - Accommodates even the largest meals

Ten-pass bake element - Covers more surface area for more even baking results


Self-clean, heavy-duty roller racks - Glide open smoothly to simplify loading and unloading

Eight-pass dual broil element - Provides complete coverage and even browning, even for large dishes

WiFi Connect - Allows you to control oven functions from anywhere inside or even outside your home, using your smartphone or other web-enabled mobile device

Black interior - Offers a stylish complement to the sophisticated exterior design



<p>Client GE Appliances</p> <p>Job Number 80650</p> <p>File Name ZEK7500SHSS_r3.indd</p> <p>Date 1/15/15</p> <p>MB Database gea_creative/79710</p> <p>Operator glb, jab jv, kj</p> <p>Art Director Chris Colby</p> <p>Art ACD Chris Colby</p>	<p>NOTES:</p> <p>8.5" x 11"</p> <p>3pgs - 4/C</p>
<div data-bbox="344 821 469 974">  </div> <p>POWERCREATIVE</p>	<p>COLOR: <input checked="" type="checkbox"/> 4 Color <input type="checkbox"/> Black and White</p> <p><input type="checkbox"/> 1 PMS <input type="checkbox"/> 2 PMS <input type="checkbox"/> 3 PMS</p> <p>AE: _____ Art ACD: _____</p> <p>Proofreader: _____ Art Director: _____</p> <p>Writer ACD: _____</p>

MB/ gea_creative/ 0_quick_specs/ quick specs/ 2015_Monogram /
Wallovens /
(or appropriate product line subfolder)