# OUTDOOR

H34VO

H38VO

HL38VO

H42VO

OUTDOOR / PROUDLY HANDCRAFTED IN NORTH AMERICA

H38SVO

HL38SVO

PL42VO

PL60VO









OUTDOOR / SERIES

H34VO

H38VO

HL38VO

H42VO

SINGLE SIDED

**VENTLESS OUTDOOR** 

# REDEFINE YOUR OUTDOOR SPACE

H34 H38 H42 TRADITIONAL

# Standard

Traditional burner and logset

Safety screen

# **Options**

Various traditional liners

Mirror back panel

Drain pan

Wrought iron grate

HL38 CONTEMPORARY

# Standard

Contemporary burner with Ice fireglass

Safety screen

# **Options**

Glass media

Drain pan





QUICK DIMENSIONS

	НЗ	4VO	НЗ	8VO	H42VO		
	UNIT FRAM.		UNIT	UNIT FRAM.		FRAM.	
F.WIDTH	33%	331/8	37¾	37¾	42	42	
B.WIDTH	24	331/8	27	37¾	291/2	42	
HEIGHT	331/4	38¾	37	421/2	41	461/2	
DEPTH	191/4	201/4	203/8	213/8	213/8	223/8	
VIEWING	181/4 × 271/4		215/8×321/8		25½×36½		



### **DIVINE OUTDOOR DIMENSIONS**











Р





HERRING BONE HBK\*\*

IRON GRATE HWIG\*\*



H38VO

H42VO

391/4

431/2

42

27

291/2

373/4

42

DRAIN PAN ODSSP\*\*



COLONIAL HBK\*\*



HERITAGE HBK\*\*



MIRROR RPH\*\*VOR



# H38SVO, HL38SVO

OUTDOOR A SERIES

SEE THROUGH **VENTLESS OUTDOOR** 

# QUICK DIMENSIONS

## H38SVO

	UNIT	FRAM.
F.WIDTH	43%16	42
B.WIDTH	281/8	42
HEIGHT	415/16	461/2
DEPTH	203/8	215/8
VIEWING	391/2 x	283/4

# H38SVO TRADITIONAL

### Standard

Traditional burner and logset

Manual Hi-Lo flame control

Wrought iron grate

Safety screen

# **Options**

Freestanding cool-touch enclosure (HSI units only)

# HL38SVO CONTEMPORARY

# Standard

Contemporary burner with Ice fireglass

Manual Hi-Lo flame control

Safety screen

# **Options**


Glass media

Freestanding cool-touch enclosure (HSI units only)





# **DIVINE OUTDOOR SEE THROUGH DIMENSIONS**









# PL42VO PL60VO

OUTDOOR / SERIES

VENTLESS OUTDOOR

### QUICK DIMENSIONS

	PL4	2VO	PL6	OVO		
	UNIT	FRAM.	UNIT	FRAM.		
F.WIDTH	435/8	42	675/8	66		
B.WIDTH	415/8	42	65%	66		
HEIGHT	281/8	321/2	281/8	321/2		
DEPTH	13	115/8	13	115/8		
VIEWING	371/43	× 141/ <sub>8</sub>	611/4×141/8			

# MAHANA CONTEMPORARY

### Standard

Concealed burner with Quartz firebeads

Built in fan system

Safety screen

# Options

LED backlighting


Stainless steel and powdercoated enclosures


Enclosure pedestal

Enclosure cover

Speckled stones, driftwood, glass media

Remote control on/off







# Unit Specifications

ICON LEGEND

AVAILABLE +

DEDICATED ◊

	BTU NATURAL GAS	BTU LIQUID PROPANE	CLEARANCE TOP	CLEARANCE SIDES	CLEARANCE BACK	CLEARANCE FLOOR	STANDARD MEDIA	FRONT GLASS TYPE	POWERVENT	REMOTE CONTROL	FANS	UPLIGHTING	DOWNLIGHTING
H34VO**	26,000	26,000	9	1 <sup>†</sup>	1 <sup>†</sup>	0	TRADITIONAL	TEMPERED	-	-	-	-	-
H38VO**	34,000	34,000	9	1 <sup>†</sup>	$1^{\dagger}$	0	TRADITIONAL	TEMPERED	-	-	-	-	-
HL38VO**	34,000	34,000	9	1 <sup>†</sup>	1†	0	HW1157	TEMPERED	-	-	-	-	-
H38SVO**	34,000	34,000	36	12	N/A	0	TRADITIONAL	TEMPERED	-	-	-	-	-
HL38SVO**	34,000	34,000	36	12	N/A	0	HW1157	TEMPERED	-	-	-	-	-
H42VO**	40,000	40,000	9	1 <sup>†</sup>	1 <sup>†</sup>	0	TRADITIONAL	TEMPERED	-	-	-	-	-
PL42VO*	28,000	28,000	0	1	0	0	HW1106	TEMPERED	-	-	$\Diamond$	+	-
PL60VO*	47,000	47,000	0	1	0	0	HW1106	TEMPERED	-	-	$\Diamond$	+	-

†Clearance to insulation jacket is 0"

# **DIVINE OUTDOOR FRAMING**

	Α	В	С	D	E	F	G	Н
H34VO	38¾	35%	201/4†	*	61%	35¾	0	435/8
H38VO	421/2	391/4	213/8†	*	65%	391/4	0	49%16
H42VO	461/2	431/2	223/8 <sup>†</sup>	*	721/4	431/2	0	51%16

### **DIVINE OUTDOOR ST FRAMING**

	Α	В	С	D
H382/\U	38	//1	237/6	*

**MAHANA ENCLOSURE** 


# **MAHANA FRAMING AND ENCLOSURE**

	Α	В	С	D	E	F	G	Н	I	J
PL42VO	271/4	42	115/8	*	621/16	42	0	481/8	515/8	343/8
PL60VO	271/4	66	115⁄8	*	87	66	0	65½	765/8	343/8

—13"—

# 1 150° 1550° 4"

# **DIVINE OUTDOOR ST ENCLOSURE**



See instruction manual for detailed instructions

Be sure to plan a drain system for both in the wall and standalone installations.

\*Check local codes and manual for minimum distance from grade to unit.

†Dimension is to back wall or back studs

# 1976: The Days Before Gas Fireplaces

In 1976, Montigo president and founder, Dan Binzel nn 1976, Montigo president and founder, Dan Binzer, started installing zero-clearance wood burning fireplaces for local builders in Vancouver, BC. Over the years, demand grew for a gas alternative, and Dan engineered and manufactured the first ever sandpan logset. The logset was installed in a zero-clearance wood burning fireplaces shell, resulting in one of the first zero-clearance gas fireplaces on the market.

# 1985: Gas Fireplace Manufacturing Begins

Demand for gas grew rapidly, especially among multi-unit developments so Dan Binzer started a company called Canadian Heating that would offer full service design, engineering and manufacturing for gas fireplaces. Under the Montigo brand, Canadian Heating began manufacturing and selling a wide selection of zero-clearance gas fireplaces throughout Canada and in 1985 development began for the latest and greatest in gas fireplace technology – direct venting.

# 1994: Manufacturing Excellence is Achieved

Development and advancement of the gas fireplace continued over the years with continual developments to improve the efficiency of the fireplaces and perfected manufacturing processes to deliver an optimum fireplace each and every time – even for completely custom units.

# Present: Leading the Way with Modern Fireplace Design

As one of the first to bring a linear designed fireplace to market, Montigo now offers the largest selection of linear fireplaces demanded by designers, architects and homeowners wanting to create a modern and contemporary space and homeowners wanting to create a modern and contemporary space.



# WARNING

Some materials used in the manufacturing process of this product can expose you to Benzene which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov

for more inspiration go to www.montigo.com



