
T30IF905SP 30-INCH BUILT-IN FREEZER COLUMN WITH INTERNAL ICE MAKER FREEDOM® COLLECTION, PANEL-READY







Home Connect



- Full Stainless Steel Inner Liner
- Freedom® Hinge enables true flush design
- Auto Door Opening provides the opening of the door with just a slight push or pull
- Soft Close Drawers for easy and controlled storage
- Sleek clean design for the perfect symmetry when paired with additional columns
- Touchscreen display panel controls settings, including individual temperature control and lighting

TEMPERATURE RANGES	
Freezer	-11°F (-24°C) to 7°F (-14°C)
SuperFreeze®	-22°F (-30°C) for approximately 52 hours
Energy Saving (Economy) Mode	3°F (-16°C)

GENERAL PROPERTIES		
Home Connect® (Wi-Fi Enabled)	Yes	
Panel Ready	Yes	
Reversible Door Swing	Yes	
Soft Close Door	Yes	
Soft Close Drawers	Yes	
Lighting	LED Sidewall and	
	Theater Lighting	
Freezer Shelves	4	
Adjustable Shelves	3	
Shelf Material	Glass w/Aluminum Profile	
Full Extension Drawers @ 115° Door Opening Angle	Yes	
General Use Drawer	2	
Door Bins	4	
External LED Proximity Sensor	No	
Oversized Dispenser Opening	No	
Chilled Water, Crushed and Cubed Ice	No	
Rapid Water Replenishment System	No	
Ice Maker with Diamond Ice System	Yes	
Door Open Alarm	Yes	
Open Door Assist	Yes	
Special Modes	Sabbath, Economy, Vacation	
CAPACITY		
Total Capacity (cu. ft.)	15.8 cu. ft.	
PERFORMANCE		
Dedicated Evaporator & Compressor System	Yes	
SuperFreeze®	Yes	
Defrost Process	Frost-Free	
TECHNICAL DETAILS		
Watts (W)	350 W	
Current (A)	15 A	
Volts (V)	110-120 V	
Frequency (Hz)	60 Hz	
Power Cord Length (in.)	118	
Plug Type	120V-3 Prong	
DIMENSIONS & WEIGHT		
Appliance Dimensions (H x W x D) (in.)	84"* x 29 3/4 " x 24"	
Required Cutout Size (H \times W \times D) (in.)	84" x 30" x 25"	
Net / Gross Weight (lbs)	362 / 398 lbs	
EFFICIENCY		
ENERGY STAR® Certified	Yes	
Annual Energy Consumption	479 kWh	

*Height adjustable + / -**1/2**" (+ / -13 mm)

T30IF905SP **30-INCH BUILT-IN FREEZER COLUMN WITH** INTERNAL ICE MAKER




FREEDOM® COLLECTION, PANEL-READY

WA			
VVA	N R R	AIN	I I Y

Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator that Fails Because of a Manufacturing Defect	2 Year
Limited Warranty for Sealed Refrigeration System*; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrigeration System*; Parts Only	7th to 12th Year
Limited Warranty for Stainless Steel Rust-Through	Lifetime

*Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing

CUTOUT DIMENSIONS




Furniture return

A: Area for installation of power connection.


B: Area for running the water line. It is recommended that the waterbox is placed adjacent to the installation cavity, so that it can be accessed for service without uninstalling the appliance. If this is not possible, place the recessed waterbox adjacent to the water supply socket elevated at the heights as referenced in areas A and B.

C: Niche depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel.

Stainless steel models contain a panel-ready base unit, ready-to-install stainless steel door(s) with a right or left door swing and handle(s).



TOP VIEW CLEARANCE




30-INCH BUILT-IN FREEZER COLUMN WITH INTERNAL ICE MAKER FREEDOM® COLLECTION, PANEL-READY



PRODUCT AND PANEL DIMENSIONS

T30IF905SP



ACCESSORIES (OPTIONAL)

STORAGE

FRAMEKIT10

Freedom[®] Frame Kit

unfinished cabinet returns.

FLAT STAINLESS STEEL DOOR PANELS

30-Inch Flat Stainless Steel Door Panel Without Dispenser

TFL30IR800 For use with Handle

TFL30IR905

Handleless

ICEBUCKETL

Large Ice Bucket

For any custom column installation in 24-inch

deep cutouts. With two metal side trims whose

placement between the interior cutout wall and

the appliance helps overcome the challenge of

HANDLES

Choose between two options:

PR36HNDL20

36-Inch Professional Collection Handle

or


MS36HNDL20

36-Inch Masterpiece® Collection Handle

FILTERS

REPLFLTR55

Freedom[®] Water Filter Replacement water filter for use in all freezer and bottom freezer models



HEATRKIT20 – 13W @ 120V

Freedom[®] Heater Kit

Low voltage heating element designed to guard against condensation build up. For use with non-traditional side-byside installations (i.e. two wine columns) or instances where appliances are installed less than 6-inches (152 mm) apart from one another but not connected sideby-side. This kit is recommended for areas that are subject to high humidity or located next to an outside wall.

These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited warranty from date of delivery. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2024 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.