

X8: Specifications

Print Datasheet

Recommended maximum daily output	
Recommended maximum daily output	80
Areas of use	
Catering	✓
Large offices	✓
Cafeterias	✓
Self-service areas	✓
Specialties	
Ristretto	✓
2 × Ristretto	✓
Espresso	✓
2 × Espresso	✓
Coffee	✓
2 × Coffee	✓
Special coffee	✓
2 × Special coffee	✓
Jug of coffee	✓
Caffè latte	✓
2 × Caffè latte	✓
Cappuccino	✓
2 × Cappuccino	✓
Flat white	✓
2 × Flat white	✓
Latte macchiato	✓
2 × Latte macchiato	✓
Portion of milk	✓

2 × Portion of milk	✓
Hot water	✓
Hot water for green tea	✓
Number of cups per hour (as per DIN 18873-2)	
Espresso	88
2 × Espresso	108
Coffee	67
2 × Coffee	84
Cappuccino	72
2 × Cappuccino	110
Hot water	69
Specific benefits	
Number of specialties	21
Active bean monitoring	✓
Automatic switching between milk and milk foam	✓
Transmitter supplied as standard	Smart Connect
JURA coffee machine standards	
Pulse Extraction Process (P.E.P.®)	✓
One-Touch function	✓
Variable brewing unit	5 – 16 g
Grinder	Multi-level Aroma G3 grinder
High-performance pump, 15 bar	1
Thermoblock heating system	2
Milk system / interchangeable milk spout	HP3 / CX2
Aroma preservation cover	✓
Operating and programming standards	
Display	2.8" color display with buttons
Individually programmable quantity of coffee water	✓

Individually programmable coffee strength	10 levels
Individually programmable amount of milk/milk foam	✓
Individually programmable milk/milk foam temperature	10 levels
Individually programmable brewing temperature	2 levels
Individually programmable hot water temperature	3 levels
Resettable day counter	✓
Shows the number of preparations for each individual product	✓
Hygiene standards	
Automatic filter detection	✓
Filter cartridge	CLEARYL Pro Smart maxi / CLEARYL Pro Smart
One-Touch milk system cleaning (automatic)	✓
Integrated rinsing, cleaning, and descaling program	✓
Monitored drip tray	✓
JURA hygiene: TÜV-certified	✓
Energy standards	
Energy Save Mode (E.S.M.©)	✓
Zero-Energy Switch or power switch	✓
Programmable switch-off time	✓
Energy consumption per day (as per DIN 18873-2)	0.311 kWh
Design and materials	
Cup illumination	✓
In figures	
Height-adjustable/width-adjustable dual spout	2.6 – 6 in / – 65 – 153 mm / –
Water tank capacity	169 oz / 5 l
Bean container holding capacity	17.7 oz. / 500 g
Bean container optionally expanded to	1 kg
Coffee grounds container (approx. servings)	40

Cord length	46 in / 1.2 m
Voltage / power	220 – 120 V ~ / 1450 W
Current	10 A
Stand-by power	< 0,5 W
Weight	30.9 lbs / 14 kg
Dimensions (W × H × D)	14.7 in × 18.5 in × 18.1 in 37.3 cm × 47 cm × 46.1 cm
Article number, Product code	15177, Platinum (NA)
EAN code	7610917151776
Country of production	Made in Switzerland
Model year	2018