



PRF0203732

ER30SRB161PR-L

16 CuFt capacity, practical organization, and a sleek panel-ready design for modern kitchens.

Design by **30" Built-In Bottom Mount, Panel Ready Refrigeration (Left Door)**

Generic Data

FINISHING	DIMENSIONS (INCH)	SERIES
Panel Ready	29 11/16"× 23 5/16"× 83 1/4"	DOLOMITE
LIGHTING	ELECTRICAL	
LED 6500K 300 lumens, 100 lumen for Freezer	115V/ 220-240 V	

Refrigeration

AMPERAGE	HERTZ	WATT
2.6A	50-60	452 W
DEFROST TYPE	POWER CORD	ADJUSTBALE SHELVES
No Frost	Power Cord	YES
REMOVABLE SHELVES	NUMBER OF SHELVES	DRAWERS
YES	3	Chiller Adjustable Temp Drawer
SHELF MATERIAL	DOOR STORAGE	DOOR FEATURES
Spill-Proof Glass	3 Height adjustable Bins	Black plastic panel ready door frame
STORAGE FEATURES	REVERSIBLE DOOR	SOLID DOORS
3 glass shelves and 3 soft close drawers	YES	Panel ready/Stainless Steel Kit
DOOR ALARM	SABBATH MODE	REFRIGERATION TEMP MIN
YES	YES	35°F
REFRIGERATION TEMP MAX	TEMPERATURE DISPLAY	CHILLER DRAWER TEMP
46°F	YES	30°F (-1°C) to 41°F(5°C)
FREEZER TEMP	CUFT	FRIDGE CAPACITY
+5°F (-15°C)to-11°F(-24°C)	16 cuft	4.5 cuft
FREEZER CAPACITY	ICE MAKER	HEIGHT
11.5 cuft	YES	83 1/4"
DEPTH	COUNTER DEPTH	DEPTH WITH DOOR OPEN
23 5/16"	23 5/16"	61"
DEPTH WITH HANDLES	DEPTH WITH OUTDOOR	DEPTH WITHOUT HANDLES
26"	22 7/32"	24 1/4"
LEVELING LEGS	CUTOUT	
YES	30" x 25" x 84"	

Kits

**TUBULAR HANDLE STAINLESS
STEEL KIT**
ETHKCSS

WATER FILTERCOVER
ERWFC

JOINING KIT
ECJKCXX

CARBON FILTER REPLACEMENT
L00114-1