

Nest Cam (indoor) Technical Specifications Copy Guide Template April 2021

Nest Cam (indoor) - Change log

Date	What is being updated?

Nest Cam (indoor) Tech Specs:

Spec Category	Nest Cam (indoor)
Camera	 2-megapixel color sensor 135° diagonal field of view 6x digital zoom 16:9 aspect ratio
Video	 Up to 1080p (1920 x 1080) at 30 frames/sec 24/7 live view HDR Night vision H.264 encoding
Video history	 Includes up to 3 hours of event video history Captures and stores video clips of activity within the past 3 hours. With a Nest Aware subscription (sold separately), Nest Cam can capture and store up to 60 days of event video history. Continuous video recording (up to 10 days of 24/7 video history) requires a Nest Aware Plus subscription (sold separately).
Audio	 High-quality speaker and microphone Full-duplex 2-way audio with noise cancellation
Night vision	 Up to 15 ft (4.6 m) illumination 2 high-power 850 nm infrared LEDs
Wireless	 802.11a/b/g/n/ac (2.4GHz/5GHz) Wi-Fi WEP, WPA, WPA2, WPA3 encryption supported Bluetooth Low Energy (BLE)
Security	 On-device machine learning Secure boot Automatic security updates 128-bit AES encryption with TLS/SSL
Power	 Attached 10 ft (3.0 m) power cable with USB-A connector Included 7.5W USB-A power adapter
Mounting options	 Tabletop Mounts to wall with integrated wallplate and 2 screws
Operating temperature	• 32°F to 104°F (0°C to 40°C)
Storage temperature	 -4°F to 140°F (-20°C to 60°C)

Weather resistance	Indoor use only
Lights	• RGB status LED
Colors	 Snow (global) Fog (US-only) Linen (US-only) Sand with maple wood base (US-only)
Dimensions and weight	 Height: 3.88 in (98.47 mm) Width: 2.52 in (64.03 mm) Depth: 2.24 in (56.93 mm) Weight with power cable: 14.1 oz (393 g)¹ ¹Weight may vary by configuration and manufacturing process.
Green	 Nest Cam is sustainably designed with at least 45% recycled content across its plastic parts* *This does not include plastics in printed circuit boards, labels, cables, connectors, electronic components and modules, optical components, electrostatic discharge (ESD) components, electromagnetic interference (EMI) components, films, coatings and adhesives
Languages	 English, Danish, Dutch, Finnish, French, German, Italian, Japanese, Norwegian, Spanish, Swedish
Warranty	 [US/CA/MX/AU/NZ/JP/IN] 1-year limited warranty (details in box). For help, visit g.co/nest/support. [EU/UK/CH] 2-year limited warranty (details in box). For help, visit g.co/nest/support.

What's included in the box Generic US

Nest Cam (Single)
Nest Cam camera with base
1 power adapter
Wall screws
Wall anchors
Quick start guide
Safety & warranty document

Requirements Generic US

Compatible mobile device (minimum OS requirements are available at g.co/nest/requirements)

- Nest Cam requires a Wi-Fi network, a working broadband internet connection with at least 2 Mbps upload speed per camera for optimal performance (DSL may not qualify), a compatible mobile device, the free Home app, and a Google Account.
- Works with Hey Google features require additional hardware (sold separately), which could include a Google Nest device.
- Minimum requirements are available at g.co/nest/requirements.
- Video streaming, phone alerts, and history may be subject to interruptions or failures for reasons beyond Google's control, like intermittent Wi-Fi or service provider outages.
- Nest Cam does not provide third-party monitored emergency notification or response.
- Availability and performance of certain features and services are service-, device-, and networkdependent and may not be available in all areas.
- Subscription(s) may be required, and terms, conditions, and/or charges may apply.