

APPEARANCE

Color Appearance	White
Easy-Roll Casters	Yes
Installation	Extended Length Window Kit - 20"- 46"

CAPACITY

Cooling BTUH (MAX)	9,800 Btu
Dehumidification (pts./day)	100 pt

FEATURES

Airflow (cfm) Roomside (hi/low)	250/220/180
Airflow Configuration	Single-hose
Airflow Direction	Auto Louver
Condensate Drain	Self-Evaporative
Continuous Condensate Drain	Yes
Control Type	Capacitive Touch Variable LED Display with Nightlight
Digital Time Temp Display	Yes
EER	7.9
Exhaust Hose Length	5 ft
Fan Speed Selections	3 Cooling 3 Fan Only

Filter Type	Easy Access Permanent Mesh
LCDI / AFCI power cord	Yes
Operating Temperature Range F	64-86
Plug Capacity	120V/15A
Plug Type	A / 5-15P
Power Cord Length	6'
Product Type	Portable
Refrigerant Type	R32
Remote Control	Yes
Self-Evaporative	Yes
Thermostat Type	Thermistor
Unit Features	Auto Restart Dehumidify Function Remote Control 24 hr. On/Off Timer Continuous Fan Mode
Vent/Air Exchange Exhaust	Top
WiFi Connect	Built-In
Window Exhaust Kit	Yes

POWER / RATINGS

Cooling - Rated Cooling Amps AHAM	12.0
Cooling - Watts	1350

Sound Level (Low/High)	50/52 dbA
Volts/Hertz	115V

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	90 lb
Min./Max. Window Opening Width (in.)	20/46
Minimum Window Opening Height (in.)	4.8
Net Weight	70.5 lb
Overall Depth	15 1/2 in
Overall Height	32 in
Overall Width	18 1/2 in