

24 INCH VENTLESS HEAT PUMP DRYER

HPD24400W





Main Features

Compact dryer

Ventless heat pump dryer technology

Humidity free

ProSmart Inverter Motor

Most Efficient 2107. 50% less energy saving.

16 drying programs

Electronic Controls

4.1 cu. ft. dryer capacity

Child Lock

Stack kit included

Direct draining

Anti-wrinkle

Quick drying

Jeans cycle

Gentle care

Special drum paddles

Easy access to lint filter

Bi-directional drum action

Reversible door

Lifetime stainless steel drum

Dimensions

H x W X D: 33 5/16" x 23 5/8" x 26 9/16"

GENERAL	HPD24400W
Dryer Type	Heat pump ventless
Capacity cu. ft.	4.1
Dry load capacity kg	8.0
Dry load capacity lbs.	17.7
Drum material	Stainless steel /Aquawave structured
Control	Digital Display
Silence level dBA	65
Automatic water drain	Yes
Reduce static cling	Yes
Delay Time	0-24 h
CYCLES	
Number of Cycles	16
Normal / Regular cotton	Yes
Permanent press	Yes
Mixed fabric	No V
Delicates	Yes
Bulky	Yes
Air Fluff / no heat Woolens	Yes Yes
wooiens Jeans	Yes Yes
*	Yes
Baby sanitize Silent Program	Yes
Jogging Wear	Yes
Quick Dry 30	Yes
Timed Dry	10-20-30-40-50-60-70-80-100-120-140-160 min
FUNCTIONS	10 20 30 10 30 00 70 00 100 120 110 130 11111
End of cycle buzzer	Yes
Child lock	Yes
Auto anti-creasing	Yes
Interior drum led lighting	No
Glass door with heat protection	Yes
Reversible glass door	Yes
Program follower	Yes
Levelling legs	4
Clean filter indicator	Yes
Number of vent options	4
Bi-directional drum action	Yes
Low heat	No
Auto cool-down phase	Yes
MATERIALS AND FINISHES Cabinet	White
Door rim	White White
Cycle selector knob	Sliver
DIMENSIONS	Silvei
Product Dimensions (HxWxD) in	33 5/16" x 23 5/8" x 26 9/16"
Product Dimensions (HxWxD) cm	84.7 x 60 x 67.5
Product Weight kg	52.5
Product Weight lbs.	116
TECHNICAL FEATURES	110
Rated Current Amps (A), Dryer	4
Circuit required for laundry pair (A)	1-30A dedicated
Voltage/ Frequency	208 - 240V / 60Hz
Watts (W)	900
ENVIRONMENTAL STANDARDS	
Energy star qualified	Yes
Energy consumption kWh/year	190
UL listed	Yes
RoHS compliant	Yes
Stacking Kits	
Can be mounted with matching WM	2985400200
models (WMY10148)	2303400200



24 INCH VENTLESS HEAT PUMP DRYER

HPD24400W

Outstanding Features



Compact Washer & Dryer

Small but mighty, the Beko Compact Washer & Dryer turns any two-foot nook into a laundry room. Even with its space-saving compact size, this stackable dynamic duo boasts a surprisingly roomy 2.5 cu. ft. washing capacity, 4.1 cu. ft. drying capacity, and superior cleaning and drying performance.

Stack Kit Included

Maximize space with the flexibility of our Stack Kit, allowing for optional stacking of your Beko washer and dryer.





Ventless Heat Pump Dryer

If you're concerned about the logistics or expense of venting a new dryer, Beko's Ventless Heat Pump Dryer is an innovative solution. Our award-winning 2017 ENERGY STAR Most Efficient Heat Pump Dryer uses an ingenious closed loop heat exchange system to reuse hot air and eliminate humidity build-up during drying cycles. And because it dries at a significantly lower temperature, this compact dryer pampers your clothing while saving you money on energy bills.



ProSmart Inverter Motor Technology

There's no reason to sacrifice the serenity of your home for the performance of a Beko dryer. Our technologically advanced ProSmart™ Inverter Motor provides both noise reduction and superior cleaning ability. Plus, it's durable and energy efficient, so you can have some peace with your quiet.



Anti-wrinkle

Gentle drum action separates clothing throughout the drying cycle to ensure ready-to-wear, wrinkle-free results. In case the laundry is not removed after the program is completed, the wrinkle prevention program that lasts 2 hours start to prevent wrinkling of the laundry that remains inside the dryer.



Use Beko's Jeans Cycle to thoroughly and uniformly dry even your toughest drying challenges.

Quick Dry 30

Beko's Quick Dry cycle dries shirts more delicately and causes less wrinkles. Your shirts will be just ready for easy ironing.







24 INCH VENTLESS HEAT PUMP DRYER

HPD24400W

Dimensions and Installation



Stacked installation minimum air gap clearances: 6 1/4" top, 1/2" sides, 1/2" back, front 1/2"



NOTE TO THE INSTALLER: All height, width and depth dimensions are shown in inches (as well as metric). Beko US Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website www.blombergappliances.us or call 888 352 2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.