

APPEARANCE

Color Appearance	Gray
-------------------------	------

CAPACITY

Unit Capacity	30 Gallons
----------------------	------------

FEATURES

Altitude Rating	10,100 ft
Anode Rod	Magnesium
Bin Testing	Medium
Configuration	Short
Controls	LED Indicator
Drain Valve Type	Plastic
Family Size	1-3 People
Fuel Type	Liquid Propane Gas (factory set)
FVIR Safety System	Prevents accidental ignition of flammable vapors
Gas Valve	Self Powered
Height Description	Short
Overheat Protection	Dry Burning Protection
Pilot Light Window / Button	Yes
Product Type	Gas
Temp & Pressure Relief Valve	Yes
Temperature Setting	45-160° F Range

UEF	.6
Vent	Atmospheric
Water Connection Location	Top

POWER / RATINGS

Burner BTU Size (k)	31.5
First Hour Delivery GPH	64 gal/h

WARRANTY

Labor Warranty	1-year limited
Parts Warranty	8-year limited
Warranty Notes	See written warranty for full details

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	118 lb
Connection Sizes - Hot Water Outlet (MNPT)	3/4"
Connection Sizes - Water Inlet (MNPT)	3/4"
Height to Gas Control	11 1/4 in
Net Weight	112 lb
Overall Depth	20 in
Overall Height	50 1/4 in

Overall Width	20 in
Product Diameter	20 in
Product Height (to top of unit)	46 7/8 in
Product Height (to top of unit) (cm.)	158.4
Product Height (to top of water inlet/outlet connections)	48 3/4 in
Vent Size	3" Type B Vent