

FULGOR
MILANO

600 Series 36" Dual Fuel Range

F6PDF366S1



Series

Size
Main Colour
Logo
Stainless Steel Aesthetics

600
DUAL FUEL
36"
SS
•
Professional

Cooktop

Type

Cooking Surface
Gas Type
Knobs

GAS
Black Enameled
NG (5") or LP (10")
•

Gas Cooktop Features

Electric Flame Ignition and Re-ignition
Flame out sensing
Top Mount Injectors
L.P. Conversion Kit
Dual Flame Brass Burner
Heavy Duty Cast Iron Grates
Pressure Regulator

•
•
•
•
•
3
•

Cooking Zones

6

Front Left

Dual Flame Burner

Power (Max/ Min) Natural Gas
Power (Max/ Min) Propane

18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W
15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W

Rear Left

Dual Flame Burner

Power (Max/ Min) Natural Gas
Power (Max/ Min) Propane

18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W
15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W

Front Middle

Dual Flame Burner

Power (Max/ Min) Natural Gas
Power (Max/ Min) Propane

18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W
15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W

Rear Middle

Dual Flame Burner

Power (Max/ Min) Natural Gas
Power (Max/ Min) Propane

18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W
15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W

Front Right

Dual Flame Burner

Power (Max/ Min) Natural Gas
Power (Max/ Min) Propane

18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W
15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W

Rear Right

Dual Flame Burner














Power (Max/ Min) Natural Gas
Power (Max/ Min) Propane

18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W
15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W

FULGOR

MILANO

Oven

Type		ELECTRIC PIRO	
Oven Type		Multifunction 2 Fans (True Euro Convection)	
Temperature Regulation		Electronic	
Functions			
Pyrolitic Self-Clean with automatic door latch			•
True European Convection Bake (Multi level)			•
Convection Broil			•
Convection Roast			•
Pizza (Lower Convection)			•
Bake			•
Broil			•
Dehydrate			•
Thaw (Defrost)			•
Proof (Warm)			•
Keep warm (Warm Plus)			•
Oven Lights			•
Fast Preheat			•
Control Panel			
Control type		HAWK3TC - Electronic	
Clock Display		White LED	
Temperature Display		White LED	
Function Display		White LED	
Commands		6 Heavy Duty Knobs / 6 Touch Keys	
Language		English / Frensh / Spanish	
Electric Oven Features			
Preset/Last used temperature memory		•	
Preheat bar (25%, 50%, 75%, 100%)		•	
Automatic Fast Preheat		•	
Child Door Lock		•	
Commands Lock		•	
Sabbath mode		•	
12/24 hour clock format		•	
°C/°F		•	
Oven Door(s)			
Oven Glass Window		Deep Embossed Window	
Door Cooling System		4 Pane Heat Resistant Glass	
soft closing system		•	
Door Hinges		Heavy Duty Steady Tilt	
Handle Style		Stainless Steel Tube d30mm, Metal terminals	
Oven Cavity			
Gross Capacity (cuft)		5.7	
Usable Capacity (cuft)		4.9	
Cavity Enamel Colour		Black	
Rack Positions		6	
Oven Lights		3x20W Halogen	
Heating Element			
Broil Upper Heating Element		3500 W (240V)	
Upper Auxiliary Element Wattage		1032W (240V)	
Concealed Bake Lower Heating Element		3000 W (240V)	
Convection Element Wattage		2x1300 W (240V)	
Oven Accessories			
Chromed racks		2	
Enameled Grill set (basin + anti splash)		1	
Telescopic chromed rack		1	
Meat probe		1	
Dimensions			
Overall dim - width		35 3/4" (910mm)	

FULGOR

MILANO

Height min/max	36 3/8" (925mm) / 38 1/2" (977mm)
Overall dim - depth	29 3/4" (756mm)
Power / Ratings (208/240 V, 60 Hz)	
KW/Amps rating at 120-240V, 60Hz	3.84kW - 16.9A
KW/Amps rating at 120-208V, 60Hz	3.54kW - 17.5A
Cable + Plug	Nema 14-50P
INSTRUCTIONS FOR USE	
Use & Care Manual	EN, SP, FR
Installation Manual	EN, SP, FR