

FZU18LX



Product Family Freezers Installation Built-in Single door Category Reference width Until 60

Higher than 200 Reference height

No Frost Cooling type Hinge type Door on door

Hinge position Left



Aesthetics

Universale Handle colour **Aesthetic** Stainless steel Colour Stainless steel Side material Metal Stainless steel Applied Material Door steel type Normal Drawers profile color Silver Handle External Display **TFT** Handle type Fixed

Freezer compartment features



Internal light in freezer Yes Type of internal light (freezer) LED **Number of drawers**

Other Freezer features

Warehouse availability Automatico first date

Other technical features











Functions display

Holiday, Fast Feezing, MultiZone, Sabbath

Type of temperature control

Electronic

Fast freezing button Yes

SMEG SPA 2024-05-15




Power on lamp Yes No. of compressors 1 Yes Temperature alarm R600a Refrigerant gas type lamp Type of compressor Inverter Door open alarm Yes **Refrigerant Quantity** 59 oz Temperature alarm Yes **Antibacterial Gasket** Yes Metal panel on the back Metal of the fridge

Performance / Energy Label - Reg. 2019


Total net volume 61.3 gal Climate class SN, N, ST, T

Electrical Connection

Plug (B) USA 120V Frequency (Hz) 60 Hz
Current 2,4 A Power supply cable 78 3/4 "
Voltage 115 V length







SMEG SPA 2024-05-15



Symbols glossary (TT)



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



using.


LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.



SMEG SPA 2024-05-15