

PUCCM636SS

Canopy Hood



YALE
APPLIANCE





Available in 36" width and only 11 1/16" high. This model features professional styling, seamless welded corner craftsmanship, a powerful 600 CFM blower with high airflow, heavy duty stainless steel baffle grease filters, Replaceable LED lighting, plus backlit hidden metallic in/out knobs for convenience and safety.

It also delivers higher efficiency and easy maintenance for a cleaner kitchen.

MOUNTING HEIGHT RANGE

 
 $\geq 24"$ $\geq 30"$



PUCCM636SS

Undercabinet Canopy Hood

YALE
APPLIANCE

SPECIFICATIONS

Width:	36" Unit
Model:	PUCCM636SS
Dimensions:	36"W x 23"D x 10" H
Blower Type(internal):**	600 CFM(4-speed)
Noise (sones):**	2.0 - 7.0 Sones
Finish:	Stainless Steel
Controls:	Fully retractable rotating knobs with white backlighting
Illumination: (Replaceable Lamps 1 Intensity)	2 LED, 6.5 Watts 3000 KELVIN 540 LUMEN/Lamp
Grease Filter:	(2) Grease Collecting Stainless Steel Baffle
Duct Transition:	3 1/4" x 10" rectangular with Backdraft damper (top or rear)
Installation Type:	Ducted or Recirculating with Kit
Mounting Height Range:	Electric ≥ 24", Gas ≥ 30"
Electrical:	120V - 60 Hz, 457 Watts
ACCESSORIES:	
Long Chimney Ext 6":	ACC02158
Long Chimney with grates:	ACC0207174
Long Chimney Ext 12":	ACC02161
Stainless Steel Backsplash:	ACC0142867
Recirculating Kit:	ACC02770 (contains 2 round carbon filters & cabinet grate)
Inline Blower Shell Kit:	ACC0205342 (600 CFM, 6" duct size)
WARRANTY:	Two (2) years parts & in-home labor

FEATURES



QUIET SYSTEM - Specialized technology that allows reducing sound levels of your hood, which can effectively decrease noise by more than 35%.



Grease Collecting Baffle Filters - Intended for high airflow cooking, Their "S" shape design and Stainless Steel finish is crafted to capture significant amounts of grease.



Thermal barrier - The system detects extreme temperatures above 158 degrees and automatically increases the blower speed to HIGH.



AIR FLOW CONTROL - AFC technology enables the user to reduce the maximum blower CFM achieving <300 CFMs, to meet local code requirements.



Fine precision - Constructed with great attention to detail with High-quality stainless steel, result in a seamless and flawless finish.



Superior performance - High performance ventilation with 600 CFM blower.

AIRFLOW CONTROL

Air Flow Control technology enables the user to reduce the maximum blower CFM of your hood achieving <300 CFMs, to meet local code requirements.

This model includes an Electronic Bypass Kit that needs to be placed at the moment of installing.



* The product images shown are for illustration purposes only and may not be an exact representation of the product.

** CFM and Noise data indicate the performance of the hood blower tested according to international standards. For AHAM Certified Ratings, established in accordance with California Title 24 Standardized test procedure, please refer to AHAM Certified Product Directory. Electric Ratings are declared according to UL.